


BOX T PRO PRESS

A Capsule Suspension formulation (CS) containing 7.26% w/w of (Z)-11-hexadecenal active substance.



For the control of the box tree moth (*Cydalima perspectalis*) in boxwood (*Buxus* spp.) using the method of mating disruption.

Product registration number: MAPP 19684

A mating disruption system for reduction of the box tree moth caterpillar (*Cydalima perspectalis*), a serious new pest on box wood (*Buxus* spp.). The male moth is disorientated making it difficult to locate females.

May only be used on boxwood (*Buxus* spp.).

Applied only through the 'Pheropump' applicator, which needs to be pressurised, typically with a foot or track pump.

Diffusion points are applied on the trunk or on branches. These dry and release the pheromone over a period of approximately 3 months.

To be used as part of an integrated pest management strategy. Use with monitoring traps and appropriate approved insecticides.

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of these products at work.
Use plant protection products safely. Always read the label and product information before use.

VERSION CONTROL

Version	Publication Date	Main changes from previous version
02/24	February-2024	New product manual

BOX T PRO PRESS

The following text is taken from the approved Product Label:

A Capsule Suspension formulation (CS) containing 7.26% w/w of (Z)-11-hexadecenal active substance.

For the control of the box tree moth (*Cydalima perspectalis*) in boxwood (*Buxus* spp.) using the method of mating disruption.

Product registration number: MAPP 19684

DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

FOR USE ONLY AS A PROFESSIONAL SEMIOCHEMICAL

Ready-to-use product. Manual application using specialised device (Pheropump). For mating disruption.

CROPS

Boxwood (*Buxus* spp.); amenity vegetation and ornamental plant production (outdoor & protected).

PEST CONTROLLED

Cydalima perspectalis - (DPHNPE) (box tree moth).

METHOD OF APPLICATION

Use the manual applicator, the Pheropump.

Deposit treatment to aerial parts of the *Buxus* spp. plant. A single deposit (about 1 g) is to be applied per 12 m² of surface area or every 2m of linear hedge. Apply in the heart of the boxwood hedge directly on the wood on the trunk or branches.

NUMBER OF APPLICATIONS AND TIMING

Apply two applications

Apply the first before the beginning of 1st generation moth flight (spring, end of April to beginning of May, depending on the flight monitoring).

Apply the second before the beginning of 2nd generation moth flight (summer, end of July to beginning of August).

MINIMUM INTERVAL

60-80 days.

DOSE RATE

Maximum rate of 0.75 kg/ha (750 deposits/ha) per application.

OTHER SPECIFIC INSTRUCTIONS

Do not handle other pheromones during this operation.

Box T Pro Press must be used as part of an Integrated Pest Management programme, using an appropriate insecticide treatment to reduce the numbers of caterpillars and crop damage.

In addition, it is important to monitor the pest, through monitoring traps (flight curve) and observations of crop damage, in case of an increase in the population (captures in the monitoring traps) or crop damage, supplement it with an authorised insecticide treatment.

Take care not to treat during the hottest hours of the day. Beware of rainfall; apply Box T Pro Press in the absence of significant rainfall (<25 mm) within 24 hours of application. Otherwise, a renewal of the application is recommended.

Apply in the heart of the boxwood hedge directly on the wood on the trunk or branches, this is important in order to ensure effectiveness (protection from rain and sunlight).

RESISTANCE

Resistance due to mating disruption techniques with SCLPs has never been observed. The Insecticide Resistance Action Committee (IRAC) does not consider pheromones as possible resistance developing chemicals.

IMPORTANT INFORMATION

FOR USE ONLY AS A PROFESSIONAL SEMIOCHEMICAL.

Crops: Amenity vegetation, ornamental plant production (outdoor & protected).

Maximum Individual dose: 0.75kg/ha.

Maximum number of treatments: 2.

Other specific restrictions:

Box T Pro Press is only authorised for use on boxwood (*Buxus* spp.).

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.


Toxic to aquatic life with long lasting effects.

Wear protective gloves.

Collect spillage.

Dispose of contents/dispensers to a licensed hazardous waste disposal contractor or collection site.

To avoid risks to human health and the environment, comply with the instructions for use.



UFI : VG7K-H745-3V1T-GUA3

SAFETY PRECAUTIONS

Operator protection:

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment:

WEAR SUITABLE PROTECTIVE GLOVES when handling the product.

However, engineering controls may replace personal protective equipment if a COSHH assessment show that they provide an equal or higher standard of protection.

WASH with plenty of water if on skin.

If skin irritation occurs: Get medical advice/attention.

WASH HANDS AND EXPOSED SKIN before meals and after work.

WHEN USING DO NOT EAT, DRINK OR SMOKE. IF YOU FEEL UNWELL, seek medical advice immediately (show the label where possible).

Environmental protection:

Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads. To protect aquatic organisms, respect an untreated buffer zone of minimum of 1 metre to surface water.

Storage and disposal:

KEEP IN ORIGINAL CONTAINER.

EMPTY CONTAINER COMPLETELY and dispose of safely.

DO NOT RE-USE CONTAINER for any purpose.

Do not store at high temperatures. Keep at temperatures $>0^{\circ}\text{C}$.

COMPANY ADVISORY INFORMATION

The results derived from the application of this product can vary due to the action of factors that are out of our scope, so we can only hold responsible for those foreseen by the law.

AUTHORISATION HOLDER AND MARKETING COMPANY

M2i Biocontrol S.A.S.

1 rue Royale,

112 Bureau de la Colline, 92 210 Saint Cloud Cedex, FRANCE

Telephone: +33 (0) 5 59 71 76 26

Email: contact@m2i-group.fr

Pack size 250g pouch. Outers of 8.

Safety data sheet available on request.

The trademark Box T Pro Press is the sole property of M2i Group.

Distributed in the UK by Fargro Ltd.

© 2024 Copyright of Fargro and its suppliers.