SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name MOVENTO

Product code (UVP) 90050340

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Limited
230 Cambridge Science Park
Milton Road
Cambridge
Cambridgeshire CB4 0WB
United Kingdom

Telephone +44(0)1223 226500

Telefax +44(0)1223 426240

Responsible Department Email: gb-bcs-crop-regulatory-affairs@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. 0330 678 3382 (24 hr)

For Medical Professionals:
You can also contact the relevant NPIS.

For Members to the Public: You can contact NHS111.

National Poisons Information Centre UK: 0344 892 0111

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Reproductive toxicity: Category 2
H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

Skin sensitisation: Category 1
H317 May cause an allergic skin reaction.

Eye irritation: Category 2

H319 Causes serious eye irritation.

Long-term (chronic) aquatic hazard: Category 2
H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Spirotetramat



Signal word: Warning

Hazard statements

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H411	Toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P308 + P311	IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
P501	Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

2.3 Other hazards

No additional hazards known beside those mentioned.

Spirotetramat: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). 2-Ethylhexanol propylene ethyleneglycol ether: Not applicable

Ecological information:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Toxicological information:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Oil dispersion (OD)
Spirotetramat 150 g/l

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification REGULATION (EC) No 1272/2008	Conc. [%]
Spirotetramat	203313-25-1	Eye Irrit. 2, H319 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Repr. 2, H361fd STOT SE 3, H335 Aquatic Chronic 1, H410	15.31
2-Ethylhexanol propylene ethyleneglycol ether	64366-70-7	Acute Tox. 4, H332 Aquatic Chronic 3, H412	> 1 – < 25
2,6-Di-tert-butyl-4-methylphenol	128-37-0 01-2119555270-46-xxxx 01-2119565113-46-XXXX 01-2119480433-40-XXXX	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	> 0.1 – < 2.5
Sunflower oil	8001-21-6	Not classified	> 1

Further information

For the full text of the H-Statements mentioned in this Section, see Section 16.

Particle characteristics

This substance/ mixture does not contain nanoforms

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.

Inhalation Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.

Skin contact Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.

Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. If eye irritation or redness persists, see an ophthalmologist.
Ingestion	Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable	Water spray, Carbon dioxide (CO2), Foam, Sand
Unsuitable	High volume water jet
5.2 Special hazards arising from the substance or mixture	In the event of fire the following may be released:, Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions	Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.
6.2 Environmental precautions	Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Rinse away rest with plenty of water.

6.4 Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling	Use only in area provided with appropriate exhaust ventilation.
Advice on protection against fire and explosion	No special precautions required.
Hygiene measures	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight.
Advice on common storage	Keep away from food, drink and animal feedingstuffs.
Suitable materials	HDPE (high density polyethylene) HDPE - steel case Only IBC 1000 liter are recommended as bulk container for re-filling.
7.3 Specific end use(s)	Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Spirotetramat	203313-25-1	1.4 mg/m3 (SK-SEN)		OES BCS*
2,6-Di-tert-butyl-4-methylphenol	128-37-0	10 mg/m3 (TWA)	2007	EH40 WEL
2,6-Di-tert-butyl-4-methylphenol	128-37-0	2 mg/m3 (TLV)		OES BCS*
Sunflower oil (Respirable dust.)	8001-21-6	4 mg/m3 (TWA)	01 2020	EH40 WEL
Sunflower oil (Inhalable dust.)	8001-21-6	10 mg/m3 (TWA)	01 2020	EH40 WEL

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment)

Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment
In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection	Respiratory protection is not required under anticipated circumstances of exposure. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.
Hand protection	Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet. Material: Nitrile rubber Rate of permeability: > 480 min Glove thickness: > 0.4 mm Protective index: Class 6 Directive: Protective gloves complying with EN 374.
Eye protection	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).
Skin and body protection	Wear standard coveralls and Category 3 Type 4 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently. If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	dispersion
Colour	light beige to light brown
Odour	weak, characteristic
Odour Threshold	No data available

Melting point/ range	No data available
Boiling Point	No data available
Flammability	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Flash point	> 100 °C
Auto-ignition temperature	No data available
Self-accelarating decomposition temperature (SADT)	No data available
pH	4.0 - 6.0 (1 %) (23 °C) (deionized water)
Viscosity, dynamic	<= 1,300 mPa.s (20 °C) Velocity gradient 7.5 /s
Viscosity, kinematic	No data available
Water solubility	No data available
Partition coefficient: n-octanol/water	Spirotetramat: log Pow: 2.5(pH 7) 2-Ethylhexanol propylene ethyleneglycol ether: No data available
Vapour pressure	No data available
Density	ca. 0.98 g/cm³ (20 °C)
Relative density	No data available
Relative vapour density	No data available
Assessment nano particles	This substance/ mixture does not contain nanoforms
Particle size	No data available

9.2 Other information

Explosivity	No data available
Oxidizing properties	No data available
Evaporation rate	No data available
Other physico-chemical properties	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

Acute oral toxicity	LD50 (Rat) > 2,000 mg/kg Test conducted with a similar formulation.
Acute inhalation toxicity	LC50 (Rat) > 0.842 mg/l Exposure time: 4 h Determined in the form of a respirable aerosol. Highest attainable concentration. Test conducted with a similar formulation.
Acute dermal toxicity	LD50 (Rat) > 2,000 mg/kg Test conducted with a similar formulation.
Skin corrosion/irritation	No skin irritation (Rabbit) Test conducted with a similar formulation.
Serious eye damage/eye irritation	Irritating to eyes. (Rabbit) Test conducted with a similar formulation.
Respiratory or skin sensitisation	Skin: Sensitising (Guinea pig) OECD Test Guideline 406, Buehler test Test conducted with a similar formulation.

Assessment STOT Specific target organ toxicity – single exposure

Spirotetramat: May cause respiratory irritation.
2-Ethylhexanol propylene ethyleneglycol ether: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Spirotetramat did not cause specific target organ toxicity in experimental animal studies.
2-Ethylhexanol propylene ethyleneglycol ether: Based on available data, the classification criteria are not met.

Assessment mutagenicity

Spirotetramat was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.
2-Ethylhexanol propylene ethyleneglycol ether is not considered mutagenic.

Assessment carcinogenicity

Spirotetramat was not carcinogenic in lifetime feeding studies in rats and mice.
2-Ethylhexanol propylene ethyleneglycol ether: Based on available data, the classification criteria are not met.

Assessment toxicity to reproduction

Spirotetramat caused male reproductive toxicity in the presence of general toxicity in the rat at very high experimental dose levels. There were no effects on male fertility in mice and dogs. The reproductive toxicity seen with Spirotetramat is due to an overwhelmed elimination capacity at high doses. The high dose levels needed for this effect cannot be achieved even in a worst case exposure scenario.
2-Ethylhexanol propylene ethyleneglycol ether: Based on available data, the classification criteria are not met.

Assessment developmental toxicity

Spirotetramat caused developmental toxicity only at dose levels toxic to the dams. Spirotetramat caused a delayed foetal growth, an increased incidence of variations.
2-Ethylhexanol propylene ethyleneglycol ether: This information is not available.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) 2.54 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient spirotetramat.

LC50 (Lepomis macrochirus (Bluegill sunfish)) 2.2 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient spirotetramat.

LC50 (Cyprinus carpio (Carp)) 2.59 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient spirotetramat.

LC50 (Cyprinodon variegatus (sheepshead minnow)) 1.96 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient spirotetramat.

Chronic toxicity to fish

Pimephales promelas (fathead minnow)
NOEC: 0.534 mg/l
Exposure time: 33 d
The value mentioned relates to the active ingredient spirotetramat.

Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) > 42.7 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient spirotetramat. LC50 (Chironomus riparius (non-biting midge)) 1.38 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient spirotetramat. EC50 (Crassostrea virginica (Eastern Oyster)) 0.85 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient spirotetramat. EC50 (Mysids (Americamysis bahia)) 5.5 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient spirotetramat.
Chronic toxicity to aquatic invertebrates	NOEC (Daphnia magna (Water flea)): 2 mg/l Exposure time: 21 d The value mentioned relates to the active ingredient spirotetramat. NOEC (Chironomus riparius (non-biting midge)): 0.1 mg/l Exposure time: 21 d The value mentioned relates to the active ingredient spirotetramat.
Toxicity to aquatic plants	ErC50 (Anabaena flos-aquae (cyanobacterium)) 15.2 mg/l Exposure time: 72 h The value mentioned relates to the active ingredient spirotetramat. ErC50 (Navicula pelliculosa (Freshwater diatom)) 4.05 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient spirotetramat. EbC50 (Lemna gibba (gibbous duckweed)) 4.49 mg/l Exposure time: 7 h The value mentioned relates to the active ingredient spirotetramat. EbC50 (Skeletonema costatum) 0.36 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient spirotetramat.

12.2 Persistence and degradability

Biodegradability	Spirotetramat: Not rapidly biodegradable 2-Ethylhexanol propylene ethyleneglycol ether: Not readily biodegradable.
Koc	Spirotetramat: Koc: 289 2-Ethylhexanol propylene ethyleneglycol ether:No data available

12.3 Bioaccumulative potential

Bioaccumulation	Spirotetramat: Does not bioaccumulate. 2-Ethylhexanol propylene ethyleneglycol ether: No data available

12.4 Mobility in soil

Mobility in soil	Spirotetramat: Moderately mobile in soils 2-Ethylhexanol propylene ethyleneglycol ether: No data available

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment	Spirotetramat: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). 2-Ethylhexanol propylene ethyleneglycol ether: Not applicable

12.6 Endocrine disrupting properties

Assessment	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological information	No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product	In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.
Contaminated packaging	Do not re-use empty containers. Triple rinse containers. Not completely emptied packagings should be disposed of as hazardous waste.

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number	**3082**
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SPIROTETRAMAT SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	-

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	**3082**
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

	(SPIROTETRAMAT SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Marine pollutant	YES

IATA

14.1 UN number	**3082**
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SPIROTETRAMAT SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES

UK 'Carriage' Regulations

14.1 UN number	**3082**
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SPIROTETRAMAT SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Emergency action code	3Z

14.6 Special precautions for user
See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to IMO instruments
No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)
Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367)
Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)
Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009
Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)
EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits
Control of Pesticide Regulations 1986
Dangerous Substances and Explosive Atmospheres Regulations 2002

Waste Treatment

Environmental Protection Act 1990, Part II
Environmental Protection (Duty of Care) Regulations 1991
The Waste Management Licensing Regulations 1994 (as amended)
Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)
Landfill Directive
Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)
Water Resources Act 1991
Anti-Pollution Works Regulations 1999

Further information

WHO-classification: III (Slightly hazardous)

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EH40 WEL	Worker Exposure Limit
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified

NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The above information is intended to give general health and safety guidance on the storage and transport of the product.
It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.
The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.
The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.
No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.