Provanto Ultimate Bug Killer Concentrate
MAPP 18079
FOR USE ONLY AS A HOME GARDEN INSECTICIDE.
To avoid risks to human health and the environment, comply with the instructions for use.
Contains 1,2-benzisothiazolin-3-one, 5-chloro-2-methyl-isothiazol-3-one+2-methylisothiazol-3-one, alpha- hexylcinnamaldehyde, benzylsalicylate.
May produce an allergic reaction.



SAFETY INSTRUCTIONS

Protection during use

• Flammable liquid and vapour. • Ground/bond container and receiving equipment. • Keep out of reach of children. • DO NOT BREATHE SPRAY • AVOID CONTACT WITH SKIN • Wear protective gloves/ protective clothing/eye protection. • WASH HANDS AND EXPOSED SKIN AFTER USE • If medical advice is needed, have product container or label at hand.

Environmental protection

• Very toxic to aquatic life with long lasting effects. • Do not contaminate water with the product or its container. • Direct away from ponds and other surface water bodies. • Cover or remove fish bowls and tanks before spraying. • Dangerous to bees. To protect bees and pollinating insects do not apply to plants when in flower. Do not use where bees are actively foraging. Do not apply when flowering weeds are present. • Risk to non-target insects or other arthropods.

Storage and disposal

• KEEP PRODUCT AWAY FROM CHILDREN AND PETS • KEEP PRODUCT IN ORIGINAL CONTAINER, tightly closed in a safe place. • KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS • Dispose of contents/ container to a household waste recycling centre as hazardous waste except for empty containers which can be disposed of in the dustbin. Contact your local council for details. • Do not empty into drains. • PROTECT FROM FROST

Contains deltamethrin 15g/l as an oil in water emulsion



Keep children and pets away from treated areas until spray has dried

PROTECT GARDEN



FAST ACTING FORMULA
GIVES UP TO 4 WEEKS CONTROL

Blackfly


Whitefly


Lily Beetle

Provanto®

ULTIMATE BUG KILLER
Concentrate

SMALL BUT MIGHTY
MAKES UP TO 60L

- Kills most common garden pests
- Can be used on a wide range of ornamentals, fruit and vegetables

USE PESTICIDES SAFELY / READ THE LABEL

Where to use

Crop	Maximum number of treatments per year	Minimum number of days between applications	Days between spraying and harvest
Ornamental garden plants, house plants, protected ornamental garden plants	5	n/a	n/a
Greenhouse/protected tomato, pepper, cucumber, aubergines courgettes and gherkin	4	7	3
Outdoor tomato, cucumber and courgette	3	7	3
Apple, pear, cherry and plum	3	14	7
Melon and watermelon (greenhouse and outdoor)	2	14	3
Blackcurrant, raspberry, loganberry, blackberry and rubus hybrid	3	14	7
Edible podded pea, vining pea, runner bean, dwarf French bean and broad bean	2	14	7
Strawberries	2	14	3
Broccoli/calabrese, cauliflower, collard, kale, Chinese cabbage	3	14	7
Brussels sprout and cabbage	2	7	7
Outdoor lettuce, endive, lambs lettuce, land cress	3	7	7
Leek	3	14	7
Radish, kohlrabi	3	14	7
Outdoor herbs	1	n/a	7
Potato (foliage only)	3	14	7
Spinach, sweet corn	3	14	3
Globe artichoke	3	7	3

Provanto® is a registered trademark of SBM Developpement SAS

Marketing Company: SBM Life Science LTD, Hyperion House, Fordham Road, Newmarket, Suffolk CB8 7XN

Authorisation Holder and for EU distribution:
SBM Developpement SAS,
60 Chemin des Mouilles,
69130 Ecully, FRANCE

Advisory Line: 0330 330 3563
International: 0044 330 330 3563

30ml e
Makes up to 60L

80% RECYCLED CARDBOARD MINIMUM

Ideal for use on a wide range of ornamental plants, fruit and vegetables. Kills and protects against: Greenfly, Blackfly, Caterpillars including codling and tortrix moths, and Beetles (raspberry, pollen and flea beetles). Also controls Weevils, Sawfly, Cutworms, Apple and Pear Suckers, Leaf Hoppers, Capsids, Thrips, Whitefly, Scale Insects, and Mealybugs in the home, garden, greenhouse and conservatory.

INSTRUCTIONS FOR USE

When to use

For ornamentals, vegetables and glasshouse crops: Spray at the first sign of infestation. If necessary repeat the treatment 10-14 days later. For the prolonged control of whitefly, mealybug and thrips repeat applications may be required. Do not exceed the maximum number of applications shown on the table. Use an alternative product where necessary. **Peas and Beans:** For the control of pea and bean weevil, apply at first signs of adult damage (leaf notching). Repeat after 2-3 weeks if prolonged and heavy attack. **Apples:** For the control of caterpillars, apple sucker, apple grass aphid, apply in spring when the buds are opening (at green cluster). For the control of codling and tortrix moth, sawfly, late capsid, apply at about mid-June. A further application may be applied three weeks later. A third spray may be necessary in late July or early August if tortrix moths are a problem. **Pears:** For the control of pear sucker (overwintered adults, eggs and nymphs), apply before flowering blossom and at any time from petal fall onwards. Do not apply during blossom period. **Plums:** For the control of red plum maggot, plum fruit moth, apply in mid-June; a further application may be made after 3 weeks. **Raspberries:** For the control of raspberry beetle, apply when about 80% of the blossom is over (usually mid June). A further application may be made when the first fruit is colouring (usually about 2 weeks later). Pesticide resistance in greenhouse whitefly and some aphids is widespread.
Where resistance to pyrethroids is present, **Provanto Ultimate Bug Killer Concentrate** is unlikely to give control. Where necessary use an alternative product. Avoid spraying delicate open blooms. The best time to spray is early morning or late evening. Do not spray in bright sunlight or when plants are dry at the roots.

How to use

SHAKE WELL BEFORE USE

Using the measuring cup provided, add the appropriate quantity of product into clean water in the sprayer. Mix gently.
For all outdoor uses (except raspberry beetle): 0.5ml in 1 litre
For raspberry, loganberry, blackberry and rubus hydrids: 0.8ml in 1 litre
For all indoor, greenhouse and conservatory uses: 1.0ml in 1 litre
Spray the plant carefully giving good cover of the whole plant. Make sure both the upper side and the underneath of leaf surfaces have been sprayed.
Once the bottle is empty, RINSE CONTAINER THOROUGHLY three times before disposal.
Add washings to sprayer at time of filling and dispose of empty container safely.

RETAIN CARTON FOR FULL INSTRUCTIONS FOR USE



UFI: 6Y90-V0U3-500E-JGNV

554239UKb