

SQ_LB002 79999429 Front Label 101x131mm RTU 1L

SQU ARE
Square SAS
24, rue Lieutenant-Colonel Prévost
69006 Lyon - France
+33 (4)78 93 33 08 | www.square.fr

SBM LIFE SCIENCE

INFORMATION	
File name	23-0001-may_86600250_558597GB-b
Date	25/05/2023
Project Lead	Marilou Bardout
Projet	Provanto Fungus Fighter Plus RTU 6x1L
Component code	558597GB-b
Cutter guide	LB002
Barcode	-

COLOURS
- Cyan
- Magenta
- Yellow
- Black

TECHNICAL
- Keyline
- No Text
- Cut
- Bleed

PDFX ready CREATOR PDF/X-1a PDF/X-4

101 mm

131 mm

PROTECT GARDEN

Provanto®

FUNGUS FIGHTER PLUS

• Controls most common rose and ornamental plant diseases of roses and ornamental plants, including box blight and White rust. • Also controls powdery mildew on selected edibles.

Provanto Fungus Fighter Plus

MAPP 18043 PCS 06000

FOR USE ONLY AS A HOME GARDEN INSECTICIDE.

A ready to use solution formulation containing 0.125g/l tebuconazole and 0.125g/l trifloxystrobin.

To avoid risks to human health and the environment, comply with the instructions for use.

Contains 5-chloro-2-methyl-isothiazol-3-one/2-methyl-isothiazol-3-one. May produce an allergic reaction.

SAFETY INSTRUCTIONS

Read the label before use

• Wash hands thoroughly after handling.
• Wear protective gloves/protective clothing.



Warning

Environmental protection

• Harmful to aquatic life with long lasting effects. • Apply away from water.
• Do not contaminate water with the product or its container.
• Direct application away from ponds and other surface water bodies.

Storage and disposal

• KEEP PRODUCT AWAY FROM CHILDREN AND PETS • KEEP PRODUCT IN ORIGINAL CONTAINER, tightly closed in a safe place. • KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS. • Do not empty into drains. • Dispose of contents/container to a household waste recycling centre as hazardous waste except for empty containers which can be disposed of by recycling. Contact your local council for details.
• PROTECT FROM FROST.

For Ireland: In the event of emergency, call the National Poisons Information Centre, Beaumont Hospital at 01 809 2166 or 01 837 9964

Provanto® is a registered trademark of SBM Developpement SAS.

Marketing company and for UK distribution:
SBM Life Science, Fordham Rd, Newmarket, Suffolk, CB8 7XN

Authorisation holder and for EU distribution: SBM Developpement SAS,
60 Chemin des Mouilles, 69130 Ecully, FRANCE

Advisory line: 0330 330 3563
International line: +44 330 330 3563

558598GBa

3 664715 006701



Keep children and pets away from treated areas until spray has dried

1L e

PEEL HERE FOR INSTRUCTIONS FOR USE

P1

SQ_LB004_131 X 101 - 3 pages

SQU ARE

Square SAS
24, rue Lieutenant-Colonel Prévost
69006 Lyon - France
+33 (4)78 93 33 08 | www.square.fr

SBM LIFE SCIENCE

INFORMATION	
File name	22-0005-may Provanto Fungus Fighter Plus RTU 6x1L
Date	10/08/2022
Project Lead	Pauline Ruiba
Projet	
Component code	558598GB
Cutter guide	LB004
Barcode	3664715006701

COLOURS
Cyan
Magenta
Yellow
Black


TECHNICAL
Keyline
No Text
No Ink No varnish
Cut
Bleed

PDFX ready CREATOR PDF/X-1a PDF/X-4

Provanto®

FUNGUS FIGHTER PLUS


Leaf spot


Box blight


Mildew

INSTRUCTIONS FOR USE

When to use

Fungus Fighter Plus controls Blackspot, Powdery Mildew and Rust on roses and Leaf Spot - including Box Blight, Powdery Mildew and Rust - including White rust on woody and non woody ornamental plants Spray at the first sign of infestation.

- Use at the first signs of disease and repeat every 10-21 days depending on disease levels. Where disease is common the maximum protection can be achieved by an initial application when leaves first emerge in Spring, repeat 10 days later and then apply every 14 days.
- Maximum number of applications for roses and woody ornamental shrubs: 6 per year.
- Maximum number of applications for non-woody ornamentals such as bedding plants: 3 per year
- Resistance Management: Strains of white rust in lily and chrysanthemum resistant to pesticides have been reported. Where resistant strains occur Fungus Fighter Plus may give reduced control.

Fungus Fighter Plus also controls powdery mildew on glasshouse crops of cucumber, courgette, and summer squash.


- Use at first signs of disease and repeat at 10 – 14-day intervals.
- Maximum number of applications for cucumber, courgette, and summer squash: 3 per year. A minimum of 3 days interval should be left between spraying and harvest.


SQ_LB004_131 X 101 - 3 pages

Provanto®

FUNGUS FIGHTER PLUS


Leaf spot


Box blight


Mildew

INSTRUCTIONS FOR USE

Where to use

- For use in the garden, on the patio, in the conservatory, and greenhouse.
- Do not use in bright sunshine or when plants are dry at the roots.
- Avoid directly spraying delicate open flowers.

How to use

SHAKE WELL BEFORE USE

1. Press down the small tab on top of the nozzle firmly, where indicated.
2. At the same time, twist the nozzle to the 'ON' position by turning 1/4 of a turn in either direction.
3. Spray the whole plant evenly to just before run off (when drips start to form at the tips of leaves).
4. After use, twist the nozzle back to the start position, ensuring the tab has reset to the locked position.

A ready to use solution formulation containing 0.125g/l tebuconazole and 0.125g/l trifloxystrobin.

SQ_LB004_131 X 101 - 3 pages