ABELIA
Caprifoliaceae

name	application	product	concentration needed	tablets/litre
balsamea "Nana"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
grandiflora	P	Rhizopon AA 0,5% - 1%		
grandiflora (softwood cuttings)	P	Chryzotek beige 0,4%		
grandiflora (softwood cuttings)	P	Rhizopon AA 0,5%		

ABIES ((Balsam fir))
Pinaceae

name	application	product	concentration needed	tablets/litre
abies	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2
balsamea "Nana"	P	Rhizopon AA 1%		
balsamea "Nana"	P	Chryzotek Beige 0,4%		
balsamea "Nana"	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

ABUTILON
Malvaceae

name	application	product	concentration needed	tablets/litre
hybride		Chryzopon Rose 0,1% of Chryzotop Green 0,25%		
hybrids (woody cuttings		Rhizopon AA 0,5%-AA1%		

ACACIA (Mimosa)
Leguminosa

name	application	product	concentration needed	tablets/litre
dealbata	P	Rhizopon AA 1%-2%		
pravissima	P	Rhizopon AA 0,5%-1%		

ACAENA
Rosaceae

name	application	product	concentration needed	tablets/litre
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

ACALYPHA
Euphobiacea

name	application	product	concentration needed	tablets/litre
hispida	P	Chryzotop Green 0,25%		
wilkesiana hybride	P	Chryzotop Green 0,25%		

ACANTHOPANAX
Araliaceae

name	application	product	concentration needed	tablets/litre
sieboldianus	P	Rhizopon AA 1%		
sieboldianus	P	Chryzotop Green 0,25%		
species	P	Chryzoplus Grey 0,8% of Rhizopon AA 1%		

ACER (maple)
Aceraceae

name	application	product	concentration needed	tablets/litre
japonica shirasawanum "Aureum"	P	Rhizopon AA 1%		
lobelii	P	Rhizopon AA 2%		
negundo "Aureomarginatum"	P	Rhizopon AA 1%		
negundo "Variegatum"	P	Rhizopon AA 1% or Rhizopon AA 2%		
palmatum "Atropurpureum"	P	Rhizopon AA 1%		
palmatum	P	Rhizopon AA 1%		

pdfcrowd.com

"Bloodgood"				
palmatum "Dissectum"	P	Rhizopon AA 1%		
palmatum "Elegans"	P	Rhizopon AA 1%		
palmatum "Hessie" ("Elegans Purpureum")	P	Rhizopon AA 1%		
palmatum "Osakazuki"	P	Rhizopon AA 1%		
palmatum (seedlings)	P	Rhizopon AA 1%		
pseudoplatanus	P	Chryzotop Green 0,25%		
pseudoplatanus	P	Chryzopon Rose 0,1%		
rubrum "October Glory"	P	Chryzoplus Grey 0,8%		
saccharium	P	Chryzoplus Grey 0,8%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

ACHILLEA (yarrow)
Asteraceae

name	application	product	concentration needed	tablets/litre
agaratum (stem cutting)	P	Chryzotop Green 0,25%		
filipendulina	P	Chryzotop Green 0,25%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 50-100 mg/ltr solution.	1 - 2

ACHIMENES
Gesneriacea

name	application	product	concentration needed	tablets/litre
hybrids	P	Chryzopon Rose 0,1%		
hybrids	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 25-50 mg/ltr solution.	½ - 1

ACTINIDIA ((Kiwi))
Actinidiaceae

name	application	product	concentration needed	tablets/litre
arguta "Ananaskaja"	P	Rhizopon AA 1%		
chinensis "Exbury"	P	Rhizopon AA 1%		
kolomikta	P	Chryzosan White 0,6%		
kolomikta		Chryzoplus Grijs 0,8%		
kolomikta	P	Rhizopon AA 0,5%-1%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2-3

ACTINODIUM
Ranunculaceae

name	application	product	concentration needed	tablets/litre
cunninghamii	P	Chryzotek Beige 0,4% or Rhizopon AA 0,5%		
cunninghamii	P	Chryzosan White 0,6%		
cunninghamii	P	Chryzoplus Grey 0,8%		

AECHMEA
Bromeliaceae

name	application	product	concentration needed	tablets/litre
fasciata	P	Chryzotop Green 0,25%		
fasciata	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1

AEONIUM
Crassulaceae

name	application	product	concentration needed	tablets/litre
arboreum "Atropurpureum"	P	Chryzopon Rose 0,1%		
arboreum "Atropurpureum"	P	Chryzotop Green 0,25%		

AESCHYNANTHUS
Gesneriaceae

name	application	product	concentration needed	tablets/litre
apeciosus	P	Rhizopon AA 0,5%		

pdfcrowd.com

AESCULUS (horse chesnut)
Hippocastanaceae

name	application	product	concentration needed	tablets/litre
parviflora young stems*	P	Rhizopon AA 1%		

* parviflora young stems, 10-20 cm. long, leaves are half-way to completely unfolded

AGAVE (century plant)
Agavaceae

name	application	product	concentration needed	tablets/litre
americana	P	Chryzopon Rose 0,1%		
sisalana	P	Rhizopon AA 0,5%		

AGERATUM
Asteraceae

name	application	product	concentration needed	tablets/litre
houstonianum	P	Chryzopon Rose 0,1%		
houstonianum	P	Chryzotop Green 0,25%		

AGLAONEMA (Chinese evergreen)
Araceae

name	application	product	concentration needed	tablets/litre
commutatum	P	Rhizopon AA 0,5%		

AJUGA (bugleweed)
Lamiaceae

name	application	product	concentration needed	tablets/litre
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 50-100 mg/ltr solution.	1 - 2

AKEBIA

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5%-1%		

ALLAMANDA
Apocynaceae

name	application	product	concentration needed	tablets/litre
cathartica	P	Rhizopon AA 0,5% - AA1%		

ALNUS (alder)
Betulaceae

name	application	product	concentration needed	tablets/litre
cordata	P	Rhizopon AA 0,5% - 1%		
glutinosa	P	Rhizopon AA 0,5% - 1%		
incana	P	Rhizopon AA 0,5% - 1%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

ALOCASIA
Araceae

name	application	product	concentration needed	tablets/litre
cuprea	P	Chryzopon Rose 0,1% or Chryzotop Green 0,25%		

ALOE
Liliaceae

name	application	product	concentration needed	tablets/litre
arborescens	P	Rhizopon AA 0,5%		

AMELANCHIER (shadbush, serviceberry)
Rosaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5%-1%		

AMORPHA
Papiloniaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5%-1%		

AMPELOPSIS (Porcelain ampelopsis)

pdfcrowd.com

Vitacea

name	application	product	concentration needed	tablets/litre
brevipedunculata "Variegata"	P	Chryzotek Beige 0,4%		
brevipedunculata "Variegata"	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2-3
brevipedunculata ‘Variegata‘	P	Chryzosan White 0,6%		
brevipedunculata ‘Variegata‘	P	Chryzoplus Grey 0,8%		
brevipedunculata ‘Variegata‘	P	Rhizopon AA 0,5%		

ANANAS
Bromeliaceae

name	application	product	concentration needed	tablets/litre
camesus	P	Chryzotek Beige 0,4%		
comocus	P	Chryzotek Beige 0,4%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2-3

ANDROMEDA
Ericaceae

name	application	product	concentration needed	tablets/litre
polifolia	P	Rhizopon AA 0,5%-1%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3
species	P	Rhizopon AA 0,5%-1%		

ANTHURIUM
Araceae

name	application	product	concentration needed	tablets/litre
crystallium	P	Chryzopon Rose 0,1%		
crystallium	P	Chryzotop Green 0,25%		
scherzerianum	P	Chryzopon Rose 0,1%		
scherzerianum	P	Chryzotop Green 0,25%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2-3

APHELANDRA
Acanthaceae

name	application	product	concentration needed	tablets/litre
squarosa	P	Rhizopon AA 0,5% - AA1%		

APPLE ROOTSTOCK (= MALUS)
Rosaceae

name	application	product	concentration needed	tablets/litre
M I, II, IV, VII, IX, XII, XVI	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2
species	P	Rhizopon AA 1%		
species	P	Rhizopon AA 0,5%		

Cutting lenght at least 40 cm.

ARABIS (wall rock-cress)
Brassicaceae

name	application	product	concentration needed	tablets/litre
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3
species	P	Rhizopon AA 0,5%		

ARALIA (Japanese angelica tree)
Araliaceae

name	application	product	concentration needed	tablets/litre
elata (rootstock)	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 25 mg/ltr solution.	½

ARAUCARIA ((Norfolk island pine))
Araucariaceae

name	application	product	concentration needed	tablets/litre
heterophylla "Gracilis"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
heterophylla	P	Chryzopon Rose 0,1%		

pdfcrowd.com

"Gracilis"				
heteropholla "Gracilis"	P	Chryzotek Beige 0,4% of Rhizopon AA 0,5%		

ARBUTUS (Grecian strawberry tree)
Ericaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5% - AA 1%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

ARCTOSTAPHYLOS (manzanita)
Ericaceae

name	application	product	concentration needed	tablets/litre
uva-ursi	P	Chryzotek Beige 0,4%		
uva-ursi	P	Rhizopon AA 0,5%		
uva-ursi	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 50-100 mg/ltr solution.	1 - 2

ARDISIA
Myrsinaceae

name	application	product	concentration needed	tablets/litre
crenata	P	Chryzotek Beige 0,4%		
crenata	P	Rhizopon AA 0,5%-AA 1%		
species	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1

ARGYRANTHUM
Asreaceae

name	application	product	concentration needed	tablets/litre
frutenscens	P	Chryzotop Green 0,25%		
frutenscens	P	Chryzotek Beige 0,4% or Rhizopon AA 0,5%		

ARISTOLOCHIA (birthwort)
Aristolochiaceae

name	application	product	concentration needed	tablets/litre
macrophylla (durior)	P	Rhizopon AA 0,5% - AA 1%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 150-250 mg/ltr solution.	3 - 4

ARISTOTELIA
Elaeocarpaceae

name	application	product	concentration needed	tablets/litre
peduncularis	P	Rhizopon AA 0,5% - AA 1%		

ARONIA (chokeberry)
Rosaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5% - AA 1%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

ARTEMISIA (wormwood)
Asteraceae

name	application	product	concentration needed	tablets/litre
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3
species	O	Rhizopon AA 0,5% - AA 1%		

ASCLEPIAS (Silkweed, Milkweed)
Asclepiadaceae

name	application	product	concentration needed	tablets/litre
tuberosa	P	Chryzotop Green 0,25%		
tuberosa	P	Rhizopon AA 0,5%		

ASTER
Asteraceae

name	application	product	concentration needed	tablets/litre

pdfcrowd.com

ericoides "monte casino"	P	Rhizopon AA 0,5%		
herfstaster hybriden	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
herfstaster hybriden	P	Chryzotop Green 0,25%		
herfstaster hybriden	P	Chryzotek Beige 0,4%		
nivi-belgii	P	Rhizopon AA 0,5%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3
species	P	Rhizopon AA 0,5%		

ASTERISCUS

name	application	product	concentration needed	tablets/litre
maritimus	P	Rhizopon AA 0,5%		

AUBRIETIA
Brassicaceae

name	application	product	concentration needed	tablets/litre
species		Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

AUCUBA
Garryaceae

name	application	product	concentration needed	tablets/litre
japonica "Variegata"	P	Rhizopon AA 0,5%-AA1%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

AZALEA (Rhododendron simsii)
Ericaceae

name	application	product	concentration needed	tablets/litre
"Christmas Cheer"	P	Chryzopon Rose 0,1%		
"Colletianum"	P	Chryzoplus Grey 0,8%		
"Coral Bell"	P	Chryzopon Rose 0,1%		
arborescens "Grandiflora"	P	Chryzoplus Grijs 0,8%		
calendulaceum	P	Chryzoplus Grijs 0,8%		
canadense	P	Chryzoplus Grijs 0,8%		
canescens	P	Chryzoplus Grijs 0,8%		
dauricum	P	Chryzotop Green 0,25%		
gandavense	P	Chryzotop Green 0,25%		
indica	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 50 mg/ltr.	1
kosterianum "Miss Louisa Hunnewell"	P	Chryzoplus Grey 0,8%		
kurume var	P	Chryzopon Rose 0,1%		
mollis	P	Chryzotop Green 0,25%		
mucronarum	P	Chryzopon Rose 0,1%		
obtusa "Kempferi"	P	Chryzopon Rose 0,1%		
pink pearl	P	Chryzopon Rose 0,1%		
pontica hybr	P	Rhizopon AA 0,5%		
pontica hybr	P	Chryzotek Beige 0,4%		
roseum	P	Chryzoplus Grey 0,8%		
schlippenbachii	P	Chryzoplus Grijs 0,8%		
snow.	P	Chryzopon Rose 0,1%		
vaseyi	P	Chryzotop Green 0,25%		
yedoense "Poukhanense"	P	Chryzopon Rose 0,1%		

AZARA
Flacourtiaceae

name	application	product	concentration needed	tablets/litre
microphilla	P	Rhizopon AA 0,5% - AA 1%		
microphilla	P	Chryzoplus Grey 0,8%		

BANANAS

name	application	product	concentration needed	tablets/litre
species	P	Chryzosan White 0,6% or Rhizopon AA 0,5%		

pdfcrowd.com

BANKSIA
Proteaceae

name	application	product	concentration needed	tablets/litre
marginata	P	Chryzotop Green 0,25%		
marginata	P	Rhizopon AA 0,5%		

BEGONIA
Begoniaceae

name	application	product	concentration needed	tablets/litre
species		Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 50 mg/ltr solution.	1

stem cuttings

BELOPERONE
Acanthaceae

name	application	product	concentration needed	tablets/litre
guttata	P	Rhizopon AA 0,5%		

BERBERIDOPSIS
Flacourtiaceae

name	application	product	concentration needed	tablets/litre
coralina	P	Chryzoplus Grey 0,8%		
coralina	P	Rhizopon AA 0,5% - AA 1%		

BERBERIS (barberry)
Berberidaceae

name	application	product	concentration needed	tablets/litre
"frikartii" Amstelveen	P	Rhizopon AA 1%		
aggregata var. pratii	P	Rhizopon AA 1%		
candidula	P	Rhizopon AA 1%		
hybrido-gagnepainii "Chenault"	P	Rhizopon AA 1%		
julianae	P	Rhizopon AA 1%		
linearifolia	P	Rhizopon AA 1%		
linearifolia "orange king"	P	Rhizopon AA 1%		
logogensis	P	Rhizopon AA 1%		
logogensis "Apricot Queen"	P	Rhizopon AA 1%		
media "Parkjuweel"	P	Rhizopon AA 1%		
mentorensis	P	Rhizopon AA 1%		
ottawensis "Superba"	P	Rhizopon AA 1%		
rubrostilla	P	Rhizopon AA 1%		
rubrostilla "Carminea"	P	Rhizopon AA 1%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3
stenophylla	P	Rhizopon AA 1%		
stenophylla	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
thunbergii "Atropurpurea Nana"	P	Rhizopon AA 0,5% - AA1%		
thunbergii "Atropurpurea Nana"	P	Chryzotek Beige 0,4%		
thunbergii "Atropurpurea"	P	Rhizopon AA 0,5%		
thunbergii "Erecta"	P	Rhizopon AA 1%		
verruculosa	P	Rhizopon AA 1%		

BETULA (birch)
Betulaceae

name	application	product	concentration needed	tablets/litre
pendula	P	Rhizopon AA 0,5%		
pendula "Laciniata"	P	Rhizopon AA 1% - AA 2%		
pendula	P	Rhizopon AA 1% - AA 2%		

pdfcrowd.com

"Purpurea"				
pendula "Youngii"	P	Rhizopon AA 1% - AA 2%		
pubescens	P	Rhizopon AA 0,5%		

BILLARDIERA (Purple apple-berry)

name	application	product	concentration needed	tablets/litre
longiflora	P	Rhizopon AA 0,5% - AA 1%		

BORONIA (Red Boronia, Kalgan Boronia)
Rutaceae

name	application	product	concentration needed	tablets/litre
heterophylla	P	Chryzotek Beige 0,4%		

BOUGAINVILLEA
Nyctaginaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5% - AA 1%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

BOUVARDIA
Rubiaceae

name	application	product	concentration needed	tablets/litre
hybride	P	Chryzosan White 0,6%		
hybride	P	Chryzoplus Grey 0,8% or Rhizopon AA 1%		

BRACHYCOME
Compositae

name	application	product	concentration needed	tablets/litre
species	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 50-100 mg/ltr.	1 - 2
species	P	Chryzotop Green 0,25% or Chryzotek Beige 0,4%		

BROMELIA
Bromeliaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5%		

BROWALLIA
Solanaceae

name	application	product	concentration needed	tablets/litre
speciosa	P	Chryzotop Green 0,25%		
speciosa	P	Chryzotek Beige 0,4%		

BRUNFELSIA
Solanaceae

name	application	product	concentration needed	tablets/litre
calysina	P	Rhizopon AA 0,5% - AA 1%		
pauciflora var	P	Rhizopon AA 0,5% - AA 1%		

BUDDLEJA (butterfly bush)
Buddlejaceae

name	application	product	concentration needed	tablets/litre
alternifolia	P	Rhizopon AA 0,5% - AA 1%		
alternifolia	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 50 mg/ltr solution.	1
davidii "Black Knight"	P	Rhizopon AA 0,5% - AA 1%		
davidii "Ile de France"	P	Rhizopon AA 0,5% - AA 1%		
davidii "Nanho Blue"	P	Rhizopon AA 1% - AA 2%		
davidii cultivars	P	Rhizopon AA 0,5% - AA 1%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 50-100 mg/ltr solution.	1 - 2

BURGMANNIANA

pdfcrowd.com

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5%		

BUXUS (Commom box)
Buxaceae

name	application	product	concentration needed	tablets/litre
sempervirens	P	Chryzopon Rose 0,1%		
sempervirens	P	Chryzotop Green 0,25%		
sempervirens	P	Chryzotek Beige 0,4%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

CALATHEA
Marantaceae

name	application	product	concentration needed	tablets/litre
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 50-150 mg/ltr solution.	1 - 3
species	P	Rhizopon AA 0,5%-1%		

CALCEOLARIA
Scrophulariaceae

name	application	product	concentration needed	tablets/litre
hybride	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 50-100 mg/ltr solution.	1 - 2
hybride	P	Chryzopon Rose 0,1%		
hybride	P	Chryzotop Green 0,25%		

CALLICARPA (bodinier beauty berry)
Verbenaceae

name	application	product	concentration needed	tablets/litre
bodinieri var. giraldii	P	Rhizopon AA 0,5% - AA 1%		
bodinieri var. giraldii	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
bodinieri var. giraldii "Profusion"	P	Rhizopon AA 0,5% - AA 1%		
bodinieri var. giraldii "Profusion"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1

CALLISIA
Commelinaceae

name	application	product	concentration needed	tablets/litre
elegans	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 50-100 mg/ltr solution.	1 - 2

CALLISTEMON (Bottlebrush)
Myrtaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5% - AA 1%		
species	P	Chryzoplus Grey 0,8%		

CALLITRIS (dune cypress)
Cupressaceae

name	application	product	concentration needed	tablets/litre
rhomboidea	P	Rhizopon AA 0,5% - AA 1%		

CALLUNA (heather)
Ericaceae

name	application	product	concentration needed	tablets/litre
vulgaris cultivars	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 50-100 mg/ltr.	1 - 2
vulgaris cultivars	P	Chryzotek Beige 0,4% of Chryzosan White 0,6%		
vulgaris cultivars	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

CALOCEDRUS
Cupressaceae

name	application	product	concentration needed	tablets/litre
decurrens	P	Rhizopon AA 1%		
decurrens	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2

pdfcrowd.com

CALYCANTHUS

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 1% - AA 2%		

CAMELLIA
Theaceae

name	application	product	concentration needed	tablets/litre
japonica	P	Rhizopon AA 0,5% - AA 1%		
japonica	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2
sasanqua	P	Rhizopon AA 0,5% - AA 1%		
sinensis (tea)	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2
species (from outside)	P	Rhizopon AA 0,5% - AA 1%		

CAMPANULA (Bellflower)
Campanulaceae

name	application	product	concentration needed	tablets/litre
glomerata	P	Chryzotop Green 0,25% - Rhizopon AA 0,5%		
isophylla (nov)	P	Chryzotop Green 0,25% - Rhizopon AA 0,5%		
persicifolia	P	Chryzotop Green 0,25% - Rhizopon AA 0,5%		
pyramidalis	P	Chryzotop Green 0,25% - Rhizopon AA 0,5%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3
species	P	Rhizopon AA 0,5%		

CAMPSIS (bellflower)
Bignoniaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 1% - AA 2%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3
tagliabuana "Madam Galen"	P	Rhizopon AA 1% - AA 2%		

CANNABIS (hemp)
Cannabinaceae

name	application	product	concentration needed	tablets/litre
sativa	P	Chryzotop Green 0,25%		
sativa	P	Rhizopon AA 0,5%		
sativa	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3
sativa	O	Rhizopon AA 50 mg tablets	Quick dip in a solution of 200-250 mg/ltr.	4 - 5

CANTUA
Polemoniaceae

name	application	product	concentration needed	tablets/litre
buxifolia	P	Rhizopon AA 0,5% - AA 1%		

CAPSICUM
Solanaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5%		
species	P	Chryzotop Green 0,25%		

CARAGANA (pea shrub)
Leguminosacae

name	application	product	concentration needed	tablets/litre
arborenscens varieties	P	Rhizopon AA 1% - AA 2%		
arborenscens varieties	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
arborenscens varieties	P	Rhizopon AA 0,5%		

pdfcrowd.com

CARPENTERIA

name	application	product	concentration needed	tablets/litre
california	P	Rhizopon AA 0,5% - 1%		

CARPINUS (hornbeam)
Carpinaceae

name	application	product	concentration needed	tablets/litre
betulus	P	Rhizopon AA 0,5% - 1% or 2%		
betulus	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	1

CARYOPTERIS
Verbenaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5% - 1%		
species	O	Rhizopon AA 50 mg tablets	mg tablets Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

CASSIA
Leguminoseae

name	application	product	concentration needed	tablets/litre
tomentosa	P	Rhizopon AA 1% - 2%		

CASSINIA
Compositeae

name	application	product	concentration needed	tablets/litre
vanvilliersii	P	Chryzotop Green 0,25% of Rhizopon AA 0,5%		
vanvilliersii	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

CASSIOPE
Ericaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5% - 1%		
species	P	Chryzotop Green 0,25%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

CATALPA (indian bean tree)
Bignoniaveae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5% - 1%		

CEANOTHUS
Rhamnaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5% - 1%		

CELASTRUS (staff vine, Oriental bittersweet)
Celastraceae

name	application	product	concentration needed	tablets/litre
orbiculatus varieties	P	Rhizopon AA 0,5% - 1%		
orbiculatus varieties	P	Chryzoplus Grey 0,8%		

female: Diana male: Hercules

CENTAUREA (knapweed)
Asteraceae

name	application	product	concentration needed	tablets/litre
species	P	Chryzopon Rose 0,1%		
species	P	Chryzotop Green 0,25%		
species	O	Rhizopon AA 50 mg tablets		1

CEPHALANTHUS (valerian)
Rubiaceae

name	application	product	concentration needed	tablets/litre
occidentalis	P	Rhizopon AA 1%		

CEPHALOTAXUS

pdfcrowd.com

Taxaceae

name	application	product	concentration needed	tablets/litre
harringtonii "Fastigiata"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
harringtonii "Fastigiata"	P	Chryzoplus Grijs 0,8% of Rhizopon AA 0,5% - 1%		
harringtonii var. drupacea	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1

CERATOSTIGMA
Plumbaginaceae

name	application	product	concentration needed	tablets/litre
willmottianum	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3
willmottianum	P	Chryzotek Beige 0,4% of Rhizopon AA 0,5%		

CERCIDIPHYLLUM
Cercidiphillaceae

name	application	product	concentration needed	tablets/litre
japonicum	P	Chryzoplus Grey 0,8%		
japonicum	P	Rhizopon AA 1%		

CEROPEGIA
Asclepiadeceae

name	application	product	concentration needed	tablets/litre
debilis	P	Chryzopon Rose 0,1%		
debilis	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 25 mg/ltr.	½

CHAENOMELES (flowering quince, japonica)
Rosaceae

name	application	product	concentration needed	tablets/litre
japonica "Sargentii"	P	Rhizopon AA 1% - AA 2%		
species	P	Rhizopon AA 1%		
species	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3
speciosa "Rubra" cultivars	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
speciosa "Rubra" cultivars	P	Rhizopon AA 1%		

CHAMAECYPARIS (False cypress)
Cupressaceae

name	application	product	concentration needed	tablets/litre
lawsoniana "Alumigold"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
lawsoniana "Alumii"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
lawsoniana "Aurea"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
lawsoniana "Blue Surprise"	P	Rhizopon AA 0,5% - AA 1%		
lawsoniana "Columnaris"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
lawsoniana "Columnaris"	P	Rhizopon AA 0,5%		
lawsoniana "Ellwoodii"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
lawsoniana "Ellwood's Gold"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
lawsoniana "Elwoodii"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	
lawsoniana "Elwoodii"	P	Rhizopon AA 0,5%		
lawsoniana "Forsteckensis"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
lawsoniana "Fraseri"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
lawsoniana "Golden Wonder"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
lawsoniana "Kelleriis Gold"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	

pdfcrowd.com

lawsoniana "Kelleriis Gold"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 25 mg/ltr solution.	½
lawsoniana "Kelleriis Gold"	P	Rhizopon AA 0,5% - AA 1%		
lawsoniana "Lane"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
lawsoniana "Lane"	P	Rhizopon AA 0,5% - AA 1%		
lawsoniana "Lutea"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
lawsoniana "Maas"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 25-50 mg/ltr solution.	½ - 1
lawsoniana "Minima Aurea"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
lawsoniana "Minima Glauca"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
lawsoniana "Silver Queen"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
lawsoniana "Stardust"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 25-50 mg/ltr solution.	½ - 1
lawsoniana "Stuartii"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 25 mg/ltr solution.	½
lawsoniana "Tharandtensis Caesla"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
lawsoniana "Triomf van Boskoop"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
lawsoniana "Wisselii"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	2
nootkatensis "Aurea"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
nootkatensis "Glauca"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
nootkatensis "Pendula"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
obtusa "Crippsii"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
obtusa "Filicoides"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
obtusa "Graciosa"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
obtusa "Kosteri"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
obtusa "Nana Gracillis"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
obtusa "Pygmaea"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
obtusa "Tetragona Aurea"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
obtusa "Youngii"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
pisifera "Boulevard"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
pisifera "Filifera Aurea"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
pisifera "Filifera"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	3 - 5
thyoides "Andelyensis"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2 - 3

CHAMOMILLA (= MATRICARIA)

name	application	product	concentration needed	tablets/litre
= MATRICARIA				

CHILIOTRICHUM

name	application	product	concentration needed	tablets/litre
diffusum	P	Rhizopon AA 0,5% - AA 1%		
diffusum "Siska"	P	Rhizopon AA 0,5% - AA 1%		

CHIMONANTHUS (wintersweet)
Calycanthaceae

name	application	product	concentration needed	tablets/litre
praecox	P	Rhizopon AA 0,5% - AA 1%		

pdfcrowd.com

CHIONANTHUS (fringe tree)
Oleaceae

name	application	product	concentration needed	tablets/litre
retusus	P	Rhizopon AA 1% - AA 2%		
virginicus	P	Rhizopon AA 1% - AA 2%		

CHOISYA
Rutaceae

name	application	product	concentration needed	tablets/litre
"sundance"	P	Rhizopon AA 0,5% - AA 1%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3
ternata	P	Rhizopon AA 0,5%		

CHRYSANTHEMUM
Asteraceae

name	application	product	concentration needed	tablets/litre
indicum var. (autumn)	P	Chryzosan White 0,6%		
indicum var. (autumn)	P	Chryzoplus Grey 0,8%		
indicum var. (year-round)	P	Chryzopon Rose 0,1%		
indicum var. (year-round)	P	Chryzotop Green 0,25% (summer)		
indicum var. (year-round)	P	Chryzotek Beige 0,4% (winter)		
indicum var. (year-round)	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 12-50 mg/ltr.	¼ - 1
indicum var. (year-round)	O	Rhizopon AA 50 mg tablets	quick-dip in 50-100 mg/ltr solution	1 - 2

CISSUS
Vitaceae

name	application	product	concentration needed	tablets/litre
antartica	P	Rhizopon AA 0,5%		
rhombifolia "Ellendanica"	P	Rhizopon AA 0,5%		

CISTUS (rock rose)
Cistaceae

name	application	product	concentration needed	tablets/litre
species	P	Chryzotop Green 0,25%		
species	P	Chryzotek Beige 0,4%		

CITROFORTUNELLA
Rutaceae

name	application	product	concentration needed	tablets/litre
mitis	P	Rhizopon AA 1% - AA 2%		

CITRUS
Rutaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 1% - AA 2%		
species	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 150-250 mg/ltr solution.	3 - 5

CLEMATIS
Ranunculaceae

name	application	product	concentration needed	tablets/litre
"Helios"	P	Rhizopon AA 0,5% - AA 1%		
durandii	P	Rhizopon AA 0,5% - AA 1%		
Inducing additional rooting	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 100 mg/ltr.	2
large-flowered cultivars	P	Rhizopon AA 0,5% - AA 1%		
montana cultivars	P	Rhizopon AA 0,5% - AA 1%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 300-400 mg/ltr solution.	6 - 8

pdfcrowd.com

species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 200-300 mg/ltr solution.	4 - 6

CLETHRA
Clethraceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5% - AA 1%		

CODENANTHE
Gerneriaceae

name	application	product	concentration needed	tablets/litre
crassifolia	P	Chryzopon Rose 0,1%		

CODIAEUM
Euphorbiaceae

name	application	product	concentration needed	tablets/litre
exelent	P	Rhizopon AA 0,5% - AA 1%		
variegatum species	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 100 mg/ltr.	2-3

COFFEA (coffee plant)
Rubiaceae

name	application	product	concentration needed	tablets/litre
arabica	P	Rhizopon AA 1% - AA 2%		
arabica	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2

Softwood cuttings only

COLEUS
Labiatae

name	application	product	concentration needed	tablets/litre
hybrids (Jan.)	P	Chryzopon Rose 0,1% or Chryzotop Green 0,25%		

COLUMNEA
Gesneriaceae

name	application	product	concentration needed	tablets/litre
species	P	Chryzopon Rose 0,1% or Chryzotop Green 0,25%		

CONVOLVULUS (silverbush)
Convolvulaceae

name	application	product	concentration needed	tablets/litre
cneorum	P	Chryzoplus Grey 0,8%		
cneorum	P	Rhizopon AA 0,5% - AA 1%		

CORDYLINE
Agavaceae

name	application	product	concentration needed	tablets/litre
fruticosa species	P	Chryzotek Beige 0,4%		
fruticosa species	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2
kiwi	P	Rhizopon AA 0,5%		

CORNONILLA
Leguminosacae

name	application	product	concentration needed	tablets/litre
emerus	P	Chryzotop Green 0,25%		
glauca	P	Chryzotop Green 0,25%		

CORNUS (dogwood)
Cornaceae

name	application	product	concentration needed	tablets/litre
alba "Siberica"	P	Rhizopon AA 2%		
alba cultivars	P	Rhizopon AA 1% - AA 2%		
florida rubra	P	Rhizopon AA 1% - AA 2%		
kousa	P	Rhizopon AA 1%		
kousa var chinensis	P	Rhizopon AA 2%		
species	P	Rhizopon AA 1%		

pdfcrowd.com

COROKIA
Cornaceae

name	application	product	concentration needed	tablets/litre
varieties	P	Rhizopon AA 1% - AA 2%		

CORTADERIA
Poaceae

name	application	product	concentration needed	tablets/litre
selloana	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	

CORYLOPSIS (winter-hazel)
Hamamelidaceae

name	application	product	concentration needed	tablets/litre
pausiflora	P	Rhizopon AA 0,5% - AA 1%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3
spicata	P	Rhizopon AA 2%		

CORYLUS (hazel)
Betulaceae

name	application	product	concentration needed	tablets/litre
avellana varieties	P	Rhizopon AA 0,5% - AA 1%		
maxima	P	Rhizopon AA 0,5% - AA 1%		
maxima	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100-200 mg/ltr solution.	2 - 4
maxima "Purpurea"	P	Rhizopon AA 1% - AA 2%		

CORYNOCARPUS
Corynocarpaceae

name	application	product	concentration needed	tablets/litre
laevigata	P	Rhizopon AA 1% - AA 2%		
laevigata	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	

COTINUS (smoke tree)
Anacardiaceae

name	application	product	concentration needed	tablets/litre
coggygria "Royal Purple"	P	Rhizopon AA 0,5% - AA 1%		
coggygria "Rubrifolius"	P	Rhizopon AA 0,5% - AA 1%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

COTONEASTER
Rosaceae

name	application	product	concentration needed	tablets/litre
"Valkenburg"	P	Rhizopon AA 1%		
adpressus	P	Rhizopon AA 1% - AA 2%		
bullatus	P	Chryzosan White 0,6%		
conspicus "Decorus"	P	Rhizopon AA 1%		
dammeri "Coral Beauty"	P	Rhizopon AA 1% - AA 2%		
dammeri "Major" (radicans)	P	Rhizopon AA 1% - AA 2%		
dammeri "Skogholm"	P	Rhizopon AA 1% - AA 2%		
franchetti	P	Rhizopon AA 1%		
horizontalis	P	Rhizopon AA 1% - AA 2%		
praecox	P	Rhizopon AA 1% - AA 2%		
praecox "Boer"	P	Rhizopon AA 1% - AA 2%		
racemiflorus var. soongoricus	P	Rhizopon AA 1%		
salicifolius var. floccosus	P	Rhizopon AA 1%		
salicifolius var. floccosus "Perkeo"	P	Rhizopon AA 1%		
species	P	Rhizopon AA 50 mg	Total immersion method: Totally immerse for 5 sec. in 150 mg/ltr	3

pdfcrowd.com

		tablets	solution.	
wardii	P	Rhizopon AA 0,5% - AA 1%		
wateri "Cornubia"	P	Rhizopon AA 1%		

CRASSULA (= ROCHEA)

name	application	product	concentration needed	tablets/litre
= ROCHEA				

CRATAEGUS (hawthorn)
Rosaceae

name	application	product	concentration needed	tablets/litre
laevigata-cultivars	P	Rhizopon AA 1% - AA 2%		

CRINODENDRON
Elaeocarpaceae

name	application	product	concentration needed	tablets/litre
hookeranum	P	Rhizopon AA 0,5% - AA 1%		

CROSSANDRA
Acanthaceae

name	application	product	concentration needed	tablets/litre
infundibuliformis	P	Rhizopon AA 0,5%		

CRUPRESSOCYPARIS (leyland cypress)
Cupressaceae

name	application	product	concentration needed	tablets/litre
leylandii cultivars	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100-200 mg/ltr solution.	2 - 4
leylandii cultivars	P	Rhizopon AA 0,5% - AA 1%		

CRYPTOMERIA (japanese cedar)
Taxodiaceae

name	application	product	concentration needed	tablets/litre
japonica "Bandai-sugi"		Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100-150 mg/ltr solution.	2-3
japonica "Bandai-sugi"		Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
japonica "Globosa Nana"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100-150 mg/ltr solution.	2 - 3
japonica "Jindai-sugi"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100-150 mg/ltr solution.	2 - 3
japonica species	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100-150 mg/ltr solution.	2 - 3

CTENANTHE
Marantaceae

name	application	product	concentration needed	tablets/litre
lubbersiana	P	Rhizopon AA 1%		
oppenheimiana	P	Rhizopon AA 1%		

CUCUMIS (cucumber)
Cucurbitaceae

name	application	product	concentration needed	tablets/litre
sativus	P	Chryzopon Rose 0,1% or Chryzotop Green 0.25%		

CUPHEA (cigar flower)
Lythraceae

name	application	product	concentration needed	tablets/litre
hissophia	P	Chryzotop Green 0,25%		
ignea	P	Chryzopon Rose 0,1% or Chryzotop Green 0,25%		

hissophia = shoot or softwood cutting

CUPRESSUS
Cupressaceae

name	application	product	concentration needed	tablets/litre
arizonica	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
macrocarpa "Goldcrest"	P	Rhizopon AA 0,5% - AA 1%		

pdfcrowd.com

macrocarpa/cashmeriana/sempervirens		Rhizopon AA 1% - AA 2%		

macrocarpa/cashmeriana/sempervirens from young matrix material in the greenhouse!

CYCAS

name	application	product	concentration needed	tablets/litre
		Rhizopon AA 1%		

CYDONIA (= CHAENOMELES)

name	application	product	concentration needed	tablets/litre
CYDONIA = CHAENOMELES				

CYPERUS
Cyperaceae

name	application	product	concentration needed	tablets/litre
albostriatus	P	Chryzopon Rose 0,1%		
albostriatus	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100 mg/ltr solution.	2
alternifolius	P	Chryzopon Rose 0,1%		
alternifolius	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100 mg/ltr solution.	2
haspan	P	Chryzopon Rose 0,1%		
haspan	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 50 mg/ltr solution.	1

CYTISUS (broom)
Leguminosacae

name	application	product	concentration needed	tablets/litre
"Adreanus Splendens"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
"Burkwoodii"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	
"Butterfly"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
"C.E. Pearson"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
"Killiney Salmon"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
praecox	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
praecox "Albus"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
praecox "Hollandia"	P	Rhizopon AA 1% - AA 2%		
praecox "Zeelandia"	P	Rhizopon AA 1% - AA 2%		
purgans	P	Rhizopon AA 1%		
racemosus (Genista)	P	Rhizopon AA 0,5%		

DABOECIA
Ericaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5% - 1%		
species	P	Chryzotop Green 0,25%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

DACRYDIUM

name	application	product	concentration needed	tablets/litre
cupressinum	P	Rhizopon AA 1% - 2%		

DAHLIA
Asteraceae

name	application	product	concentration needed	tablets/litre
potting varieties	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 50 mg/ltr.	1
varieties	P	Chryzotop Green 0,25%		
varieties	P	Chryzotek Beige 0,4%		
varieties		Rhizopon AA 50 mg tablet	Absorption method: Allow to absorb for 12 hours in 25 mg/ltr solution.	½

DAPHNE
Thymeleaeceae

pdfcrowd.com

name	application	product	concentration needed	tablets/litre
burkwoodii "Somerset"	P	Rhizopon AA 1%		
cneorum	P	Rhizopon AA 1%		
laureola ssp. philippi	P	Rhizopon AA 1%		
odora	P	Rhizopon AA 1% - AA 2%		

DATHURA

name	application	product	concentration needed	tablets/litre
suaveolens "Piena"	P	Rhizopon AA 0,5%		

see also BURGMANNIANA

DAVIDIA
Davidiaceae

name	application	product	concentration needed	tablets/litre
involucrata	P	Rhizopon AA 1%		
var. vilmoriniana	P	Rhizopon AA 1%		

DELPHINIUM (larkspur)
Ranunculaceae

name	application	product	concentration needed	tablets/litre
hybrids		Rhizopon AA 50 mg tablet	Absorption method: Allow to absorb for 12 hours in 10 mg/ltr solution.	1 per 5 lt
species	P	Chryzotop Green 0,25%		
species	P	Rhizopon AA 0,5%		
species		Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

DENDROMECON
Papaveraceae

name	application	product	concentration needed	tablets/litre
rigida	P	Rhizopon AA 0,5% - 1%		

DERRIS (rubber tree)
Papilonaceae

name	application	product	concentration needed	tablets/litre
elliptica	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
malaccensis	O	Rhizopon AA 0,5%		

mature woody cuttings

DESFONTAINEA
Columelliaceae

name	application	product	concentration needed	tablets/litre
spinosa	P	Rhizopon AA 0,5%		

DEUTZIA (valerian)
Philadelphaceae

name	application	product	concentration needed	tablets/litre
gracillis	P	Rhizopon AA 0,5% - AA 1%		
kalmiiflora	P	Rhizopon AA 0,5% - AA 1%		
limoinei	P	Rhizopon AA 0,5% - AA 1%		
longiifolia "Veitchii"	P	Rhizopon AA 0,5% - AA 1%		
monbeigii	P	Rhizopon AA 0,5% - AA 1%		
purpurascens	P	Rhizopon AA 0,5% - AA 1%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

DIANTHUS (sweet william)
Caryophyllaceae

name	application	product	concentration needed	tablets/litre
barbatus varieties	P	Chryzotop Green 0,25%		
barbatus varieties	P	Chryzotek Beige 0,4%		
barbatus varieties	P	Rhizopon AA 0,5%		
caryophyllus	P	Rhizopon AA 1%		

pdfcrowd.com

(carnation)				
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

DIASCIA
Scrophulariaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5% - AA 1%		

DIEFFENBACHIA
Araceae

name	application	product	concentration needed	tablets/litre
compacta and camilla	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 50-100 mg/ltr.	1- 2
seguine	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 250 mg/ltr.	5

DIERVILLA (= WEIGELIA)

name	application	product	concentration needed	tablets/litre
DIERVILLA = WEIGELIA				

DIMORPHOTHECA
Compositae

name	application	product	concentration needed	tablets/litre
pluvalis	P	Rhizopon AA 0,5% - AA 1%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

DIONAEA (venus flytrap)

name	application	product	concentration needed	tablets/litre
muscipula	P	Chryzopon Rose 0,1%		

DIPELTA
Caprifoliaceae

name	application	product	concentration needed	tablets/litre
floribunda	P	Rhizopon AA 0,5% - AA 1%		

DIPLADENIA
Apocynaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5%		
species	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 25 mg/ltr solution.	½

DIPTERACANTHUS
Acanthaceae

name	application	product	concentration needed	tablets/litre
devosianus	P	Chryzopon Rose 0,1% or Chryzotop Green 0,25%		

DISELMA
Cupressaceae

name	application	product	concentration needed	tablets/litre
archerii	P	Rhizopon AA 0,5% - AA 1%		

DISTYLIUM
Hamamelidaceae

name	application	product	concentration needed	tablets/litre
racemosum	P	Rhizopon AA 0,5% - AA 1%		

DIZYGOTHECA
Araliaceae

name	application	product	concentration needed	tablets/litre
elegantissima	P	Chryzotop Green 0,25%		
elegantissima (softwood cuttings)	P	Chryzopon Rose 0,1%		

DRACAENA
Agavaceae

pdfcrowd.com

name	application	product	concentration needed	tablets/litre
"Jamaica"	P	Rhizopon AA 1%		
varieties	P	Chryzotop Green 0,25% or Chryzotek Beige 0,4%		

DRIMYS
Winteraceae

name	application	product	concentration needed	tablets/litre
andina	P	Rhizopon AA 0,5% - AA 1%		
colorado	P	Rhizopon AA 0,5% - AA 1%		
winteri	P	Rhizopon AA 0,5% - AA 1%		

DROSERA (sundew)
Droseraceae

name	application	product	concentration needed	tablets/litre
capensis	P	Chryzopon Rose 0,1%		

DUCHESNEA
Rosaceae

name	application	product	concentration needed	tablets/litre
indica	P	Chryzopon Rose 0,1%		

ELAEAGNUS
Eleagnaceae

name	application	product	concentration needed	tablets/litre
angustifolia	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
ebbingei	P	Rhizopon AA 1% - AA 2%		
multiflora	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
pungens "Maculata"	P	Rhizopon AA 1% - AA 2%		
pungens cultivars	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
pungens cultivars	P	Rhizopon AA 1% - AA 2%		

ELLIOTTIA
Ericaceae

name	application	product	concentration needed	tablets/litre
racemosa	P	Chryzotek Beige 0,4%		

Rootstock

EMBIOTHRIUM

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5% - AA 1%		

EMMENOPTERYS
Rubiaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5% - AA 1%		

ENKIANTHUS
Ericaceae

name	application	product	concentration needed	tablets/litre
campanulatus	P	Rhizopon AA 0,5% - AA 1%		

EPIGAEA (Mayflower, Trailing arbutus)
Ericaceae

name	application	product	concentration needed	tablets/litre
repens	P	Chryzoplus Grey 0,8%		
repens	P	Rhizopon AA 0,5% - AA 1%		

EPIPHYLLUM (Orchid cactus, Strap cactus)
Cactaceae

name	application	product	concentration needed	tablets/litre
hybride	P	Chryzopon Rose 0,1%		

pdfcrowd.com

EPIPREMNUM
Araceae

name	application	product	concentration needed	tablets/litre
pinatum "Aureum"	P	Rhizopon AA 0,5% - AA 1%		
pinatum "Aureum"	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

ERICA (heather)
Ericaceae

name	application	product	concentration needed	tablets/litre
graclis	P	Chryzosan White 0,6% or Chryzoplus Grey 0,8%		
graclis (woody cuttings)		Rhizopon AA 2%		
species	P	Rhizopon AA 0,5%		
species	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100-150 mg/ltr solution.	2 - 3
species	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 50-150 mg/ltr.	1 - 3
species and cultivars	P	Chryzosan White 0,6%		
species and cultivars	P	Chryzoplus Grey 0,8%		

ERYNGIUM (sea holly)
Apiaceae

name	application	product	concentration needed	tablets/litre
alpinum	P	Rhizopon AA 0,5%		
planum	P	Rhizopon AA 0,5%		

Rootstock

ESCALLONIA
Escalloniaceae

name	application	product	concentration needed	tablets/litre
cultivars	P	Chryzotop Green 0,25%		
cultivars	P	Chryzotek Beige 0,4%		
cultivars	P	Chryzoplus Grey 0,8%		
cultivars	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100-150 mg/ltr solution.	2 - 3

EUCALYPTUS
Myrtaceae

name	application	product	concentration needed	tablets/litre
globulus	P	Chryzoplus Grey 0,8%		
globulus	P	Rhizopon AA 1% - AA 2%		
species	P	Rhizopon AA 0,5% - AA 1%		
species	P	Chryzoplus Grey 0,8%		

soil temperature: 25° C / juvenile motherplant

EUCOMMIA
Eucommiaceae

name	application	product	concentration needed	tablets/litre
ulmoides	P	Rhizopon AA 0,5%		

EUCRYPHIA
Myrtaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5% - AA 1%		

EUONYMUS (milkweed, spurge)
Celastraceae

name	application	product	concentration needed	tablets/litre
fortunei cultivars	P	Rhizopon AA 0,5%		
fortunei cultivars	P	Chryzotop Green 0,25% or Chryzotek Beige 0,4%		
species	P	Rhizopon AA 0,5% - AA 1%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

pdfcrowd.com

EUPATHORIUM
Asteraceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5% - AA 1%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

use soft young cuttings

EUPHORBIA
Euphorbiaceae

name	application	product	concentration needed	tablets/litre
fulgens (splendens)	P	Rhizopon AA 0,5% - AA 1%		
milii (Crown of thorns)	P	Rhizopon AA 0,5% - AA 1%		
pulcherima	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 25 mg/2 ltr.	½ ltr
pulcherima	P	Chryzotop Green 0,25% or Chryzotek Beige 0,4%		
species	P	Rhizopon AA 0,5% - AA 1%		
species	P	Rhizopon AA 0,5% - AA 1%		

EUSTOMA
Gentianaceae

name	application	product	concentration needed	tablets/litre
grandiflorum	P	Chryzotek Beige 0,4% of Rhizopon AA 0,5%		

EXOCHORDA
Rosaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5% - AA 1%		

FABIANA
Solanaceae

name	application	product	concentration needed	tablets/litre
imbricata	P	Rhizopon AA 0,5% - 1%		

FAGUS (beech)
Fagaceae

name	application	product	concentration needed	tablets/litre
silvatica (after first growth)	P	Rhizopon AA 0,5% - AA 1%		

FATSHEDERA
Araliaceae

name	application	product	concentration needed	tablets/litre
lizei	O	Rhizopon AA 50 mg tablet	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3
lizei	P	Rhizopon AA 0,5%		

FATSIA (Japanese aralia)
Araliaceae

name	application	product	concentration needed	tablets/litre
japonica	P	Chryzotop Green 0,25%		
japonica	P	Chryzotek Beige 0,4%		

FELICIA (blue marguerite)
Asteraceae

name	application	product	concentration needed	tablets/litre
amelloides	P	Chryzopon Rose 0,1% of Chryzotop Green 0,25%		
species	P	Rhizopon AA 0,5%		

FICUS (fig tree)
Moraceae

name	application	product	concentration needed	tablets/litre
"starlight"	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 150 mg/ltr solution.	3
benjamina	P	Rhizopon AA 0,5% - AA		

pdfcrowd.com

		1%		
carica	P	Chryzotop Green 0,25% of Rhizopon AA 0,5%		
carica	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
decora	P	Chryzotek Beige 0,4%		
elastica	P	Rhizopon AA 0,5% - AA 1%		
exotica	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 50-100 mg/ltr solution.	1 - 2
pumila	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	1 - 2

FORSYTHIA (chinese bells)
Oleaceae

name	application	product	concentration needed	tablets/litre
intermedia	P	Chryzotek Beige 0,4%		
intermedia	P	Rhizopon AA 0,5% - AA 1%		
intermedia	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3
species (cutting from cutting)	P	Rhizopon AA 0,5% - AA 1%		

FOTHERGILLIA
Hamamelidaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 1% - AA 2%		

FRAGARIA (strawberry)
Rosaceae

name	application	product	concentration needed	tablets/litre
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/6 ltr solution.	2 - 3 / 6

FRANKLINIA
Theaceae

name	application	product	concentration needed	tablets/litre
alatamaha	P	Rhizopon AA 1%		

FRAXINUS (ash)
Oleaceae

name	application	product	concentration needed	tablets/litre
exelsior	P	Rhizopon AA 0,5% - AA 1%		

FREMENTODENDRON
Sterculiaceae

name	application	product	concentration needed	tablets/litre
carlifornicum	P	Rhizopon AA 0,5% - AA 1%		

FUCHSIA
Onagraceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5%		
species	P	Chryzotop Green 0,25%		
species	P	Chryzotek Beige 0,4%		
species	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 50-100 mg/ltr.	1 - 2
species	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 25-50 mg/ltr.	½ - 1

GAILLARDIA (blanket flower)
Asteraceae

name	application	product	concentration needed	tablets/litre
hybride-cultivars	P	Chryzopon Rose 0,1%		
hybride-cultivars	P	Chryzotop Green 0,25%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 50-100 mg/ltr solution.	1- 2

GARDENIA (Cape jasmine)
Rubiaceae

pdfcrowd.com

name	application	product	concentration needed	tablets/litre
jasminoides	O	Rhizopon AA 50 mg tablet	Absorption method: Allow to absorb for 12 hours in 25 mg/ltr solution.	½
jasminoides	P	Rhizopon AA 0,5% - AA 1%		

GARRYA
Salicaceae

name	application	product	concentration needed	tablets/litre
eliptica	P	Rhizopon AA 1% - AA 2%		

GAULNETTYA
Ericaceae

name	application	product	concentration needed	tablets/litre
"wisley pearl"	P	Rhizopon AA 0,5% - AA 1%		

GAULTHERIA
Ericaceae

name	application	product	concentration needed	tablets/litre
procumbens	P	Rhizopon AA 0,5% - AA 1%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

GAZANIA
Asteraceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5%		
splendens	P	Rhizopon AA 0,5%		

GENISTA (broom)
Leguminosacae

name	application	product	concentration needed	tablets/litre
lydia sagittalis var. minor	P	Rhizopon AA 0,5%		
species	P	Rhizopon AA 0,5%		

GENISTA: also CYTISUS racemosus

GENTIANA
Gentianaceae

name	application	product	concentration needed	tablets/litre
species	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1

GERANIUM
Geraniaceae

name	application	product	concentration needed	tablets/litre
endressii	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3
species	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 100-150 mg/ltr.	2 - 3
species	P	Chryzotek Beige 0,4% of Rhizopon AA 0,5%		

GERANIUM also: PELARGONIUM

GERBERA
Asteraceae

name	application	product	concentration needed	tablets/litre
jamesonii hybride	P	Rhizopon AA 0,5%		
jamesonii hybride	P	Rhizopon AA 1%		
jamesonii hybride	P	Chryzotek Beige 0,4%		
jamesonii hybride	P	Chryzosan White 0,6%		
jamesonii hybride	P	Chryzoplus Grey 0,8%		
jamesonii hybride	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 25-50 mg/ltr.	½ - 1

GEVUINA
Proteaceae

name	application	product	concentration needed	tablets/litre
avelana	P	Rhizopon AA 0,5% - AA 1%		

pdfcrowd.com

GINKGO
Ginkgoaceae

name	application	product	concentration needed	tablets/litre
biloba	P	Rhizopon AA 0,5% - AA 1%		
biloba (male + female)	P	Rhizopon AA 2%		
biloba (male)	P	Rhizopon AA 1%		

GLECHOMA (ground ivy)
Lamiaceae

name	application	product	concentration needed	tablets/litre
hederacea "Variegata"	P	Chryzotop Green 0,25%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 50-100 mg/ltr solution.	1 - 2

GLEDITSIA (honey locust)
Papiloniaceae

name	application	product	concentration needed	tablets/litre
triacanthos	P	Rhizopon AA 1% - AA 2%		

GOLDCREST (= CUPRESSUS)

name	application	product	concentration needed	tablets/litre
GOLDCREST = CUPRESSUS				

GOSSYPIUM
Malvaceae

name	application	product	concentration needed	tablets/litre
barbadense	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 250 mg/ltr solution.	5
barbadense	P	Rhizopon AA 0,5%		

GREVILLEA
Proteaceae

name	application	product	concentration needed	tablets/litre
alpina	P	Rhizopon AA 0,5% - AA 1%		
robusta	P	Chryzotop Green 0,25%		
rosmarinifolia	P	Chryzoplus Grey 0,8%		

GRISELINIA
Proteaceae

name	application	product	concentration needed	tablets/litre
littoralis	P	Chryzotop Green 0,25%		
littoralis	P	Rhizopon AA 0,5% - AA 1%		

GYNURA (velvet plant)
Asteraceae

name	application	product	concentration needed	tablets/litre
procumbens	P	Chryzotop Green 0,25%		
procumbens	P	Chryzopon Rose 0,1%		

GYPSOPHILA (baby's breath)
Caryophyllaceae

name	application	product	concentration needed	tablets/litre
Inducing additional rooting	O	Rhizopon AA 50 mg tablets	Spray in December + second week with a solution of 50 mg/ltr.	1
paniculata varieties	P	Rhizopon AA 0,5% - AA 1%		
paniculata varieties		Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
paniculata varieties	P	Chryzotop Green 0,25% - Chryzotek Beige 0,4%		
paniculata varieties	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 100-150 mg/ltr.	2 - 3
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

HALESIA (silver-bell, snowdrop tree)
Styracaceae

name	application	product	concentration needed	tablets/litre

pdfcrowd.com

car. var. monticola	P	Rhizopon AA 1% - AA 2%		
car. var. monticola	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
carolina	P	Rhizopon AA 1% - AA 2%		
carolina	P	Chryzoplus Grey 0,8%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 150-250 mg/ltr solution.	3 - 5

HAMAMELIS (witch-hazel)
Hamamelidaceae

name	application	product	concentration needed	tablets/litre
mollis	P	Rhizopon AA 0,5% - AA 1%		
mollis	P	Chryzoplus Grey 0,8%		
virginiana	P	Rhizopon AA 0,5% - AA 1%		

HARDENBERGIA
leguminoceae

name	application	product	concentration needed	tablets/litre
violacea	P	Rhizopon AA 0,5% - AA 1%		

HEBE
Scrophulariaceae

name	application	product	concentration needed	tablets/litre
species	P	Chryzotop Green 0,25%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

HEDERA (Ivy)
Araliaceae

name	application	product	concentration needed	tablets/litre
canariensis "Gloire de Marengo"	P	Chryzotop Green 0,25% - Chryzotek Beige 0,4%		
colchica "Arborescens"	P	Rhizopon AA 1%		
colchica "Arborescens"	P	Rhizopon AA 2%		
colchica "Dehtata Variegata"	P	Rhizopon AA 2%		
helix cultivars	P	Rhizopon AA 1%		
helix cultivars	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 50-100 mg/ltr solution.	2 - 3
helix cultivars	P	Chryzotop Green 0,25%		

HELIANTHEMUM (sunflower)
Cistaceae

name	application	product	concentration needed	tablets/litre
hybride-cultivars	P	Chryzotop Green 0,25%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

HELIOTROPIUM
Boraginaceae

name	application	product	concentration needed	tablets/litre
arborenscens	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 10 mg/ltr solution.	1 / 5ltr
arborenscens	P	Chryzopon Rose 0,1% or Chryzotop Green 0,25%		

HELYCHRYSUM
Composticeae

name	application	product	concentration needed	tablets/litre
petiolare	P	Rhizopon AA 0,5%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 50-100 mg/ltr solution.	1 - 2
species	P	Chryzotek Beige 0,4% - Rhizopon AA 0,5%		
species	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 100 mg/ltr.	2

NOVI-BELGII (= ASTER)

name	application	product	concentration needed	tablets/litre

pdfcrowd.com

= ASTER				

HEVEA (rubber tree)
Euphorbiaceae

name	application	product	concentration needed	tablets/litre
brasiliensis	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2
species	P	Rhizopon AA 0,5% - AA 1%		

HIBISCUS
Malvaceae

name	application	product	concentration needed	tablets/litre
sinensis	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 100 mg/ltr.	2
sinensis	P	Rhizopon AA 0,5% - AA 1%		
syriacus "Oiseau Bleu"	P	Rhizopon AA 0,5% - AA 1%		
syriacus cultivars	P	Rhizopon AA 0,5% - AA 1%		

HIPPOPHAE (common sea bruckthorn)
Eleagnaceae

name	application	product	concentration needed	tablets/litre
rhamnoides	P	Rhizopon AA 0,5%		
rhamnoides	P	Chryzotop Green 0,25%		

Be sure to plant males and females together to obtain berries.

HOHERIA
Malvaceae

name	application	product	concentration needed	tablets/litre
lyalii	P	Rhizopon AA 0,5% - AA 1%		
populnea	P	Rhizopon AA 0,5% - AA1%		

HOLODISCUS (ocean-spray)
Rosaceae

name	application	product	concentration needed	tablets/litre
discolor arifolius	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2

HORTENSIA (see: HYDRANGEA)

name	application	product	concentration needed	tablets/litre
HORTENSIA see: HYDRANGEA				

HOYA (miniature wax plant)

name	application	product	concentration needed	tablets/litre
bella	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 25 mg/ltr.	½
bella	P	Rhizopon AA 0,5%		

HUMULUS (hop)
Cannabinaceae

name	application	product	concentration needed	tablets/litre
lupulus	P	Chryzotop Green 0,25% of Rhizopon AA 0,5%		
lupulus	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

HYDRANGEA (hortensia)
Saxifragaceae

name	application	product	concentration needed	tablets/litre
arborenscens "Annabelle"	P	Rhizopon AA 1% - AA 2%		
macrophylla	P	Chryzotek Beige 0,4%		
macrophylla	P	Chryzosan White 0,6%		
paniculata "Floribunda"	P	Rhizopon AA 0,5% - AA 1%		
paniculata "Grandiflora"	P	Chryzotop Green 0,25%		
paniculata "Grandiflora"	P	Rhizopon AA 0,5% - AA 1%		

pdfcrowd.com

petiolaris	P	Chryzotek Beige 0,4%		
petiolaris	P	Rhizopon AA 0,5% - AA 1%		
petiolaris	P	Chryzoplus Grey 0,8%		
petiolaris	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 50-100 mg/ltr solution.	1 - 2

HYPERICUM
Hypericaceae

name	application	product	concentration needed	tablets/litre
calycinum	P	Chryzotop Green 0,25% of Rhizopon AA 0,5%		
herbaceaous varieties	P	Chryzotop Green 0,25% of Rhizopon AA 0,5%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 50-150 mg/ltr solution.	1 - 3
species	P	Rhizopon AA 0,5% - AA 1%		
woody varieties	P	Rhizopon AA 0,5% - AA 1%		

HYPOESTES
Acanthaceae

name	application	product	concentration needed	tablets/litre
phyllostachya	P	Chryzopon Rose 0,1% of Chryzotop Green 0,25%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 50-100 mg/ltr solution.	1 - 2
species	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 100-150 mg/ltr.	2 - 3

IBERIS (candytuft)
Brassicaceae

name	application	product	concentration needed	tablets/litre
sempervirens varieties	P	Chryzotop Green 0.25% or Rhizopon AA 0,5%		

ILEX (holly)
Aquifoliaceae

name	application	product	concentration needed	tablets/litre
altaclarensis ‘Hodginsii‘	P	Rhizopon AA 1%		
altaclerensis ‘Golden King‘	P	Rhizopon AA 0,5% - 1%		
aquifolium "Argentiomarginata"	P	Rhizopon AA 1%		
aquifolium "Golden van Tol"	P	Rhizopon AA 1% - 2%		
aquifolium "J.C. van Tol"	P	Rhizopon AA 1% - 2%		
aquifolium "Mad.Briot"	P	Rhizopon AA 1% - 2%		
aquifolium "Pyramidalis"	P	Rhizopon AA 1%		
aquifolium "Scotica"	P	Rhizopon AA 1%		
aquifolium "Silver Queen"	P	Rhizopon AA 1%		
aquifolium polycarpa	P	Rhizopon AA 1%		
crenata	P	Rhizopon AA 0,5%		
crenata	P	Chryzotek beige 0.4%		
opaca	P	Rhizopon AA 1% - AA 2%		
pernyi	P	Chryzotek beige 0.4%		
serrata (I.sieboldii)	P	Rhizopon AA 1%		
species	P	Rhizopon AA 50 mg tablet	Total immersion method: Totally immerse for 5 sec. in 150-250 mg/ltr solution.	3 - 5
species and cultivars	P	Rhizopon AA 1%		
verticillata (Winterberry)	P	Rhizopon AA 1%		

IMPATIENS
Balsaminaceae

name	application	product	concentration needed	tablets/litre

pdfcrowd.com

new guinea	O	Rhizopon AA 50 mg tablet	Spray method: Spray with a solution of 50-75 mg/ltr.	1 - 1½

INDIGOFERA
Leguminosae

name	application	product	concentration needed	tablets/litre
gerardiana	P	Chryzoplus grey 0.8% or Rhizopon AA 1%		
species	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2

IRESINE (bloodleaf)
Amaranthaceae

name	application	product	concentration needed	tablets/litre
lindenii "Formosa"	P	Chryzopon Rose 0,1%		
species	O	Rhizopon AA 50 mg tablet	Spray method: Spray with a solution of 100-150 mg/ltr.	2 - 3
species	O	Rhizopon AA 50 mg tablet	Total immersion method: Totally immerse for 5 sec. in 50-100 mg/ltr solution.	1 - 2

ITEA
Iteaceae

name	application	product	concentration needed	tablets/litre
ilicifolia	P	Chryzoplus grey 0.8% or Rhizopon AA 1%		
virginiana	P	Rhizopon AA 0.5%-1%		

IXORA
Rubiaceae

name	application	product	concentration needed	tablets/litre
hybride	P	Rhizopon AA 0,5% - AA 1%		

JACOBINA
Acanthaceae

name	application	product	concentration needed	tablets/litre
carnea "J.C. Winkel"	P	Rhizopon AA 0,5% - AA 1%		

JASMINIMUM (jasmine, Spanish/Royal jasmine)
Oleaceae

name	application	product	concentration needed	tablets/litre
grandiflorum	O	Rhizopon AA 50 mg tablet	Total immersion method: Totally immerse for 5 sec. in 50-100 mg/ltr solution.	1 - 2
nudiflorum	P	Chryzoplus grey 0.8%		
nudiflorum	P	Rhizopon AA 0,5% - AA 1%		
officinale	P	Rhizopon AA 0,5% - AA 1%		

JOJOBA (= SIMMONDSIA)

name	application	product	concentration needed	tablets/litre
JOJOBA = SIMMONDSIA				

JUGLANS (walnut)
Juglandaceae

name	application	product	concentration needed	tablets/litre
regia (root grafting)	P	Rhizopon AA 0.5%		

JUNIPERUS (juniper)
Cupressaceae

name	application	product	concentration needed	tablets/litre
chinensis "Keteleeri"	O	Rhizopon AA 50 mg tablet	Absorption method: Allow to absorb for 12 hours in 150 mg/ltr solution.	3
chinensis "Stricta"	O	Rhizopon AA 50 mg tablet	Absorption method: Allow to absorb for 12 hours in 25 mg/ltr solution.	½
communis "Hibernica"	O	Rhizopon AA 50 mg tablet	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
communis "Hornibrookii"	O	Rhizopon AA 50 mg tablet	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
communis "Repanda"	O	Rhizopon AA 50 mg tablet	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
media "Hetzii"	O	Rhizopon AA 50 mg tablet	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2

pdfcrowd.com

media "Pfitzeriana Glauca"	O	Rhizopon AA 50 mg tablet	Absorption method: Allow to absorb for 12 hours in 25 mg/ltr solution.	½
media "Plumosa Aurea"	O	Rhizopon AA 50 mg tablet	Absorption method: Allow to absorb for 12 hours in 25 mg/ltr solution.	½
media "Plumosa"	O	Rhizopon AA 50 mg tablet	Absorption method: Allow to absorb for 12 hours in 25 mg/ltr solution.	½
procumbens	O	Rhizopon AA 50 mg tablet	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
sabina "Blue Danube"	O	Rhizopon AA 50 mg tablet	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
sabina "Tamariscifolia"	O	Rhizopon AA 50 mg tablet	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
scopolorum "Repens"	O	Rhizopon AA 50 mg tablet	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	½
scopolorum "Springbank"	O	Rhizopon AA 50 mg tablet	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
species	O	Rhizopon AA 50 mg tablet	Total immersion method: Totally immerse for 5 sec. in 150-200 mg/ltr solution.	3-5
squamata "Meyeri"	O	Rhizopon AA 50 mg tablet	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3
virginiana "Kosteri"	P	Rhizopon AA 2%		
virginiana "Tripartita"	P	Rhizopon AA 2%		

KALANCHOE (Flaming Katy)
Crassulaceae

name	application	product	concentration needed	tablets/litre
blosfeldiana hybrids	P	Rhizopon AA 0,5%		
species	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 50-100 mg/ltr.	1 - 2

KALMIA (mountain laurel)
Ericaceae

name	application	product	concentration needed	tablets/litre
angustifolia "Pumila"	P	Chryzotek Beige 0,4%		
latifolia "Splendens"	P	Rhizopon AA 1%		
polifolia	P	Chryzoplus grey 0.8%		
species	O	Rhizopon AA 50 mg tablet	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2-3

KALOPANAX
Araliaceae

name	application	product	concentration needed	tablets/litre
septemlobus (rootstock)	P	Rhizopon AA 0.5%		

COTTON (= GOSSYPIUM)

name	application	product	concentration needed	tablets/litre
= GOSSYPIUM				

KERRIA (japanese kerria)
Rosaceae

name	application	product	concentration needed	tablets/litre
japonica cultivars	P	Chryzotop green 0.25%		
japonica cultivars	P	Chryzotek Beige 0,4%		
species	O	Rhizopon AA 50 mg tablet	Total immersion method: Totally immerse for 5 sec. in 50-100 mg/ltr solution.	1-2

name	application	product	concentration needed	tablets/litre
gizela (cutting from cutting)	P	Rhizopon AA 0,5% - AA 1%		
triloba	P	Rhizopon AA 1%		
triloba (young cuttings)	P			

KOELREUTERIA (mountail laurel)

name	application	product	concentration needed	tablets/litre
parniculata (rootstock)	O	Chryzotek beige 0.4% or Rhizopon AA 0.5%		

(= COFFEA)

name	application	product	concentration needed	tablets/litre

pdfcrowd.com

KOLKWITZIA (beautybush)
Caprifoliaceae

name	application	product	concentration needed	tablets/litre
amabilia cultivars	P	Rhizopon AA 0.5% - 1%		
amabilia cultivars	O	Rhizopon AA 50 mg tablet	Total immersion method: Totally immerse for 5 sec. in 50-100 mg/ltr solution.	1-2

CUCUMBER (= CUCUMIS)

name	application	product	concentration needed	tablets/litre
= CUCUMIS				

GOOSEBERRY (= RIBES uva crispa)

name	application	product	concentration needed	tablets/litre
= RIBES uva crispa				

STREET TREES (general advice)

name	application	product	concentration needed	tablets/litre
-	P	Rhizopon AA 2%		
-	P	Rhizopon AA 1%		
-	P	Rhizopon AA 0,5%		
hardwood cutting	O	Rhizopon AA 50 mg tablets	50-100 mg/ltr solution: allow to absorb for 6-8 hrs.	1 - 2

LABURNUM (voss laburnum)
Leguminosae

name	application	product	concentration needed	tablets/litre
watereri "Vossii"	O	Rhizopon AA 50 mg tablet	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
watereri "Vossii"	P	Rhizopon AA 1% - 2%		
watereri "Vossii"	P	Rhizopon AA 1% - 2%		

LAGERSTROEMIA
Lythraceae

name	application	product	concentration needed	tablets/litre
indica	P	Rhizopon AA 1% - AA 2%		
indica	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
indica	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

LAMIUM
Lamiaceae

name	application	product	concentration needed	tablets/litre
macalatum	P	Chryzotek Beige 0,4% or Rhziopon AA 0,5%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

LANTANA
Verbenaceae

name	application	product	concentration needed	tablets/litre
species	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 10 mg/ltr solution.	1 / 5ltr
species	P	Chryzotop Green 0,25%		
species	P	Rhizopon AA 0,5%		

LARIX (larch)
Pinasceae

name	application	product	concentration needed	tablets/litre
kaempferi	P	Rhizopon AA 0.5%		
kaempferi	P	Chryzotop green 0.25%		

LAUROPETALUM
Hamamelidaceae

name	application	product	concentration needed	tablets/litre
sinensis	P	Rhizopon AA 0.5% - 1%		

LAURUS (bay laurel)
Lauraceae

name	application	product	concentration needed	tablets/litre
nobilis	P	Chryzoplus Grey 0.8% or		

pdfcrowd.com

		Rhizopon AA 1%		
nobilis	P	Chryzotop Green 0,25% or Chryzotek Beige 0,4%		
species	O	Rhizopon AA 50 mg tablet	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2-3
species	P	Rhizopon AA 0.5% - 1%		

LAVANDULA (lavender)
Lamiaceae

name	application	product	concentration needed	tablets/litre
species	O	Rhizopon AA 50 mg tablet	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2-3
species and varieties	P	Chryzotek beige 0.4% or Rhizopon AA 0.5%		

LAVATERA (tree mallow)
Malvaceae

name	application	product	concentration needed	tablets/litre
olbia	P	Chryzotek beige 0.4% or Rhizopon AA 0.5%		

LEEA
Vitaceae

name	application	product	concentration needed	tablets/litre
speciosa "Rubra" cultivars	P	Rhizopon AA 0,5%		

LEIOPHYLLUM
Ericaceae

name	application	product	concentration needed	tablets/litre
buxifolium		Chryzotek Beige 0.4% or Rhizopon AA 0.5%		

LEONOTUS
Lamiaceae

name	application	product	concentration needed	tablets/litre
species	P	Chryzopon Rose 0,1%		

LEPTOSPERMUM (manuka, New Zealand tea-tree)
Myrtaceae

name	application	product	concentration needed	tablets/litre
scoparium	P	Chryzoplus Grey 0.8%		
scoparium	P	Rhizopon AA 0,5%		
scoparium	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 50-100 mg/ltr solution.	1 - 2

LESPEDEZA
Fabaceae

name	application	product	concentration needed	tablets/litre
bicolor	P	Chryzotop Green 0.25%		
species	O	Rhizopon AA 50 mg tablet	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2-3
thunbergii	P	Chryzotop Green 0.25%		

LEUCOTHOE
Ericaceae

name	application	product	concentration needed	tablets/litre
walteri	P	Rhizopon AA 0.5%		
walteri	P	Chryzotop Green 0.25%		
walteri	P	Chryzotek Beige 0,4%		

LEYCESTERIA
Caprifoliaceae

name	application	product	concentration needed	tablets/litre
lindenii "Formosa"	P	Rhizopon AA 0,5%		

June (young lateral shoots)

LEYLANDII (see: CUPRESSOCYPARIS)

name	application	product	concentration needed	tablets/litre
LEYLANDII (see: CUPRESSOCYPARIS)				

LIGUSTRUM (privet)
Oleaceae

pdfcrowd.com

name	application	product	concentration needed	tablets/litre
obtusifolium regelianum	P	Rhizopon AA 0.5% - 1%		
ovalifolium	O	Rhizopon AA 50 mg tablet	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
ovalifolium "Aureum"	P	Rhizopon AA 0.5%		
species	O	Rhizopon AA 50 mg tablet	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2-3

LIPPIA
Verbenaceae

name	application	product	concentration needed	tablets/litre
citrodora	P	Chryzotop Green 0,25% or Rhizopon AA 0,5%		
citrodora	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 50-100 mg/ltr solution.	1 - 2

LIQUIDAMBAR (American sweet gum)
Hamamelidaceae

name	application	product	concentration needed	tablets/litre
styraciflua	P	Rhizopon AA 1% - 2%		

LIRIODENDRON (tulip tree)
Magnoliaceae

name	application	product	concentration needed	tablets/litre
tulipifera	P	Rhizopon AA 0,5% - AA 1%		

LISIANTHUS
Gentianaceae

name	application	product	concentration needed	tablets/litre
russelianus	P	Rhizopon AA 0,5%		

LISIANTHUS = EUSTOMA

LITHOSPERMUM
Boraginaceae

name	application	product	concentration needed	tablets/litre
diffusum	P	Chryzotop Green 0.25%		

LOMATIA
Proteaceae

name	application	product	concentration needed	tablets/litre
tinctoria	P	Rhizopon AA 0,5% - AA 1%		

LONICERA (honeysuckle)
Caprifoliaceae

name	application	product	concentration needed	tablets/litre
brownii "Fuchsioides"	P	Rhizopon AA 0,5% - AA 1%		
caprifolium	P	Rhizopon AA 0,5% - AA 1%		
caprifolium	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3
morrowii	P	Rhizopon AA 0,5% - AA 1%		
periclymenum	P	Rhizopon AA 0,5% - AA 1%		
tatarica "Alba"	P	Rhizopon AA 0,5% - AA 1%		
tatarica "Rosea"	P	Rhizopon AA 0,5% - AA 1%		
tatarica "Zabelii"	P	Rhizopon AA 0,5% - AA 1%		
x heckrotii	P	Rhizopon AA 0,5% - AA 1%		

use the softwood cuttings without the tip

LOPHOMYRTUS
Myrtaceae

name	application	product	concentration needed	tablets/litre
"Gloriosa"	P	Chryzotek Beige 0,4% of Chryzosan White 0,6%		

pdfcrowd.com

"Traversii"	P	Chryzotek Beige 0,4% or Chryzosan White 0,6%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

LOTUS
Fabaceae

name	application	product	concentration needed	tablets/litre
berthelotti	P	Chryzotek Beige 0,4%		
berthelotti	O	Rhizopon AA 50 mg tablet	Spray method: Spray with a solution of 50-100 mg/ltr.	1 - 2

LYCIUM
Solanaceae

name	application	product	concentration needed	tablets/litre
chinense	P	Chryzotop Green 0,25% or Rhizopon AA 0,5%		

LYSIMACHIA (loosestrife)
Primulaceae

name	application	product	concentration needed	tablets/litre
species	O	Rhizopon AA 50 mg tablet	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2-3
species	P	Rhizopon AA 0,5%		

LYTHRUM (purple loosestrife)
Lythraceae

name	application	product	concentration needed	tablets/litre
species	O	Rhizopon AA 50 mg tablet	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2-3
species	P	Rhizopon AA 0,5%		

MAGNOLIA
Magnoliaceae

name	application	product	concentration needed	tablets/litre
liliiflora "Nigra"	P	Rhizopon AA 1% - AA 2%		
soulangiana "Alba-Superba"	P	Rhizopon AA 1% - AA 2%		
soulangiana "Alexandrina"	P	Rhizopon AA 1% - AA 2%		
soulangiana "Lennei"	P	Rhizopon AA 1% - AA 2%		
species	P	Rhizopon AA 0,5% - AA 1%		
stellata	P	Rhizopon AA 1% - AA 2%		

MAHOBERBERIS
Berberidaceae

name	application	product	concentration needed	tablets/litre
miethkeana	P	Rhizopon AA 1% - AA 2%		
neubertii	P	Rhizopon AA 1% - AA 2%		

MAHONIA
Berberidaceae

name	application	product	concentration needed	tablets/litre
aquifolium cultivars	P	Rhizopon AA 1% - AA 2%		
bealei	P	Rhizopon AA 1% - AA 2%		
japonica	P	Rhizopon AA 1% - AA 2%		
species	P	Rhizopon AA 1%		
wagneri "Pinnacle"	P	Rhizopon AA 1%		

MALUS (apple)
Rosaceae

name	application	product	concentration needed	tablets/litre
species and cultivars	O	Rhizopon AA 50 mg tablet	Total immersion method: Totally immerse for 5 sec. in 50 mg/ltr solution.	1
species and cultivars	P	Rhizopon AA 0,5% - AA 1%		

see also: APPLE ROOTSTOCK

MARANTA (prayer plant)
Marantaceae

name	application	product	concentration needed	tablets/litre

pdfcrowd.com

species	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 50 mg/ltr.	1
species	P	Chryzotop Green 0,25% or Chryzotek Beige 0,4%		

MARILARIA

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 1%		

MATRICARIA
Asteraceae

name	application	product	concentration needed	tablets/litre
capensis	P	Chryzotop Green 0,25%		
capensis	P	Chryzotek Beige 0,4%		
capensis	P	Chryzosan White 0,6%		
capensis	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 25-50 mg/ltr.	½ - 1

MEDINILLA
Melastomataceae

name	application	product	concentration needed	tablets/litre
magnifica	P	Chryzopon Rose 0,1% of Chryzotop Green 0,25%		
magnifica	P	Chryzotek Beige 0,4%		

MELANPODIUM
Melastomataceae

name	application	product	concentration needed	tablets/litre
paludosum	P	Chryzotop Green 0,25%		
paludosum	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

MENTHA
Mentheae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 50-100 mg/ltr solution.	1 - 2

METASEQUOIA
Taxodiaceae

name	application	product	concentration needed	tablets/litre
glyptostroboides cultivars	P	Rhizopon AA 1% - 2%		
glyptostroboides cultivars	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2-3

MICROBIOTA (siberian carpet grass)
Cupressaceae

name	application	product	concentration needed	tablets/litre
decussata	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 25 mg/ltr solution.	½
decussata	P	Rhizopon AA 0,5%		

MICROCACHRYS
Podocarpaceae

name	application	product	concentration needed	tablets/litre
tetragona	P	Rhizopon AA 0,5% - AA 1%		

MIRTILLOCACTUS
Cactaceae

name	application	product	concentration needed	tablets/litre
geometrizans	P	Chryzotek Beige 0,4% of Rhizopon AA 0,5%		

MONSTERA (ceriman, Swiss cheese plant)
Araceae

name	application	product	concentration needed	tablets/litre
deliciosa	P	Chryzotop Green 0,25%		
deliciosa	P	Chryzotek Beige 0,4% of Rhizopon AA 0,5%		

pdfcrowd.com

MORUS (mulberry)
Moraceae

name	application	product	concentration needed	tablets/litre
alba cultivars	P	Rhizopon AA 1%		
nigra	P	Rhizopon AA 1%		
species	P	Rhizopon AA 0,5%		

MUEHLENBECKIA
Polygonaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5% - AA 1%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

MUTISIA
Asteraceae

name	application	product	concentration needed	tablets/litre
ilicifolia	P	Chryzoplus Grey 0,8% or Rhizopon AA 1%		
oligodon	P	Chryzoplus grey 0.8% or Rhizopon AA 1%		

MYOSOTIS (forget-me-not)
Boraginaceae

name	application	product	concentration needed	tablets/litre
hybride	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 50-100 mg/ltr.	1 - 2
hybrids	P	Chryzopon Rose 0,1% or Chryzotop Green 0,25%		

MYRICA (sweet gale)
Myricaceae

name	application	product	concentration needed	tablets/litre
gale	P	Rhizopon AA 0,5% - AA 1%		
species	P	Rhizopon AA 0,5%		
species	P	Rhizopon AA 0.5%		

MYRSINE (cape myrtle)
Myrsinaceae

name	application	product	concentration needed	tablets/litre
africana	P	Rhizopon AA 0,5% - 1% or Chryzotop green 0,25%		

MYRTUS (myrtle)
Myricaceae

name	application	product	concentration needed	tablets/litre
communis	P	Chryzotek Beige 0,4%		
species	P	Rhizopon AA 0,5% - AA 1%		
species	P	Rhizopon AA 1%		

NANDINA (heavenly bamboo)
Berberidaceae

name	application	product	concentration needed	tablets/litre
domestica	P	Rhizopon AA 1%		

NEILLIA
Rosaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 1%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

NERIUM (oleander)
Apocynacea

name	application	product	concentration needed	tablets/litre
oleander	O	Rhizopon AA 50 mg tablet	Absorption method: Allow to absorb for 12 hours in 25-50 mg/ltr solution.	½ - 1
oleander	P	Chryzotop Green 0,25%		
oleander	P	Rhizopon AA 0,5% - AA		

pdfcrowd.com

		1%		
oleander	P	Chryzotek Beige 0,4%		
oleander	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 50-1500 mg/ltr.	1 - 3
oleander	O	Rhizopon AA 50 mg tablets	Quick dip in a solution of 250 mg/ltr.	5
species	O	Rhizopon AA 50 mg tablet	Total immersion method: Totally immerse for 5 sec. in 50-100 mg/ltr solution.	1 - 2

NOTHOFAGUS (southern beech)
Fagaceae

name	application	product	concentration needed	tablets/litre
antarctica	P	Rhizopon AA 0,5% - AA 1%		
obliqua	P	Rhizopon AA 1% - AA 2%		
procera	P	Rhizopon AA 1% - AA 2%		

OEMLERIA
Rosaceae

name	application	product	concentration needed	tablets/litre
cerasiformus	P	Rhizopon AA 0,5% - AA 1%		

OLEA (olive)
Oleaceae

name	application	product	concentration needed	tablets/litre
europaea	P	Rhizopon AA 1% - AA 2%		
europaea	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2

OLEARIA (daisy bush)
Compositae (Cichoriaceae)

name	application	product	concentration needed	tablets/litre
haastii	P	Rhizopon AA 1%		
stellulata	P	Rhizopon AA 1%		

OPUNTIA (prickly pear)
Cactaceae

name	application	product	concentration needed	tablets/litre
species	P	Chryzotop Green 0,25%		

ORCHID
Orchidaceae

name	application	product	concentration needed	tablets/litre
species	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 100 mg/ltr.	2

ORIGANUM (dittany, marjoram, oregano)
Lamiaceae

name	application	product	concentration needed	tablets/litre
species	P	Chryzotek beige 0.4% or Rhizopon AA 0.5%		
species	O	Rhizopon AA 50 mg tablet	Immerse 3 sec. in a solution of 100-150 mg/ltr	2-3

OSMANTHUS
Oleaceae

name	application	product	concentration needed	tablets/litre
delavayi	P	Rhizopon AA 1%		
heterophyllus	P	Rhizopon AA 1%		

OSTEOSPERMUM
Asteraceae

name	application	product	concentration needed	tablets/litre
hard cuttings	P	Rhizopon AA 0,5% - AA 2%		
soft cuttings	P	Chryzopon rose 1% or Chryzotop groen 0.25%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

OSTRYA (european hop hornbeam)
Betulaceae

name	application	product	concentration needed	tablets/litre

pdfcrowd.com

carpinifolia	P	Rhizopon AA 0,5% - AA 1%		

OZOTHAMNUS
Compositae

name	application	product	concentration needed	tablets/litre
ledifolius	P	Rhizopon AA 1% - AA 2%		

PACHIPODIUM (madagascar palm)
Apocynaceae

name	application	product	concentration needed	tablets/litre
lamerei	P	Chryzotop Green 0,25%		

PACHYSANDRA
Buxaceae

name	application	product	concentration needed	tablets/litre
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3
terminalis	P	Rhizopon AA 0.5%		
terminalis	P	Chryzoplus Grey 0,8%		

PACHYSTACHYS (golden candale)
Acanthaceae

name	application	product	concentration needed	tablets/litre
lutea	P	Rhizopon AA 0,5%		

PAEONIA (mountan)
Ranunculaceae

name	application	product	concentration needed	tablets/litre
	O			4
suffruticosa (arborea)	P	Rhizopon AA 1%		

PANDOREA
Paeoniaceae

name	application	product	concentration needed	tablets/litre
jasminoides	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100 mg/ltr solution.	2

PARROTIA
Hamamelidaceae

name	application	product	concentration needed	tablets/litre
persica	P	Rhizopon AA 1% - 2%		

PARTHENOCISSUS (japanese creeper)
Vitaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5% - AA 1%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3
tricuspidata "Green Spring"	P	Rhizopon AA 0,5% - AA 1%		
tricuspidata "Veitsii"	P	Rhizopon AA 0,5% - AA 1%		

PASSIFLORA (passion flower)
Passifloraceae

name	application	product	concentration needed	tablets/litre
cearulea	P	Chryzotop Green 0,25% or Rhizopon AA 0,5%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 50-100 mg/ltr solution.	1 - 2
species and cultivars	P	Chryzotop Green 0,25%		
species and cultivars	P	Chryzotek Beige 0,4% of Rhizopon AA 0,5%		
species and cultivars	O	Rhizopon AA 50 mg tablets	Quick dip in a solution of 200 mg/ltr.	4

PAVONIA
Malvaceae

name	application	product	concentration needed	tablets/litre
multiflora	P	Rhizopon AA 1%		

pdfcrowd.com

PAVONIA = TRYPLOCHAMIS

PAXISTIMA
Celastraceae

name	application	product	concentration needed	tablets/litre
canbyi	P	Rhizopon AA 0.5% - 1%		

PELARGONIUM
Geraniaceae

name	application	product	concentration needed	tablets/litre
"Balcon" en "Decorum" species (Ivy)	O	Rhizopon AA 50 mg tablets	Quick dip in a solution of 50-100 mg/ltr.	1 - 2
citrosum	P	Chryzotek Beige 0,4%		
grandiflorum hybr	P	Chryzotek Beige 0,4% or Rhizopon AA 0,5%		
peltatum species (ivy leaf)	O	Rhizopon AA 50 mg tablets	Quick dip in a solution of 200-300 mg/ltr.	4 - 6
species	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 200-300 mg/ltr.	4 - 6
zonale species (geranium)	O	Rhizopon AA 50 mg tablets	Quick dip in a solution of 200-300 mg/ltr.	4 - 6

PENSTEMON
Scrophulariaceae

name	application	product	concentration needed	tablets/litre
barbatus	P	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 10 mg/ltr solution.	1 / 5ltr
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

PENTAS (Egyptian Starcluster)
Rubiaceae

name	application	product	concentration needed	tablets/litre
lanceolata	P	Chryzotek Beige 0,4% or Rhizopon AA 0,5%		

PERNETTYA
Ericaceae

name	application	product	concentration needed	tablets/litre
cultivars mucronata	P	Chryzotop green 0.25%		

PETUNIA
Solanaceae

name	application	product	concentration needed	tablets/litre
"surfinia"	P	Rhizopon AA 0,5% - AA 1%		
"surfinia"	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 100-200 mg/ltr.	2 - 4

Do not immerse. these plants are susceptible to virus!

PHASEOLUS
Leguminoseae

name	application	product	concentration needed	tablets/litre
aureus	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 25 mg/ltr solution.	½
species	P	Chryzotop Green 0,25%		

PHILADELPHUS (mock orange)
Philadelphaceae

name	application	product	concentration needed	tablets/litre
brachybotrys	P	Rhizopon AA 1%		
coronarius "Aureuss"	P	Rhizopon AA 1%		
other cultivars	P	Rhizopon AA 1%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

PHILLYREA
Oleaceae

name	application	product	concentration needed	tablets/litre
decora vilmoriniana	P	Rhizopon AA 1%		
species	P	Rhizopon AA 1%		

pdfcrowd.com

PHLOMIS
Lamiaceae

name	application	product	concentration needed	tablets/litre
fruticosa	P	Rhizopon AA 0,5%		

PHORMIUM
Xanthorrhoeaceae

name	application	product	concentration needed	tablets/litre
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 50-100 mg/ltr solution.	1 - 2

PHOTINA
Rosaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5% - AA 1%		

PHYGELIUS
Scrophulariaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5%		

PHYSOCARPUS
Rosaceae

name	application	product	concentration needed	tablets/litre
opilifolius	P	Rhizopon AA 1%		
opilifolius	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1

PICEA (spruce)
Pinaceae

name	application	product	concentration needed	tablets/litre
abies "Clanbrassiliana"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
abies "Gregoryana"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
abies "Inversa"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
abies "Nidiformis"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
abies "Ohlendorfii"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
abies "Repens"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
abies (3-year-old matrix material)	P	Chryzopon Rose 0,1% or Chryzotop Green 0,25%		
glauca "Conica"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
pungens "Glauca Globosa"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
species	P	Rhizopon AA 0,5% - AA 1%		

PIERIS
Ericaceae

name	application	product	concentration needed	tablets/litre
floribunda	P	Chryzoplus Grey 0,8%		
floribunda	P	Rhizopon AA 1%		
japonica "Select"	P	Rhizopon AA 2%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3
species and cultivars	P	Rhizopon AA 1%		

PINUS (pine)
Pinaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5% - AA 1%		

PISONIA
Nyctaginaceae

name	application	product	concentration needed	tablets/litre
umbellifera	P	Rhizopon AA 0,5%		

pdfcrowd.com

PITTOSPORUM
Pittosporaceae

name	application	product	concentration needed	tablets/litre
"Garnetti"	P	Chryzosan White 0,6%		
"Snow Flake"	P	Chryzosan White 0,6%		
"Sunburst"	P	Chryzosan White 0,6%		
"Variegatum"	P	Chryzosan White 0,6%		
eugenioides	P	Chryzosan White 0,6%		
resiniferum	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
tenuifolium "Silver Dollar"	P	Chryzosan White 0,6%		
tobira "Variegatum"	P	Chryzosan White 0,6%		

PLATANUS (plane tree)
Platanaceae

name	application	product	concentration needed	tablets/litre
acerifolia	P	Rhizopon AA 1% - AA 2%		
acerifolia *	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2

* after treatment with Rhizopon AA tablets: heel in and than plant outside in about 6 weeks.

PLECTRANTHUS
Labiatae

name	application	product	concentration needed	tablets/litre
fruticosus	P	Chryzotop Green 0,25%		

PLUMBAGO
Plumbagodaceae

name	application	product	concentration needed	tablets/litre
species	P	Chryzotek Beige 0,4%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 50-100 mg/ltr solution.	1 - 2

POINTSETTIA (= EUPHORBIA)

name	application	product	concentration needed	tablets/litre
POINTSETTIA = EUPHORBIA				

POLYGONUM (Russian vine, mile-a-minute plant)
Polygonaceae

name	application	product	concentration needed	tablets/litre
aubertii	P	Rhizopon AA 1%		
aubertii (young tips)	P	Rhizopon AA 0,5% - AA 1%		

POLYSCIAS
Araliaceae

name	application	product	concentration needed	tablets/litre
balfouriana	P	Chryzotop Green 0,25% or Chryzotek Beige 0,4%		
balfouriana	P	Rhizopon AA 0,5%		

POPULUS (poplar)
Salicaceae

name	application	product	concentration needed	tablets/litre
canescens cultivars	P	Rhizopon AA 1% - AA 2%		
species	P	Chryzotop Green 0,25%		
species and cultivars	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 25-50 mg/ltr solution.	½ - 1

PORPHYROCOMA

name	application	product	concentration needed	tablets/litre
lanceolata	P	Chryzotop Green 0,25% of Rhizopon AA 0,5%		

POTENTILLA (cinquefoil)
Rosaceae

name	application	product	concentration needed	tablets/litre
fruticosa cultivars	P	Rhizopon AA 0,5%		

pdfcrowd.com

fruticosa fast-growing cultivars	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1 - 1½
fruticosa fast-growing cultivars	P	Rhizopon AA 1% - AA 2%		
species	P	Chryzoplus Grey 0,8% or Rhizopon AA 1%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

PROTHAEA
Prothaeaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5%		

PLUM ROOTSTOCKS (apricots, almond, peach rootstock)

name	application	product	concentration needed	tablets/litre
species	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2
species	P	Rhizopon AA 0,5%		
St.Julien	P	Rhizopon AA 1%		
St.Julien	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2

PRUNUS
Rosaceae

name	application	product	concentration needed	tablets/litre
amygdalo cultivars	P	Rhizopon AA 1%		
avium "Plena"	P	Rhizopon AA 1%		
cerasifera cultivars	P	Rhizopon AA 1%		
cistena(x)	P	Rhizopon AA 1%		
glandulosa "Alboplena"	P	Rhizopon AA 1%		
incisa cultivars	P	Rhizopon AA 1%		
kurilensis cultivars	P	Rhizopon AA 1%		
laurocerasus cultivars	P	Rhizopon AA 1% - AA 2%		
lusitanica	P	Rhizopon AA 1%		
persica	P	Rhizopon AA 1%		
serotina	P	Rhizopon AA 1%		
serrulata cultivars	P	Rhizopon AA 1%		
subhirtella cultivars	P	Rhizopon AA 1%		
tomentosa	P	Rhizopon AA 1%		
triloba ("Plena")	P	Rhizopon AA 1%		

PSEUDOPANAX
Araliaceae

name	application	product	concentration needed	tablets/litre
"Gold Splash"	P	Chryzosan White 0,6%		

PSEUDOTSUGA (douglas fir)
Pinaceae

name	application	product	concentration needed	tablets/litre
mensiesii	P	Rhizopon AA 1%		
species	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2

PSEUDOWINTERA
Winteraceae

name	application	product	concentration needed	tablets/litre
colorata	P	Rhizopon AA 0,5% - AA 1%		

PSORALEA
Legminosae

name	application	product	concentration needed	tablets/litre
pinnata	P	Rhizopon AA 0,5% - AA 1%		

PTEROCARYA
Juglandaceae

name	application	product	concentration needed	tablets/litre
x rehderana (new	P	Rhizopon AA 1%		

pdfcrowd.com

young growth)				

PUNICA (Pomegranate)
Punicaceae

name	application	product	concentration needed	tablets/litre
granthum	P	Rhizopon AA 0,5% - AA 1%		

PYRACANTHA (firethorn)
Rosaceae

name	application	product	concentration needed	tablets/litre
coccinea	P	Rhizopon AA 1%		
coccinea	P	Rhizopon AA 0,5% - AA 1%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

PYRUS
Rosaceae

name	application	product	concentration needed	tablets/litre
pyraster clones	P	Rhizopon AA 0,5% - AA 1%		

QUERQUS (oak)
Fagaceae

name	application	product	concentration needed	tablets/litre
petraea	P	Rhizopon AA 0,5%		
robur	P	Rhizopon AA 0,5%		
species *	P	Rhizopon AA 0,5% - AA 1%		
species and cultivars	P	Rhizopon AA 0,5%		

* as soon as the leaves on the first outgrowth are full size.

RHAMNUS
Rhamnaceae

name	application	product	concentration needed	tablets/litre
fragula (young plants)	P	Rhizopon AA 1%		

RHAPHIDOPHORA (= EPIPREMNUM)

name	application	product	concentration needed	tablets/litre
= EPIPREMNUM				

RHAPHIOLEPIS
Rosaceae

name	application	product	concentration needed	tablets/litre
delaconrii	P	Rhizopon AA 0,5% - AA 1%		
indica "Jack Evans"	P	Rhizopon AA 1%		
umbullata	P	Rhizopon AA 0,5% - AA 1%		

RHIPSALIDOPSIS
Cactaceae

name	application	product	concentration needed	tablets/litre
gaertneri		Chryzopon Rose 0,1% or Chryzotop Green 0,25%		

RHODOCHITON
Plantaginaceae

name	application	product	concentration needed	tablets/litre
atrosanguineus	P	Chryzotop Green 0,25%		

RHODODENDRON
Ericaceae

name	application	product	concentration needed	tablets/litre
"Red Jack"	P	Rhizopon AA 2%		
exbury hybrides	P	Chryzoplus Grey 0,8%		
impeditum	P	Chryzotop Green 0,25%		
large-flowered hybrids	P	Rhizopon AA 1% - AA 2%		

pdfcrowd.com

molle hybrids	P	Chryzoplus Grey 0,8% or Rhizopon AA 0,5%		
obtusa hybrids	P	Chryzotek Beige 0,4% or Rhizopon AA 0,5%		
pontica hybrids	P	Chryzotek Beige 0,4% or Rhizopon AA 0,5%		
pontica hybrids	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3
praecox	P	Chryzotop Green 0,25%		
repens hybrids	P	Rhizopon AA 1%		
simsii	P	Rhizopon AA 0,5%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3
williamsianum hybrids	P	Rhizopon AA 1% - AA 2%		

pH 4-4,5

RHODOTYPOS
Rosaceae

name	application	product	concentration needed	tablets/litre
scandens	P	Rhizopon AA 0,5% - AA 1%		

RHOICISSUS (= CISSUS)

name	application	product	concentration needed	tablets/litre
= CISSUS				

RHUS (sumac)
Anacardiaceae

name	application	product	concentration needed	tablets/litre
aromatica "Grow Low"	P	Rhizopon AA 1%		
typhina (rootstock)	P	Chryzotek Beige 0,4%		

RIBES
Grossulariaceae

name	application	product	concentration needed	tablets/litre
alpinum	P	Rhizopon AA 0,5%		
odoratum	P	Rhizopon AA 0,5%		
sanguineum "Atrorubens"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
sanguineum "Heinemann"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 25 mg/ltr solution.	½
sanguineum "Jonkheer van Tets"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 25 mg/ltr solution.	½
sanguineum "King Edward VII"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
sanguineum "Rondom"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 25 mg/ltr solution.	½
species	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
species	P	Chryzotop Green 0,25% or Chryzotek Beige 0,4%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

ROBINIA (false acacia)
Legminosae

name	application	product	concentration needed	tablets/litre
pseudoacacia	P	Rhizopon AA 0,5% - AA 1%		
pseudoacacia "Appalachia"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
species and cultivars	P	Rhizopon AA 1%		
species and cultivars	P	Chryzotek Beige 0,4%		

ROCHEA
Crassulaceae

name	application	product	concentration needed	tablets/litre
coccinea	P	Chryzotek Beige 0,4% of Chryzosan White 0,6%		

ROSA (rose)

pdfcrowd.com

Rosaceae

name	application	product	concentration needed	tablets/litre
"Paul's Scarlet Climber"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
"Queen Elizabeth"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
fender	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 150 mg/ltr solution.	3
floribunda species	P	Chryzotop Green 0,25% or Chryzotek Beige 0,4%		
floribunda species	P	Rhizopon AA 0,5% - AA 1%		
ground-cover roses	P	Rhizopon AA 0,5% - AA 1%		
hybride-cultivars (rock wool)	P	Chryzotek Beige 0,4%		
hybride-cultivars (rock wool)	P	Chryzosan White 0,6%		
hybride-cultivars (rock wool)	P	Chryzoplus Grey 0,8%		
hybride-cultivars (rock wool) "Frisco Eskimo"	P	Chryzotop Green 0,25%		
multiflora	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2
multiflora	P	Rhizopon AA 1%		
nitida (rootstock)	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
omeiensis "Pteracantha"	P	Rhizopon AA 0,5%		
pot roos species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3
pot rose	P	Chryzotop Green 0,25% or Chryzotek Beige 0,4%		
rugosa	P	Chryzotop Green 0,25%		
rugosa "Dagmar Hastrup"	P	Rhizopon AA 0,5% - AA 1%		
rugosa (type Boskoop)	P	Chryzopon Rose 0,1%		
shrub roses in general	P	Rhizopon AA 0,5% - AA 1%		
transplanting *	O	Rhizopon AA 50 mg tablets	150 mg/ltr: allow to absorb 10 min. with the roots	2 - 3
transplanting *	O	Rhizopon AA 50 mg tablets	250 mg/ltr: allow to absorb 5 min. with the roots	5

* Transplanting of 6-month roses used for cut flower production.

ROSMARINUS (rosemary)
Labiatae

name	application	product	concentration needed	tablets/litre
officinalis	P	Chryzotop Green 0,25%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3
species	P	Chryzotek Beige 0,4%		

RUBUS (blackberry, raspberry)
Rosaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5%		
species and cultivars	P	Rhizopon AA 0,5% - AA 1%		

RUTA (rue)
Rutaceae

name	application	product	concentration needed	tablets/litre
graveolens "Jackman's Blue"	P	Chryzotek Beige 0,4% or Rhizopon AA 0,5%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

SALIX (willow)
Salicaceae

name	application	product	concentration needed	tablets/litre
alba species	P	Rhizopon AA 0,5% - AA 1%		
hastata "Wehrhahnii"	P	Rhizopon AA 1%		

pdfcrowd.com

helvetica	P	Rhizopon AA 1%		
species	P	Chryzotop Green 0,25%		
species	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 25-50 mg/ltr solution.	½ - 1
species and cultivars	P	Chryzotop Green 0,25%		
species and cultivars	P	Rhizopon AA 1%		

SALVIA (sage)
Labiatae

name	application	product	concentration needed	tablets/litre
officinalis	P	Rhizopon AA 0,5% - AA 1%		
officinalis	P	Chryzoplus Grey 0,8%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

SAMBUCAS (elderberry)
Adoxaceae

name	application	product	concentration needed	tablets/litre
species	P	Chryzotop Green 0,25% or Chryzotek Beige 0,4%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

SANSEVERIA (mother-in-law tonque)
Agavaceae

name	application	product	concentration needed	tablets/litre
thyrsiflora	P	Chryzotek Beige 0,4%		
zeylanica	P	Chryzotek Beige 0,4%		

SANTOLINA
Asteraceae

name	application	product	concentration needed	tablets/litre
chamaecyparissus	P	Rhizopon AA 0,5%		
species	P	Chryzotop Green 0,25%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

SARCOCCOCCA
Buxaceae

name	application	product	concentration needed	tablets/litre
confusa	P	Rhizopon AA 0,5%		
hookerana	P	Chryzotop Green 0,25%		

SAXIFRAGA
Saxifragaceae

name	application	product	concentration needed	tablets/litre
species	P	Chryzotop Green 0,25%		
species	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 100 mg/ltr.	2

SCAEVOLA
Goodeniaceae

name	application	product	concentration needed	tablets/litre
aemula	P	Chryzotek Beige 0,4% or Rhizopon AA 0,5%		

SCHEFFLERA
Araliaceae

name	application	product	concentration needed	tablets/litre
arboricola	P	Rhizopon AA 0,5% - AA 1%		
arboricola	P	Chryzotop Green 0,25% or Chryzotek Beige 0,4%		
species	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 100-150 mg/ltr.	2 - 3
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

SCHISANDRA
Magnoliaceae

name	application	product	concentration needed	tablets/litre

pdfcrowd.com

name	application	product	concentration needed	tablets/litre
chinensis	P	Rhizopon AA 0,5%		

SCHLUMBERGERA (crabcactus, thanksgiving cactus)
Cactaceae

name	application	product	concentration needed	tablets/litre
hybrids	P	Chryzopon Rose 0,1% or Chryzotop Green 0,25%		

SCIADOPITYS
Taxodiaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 1%		

SCINDAPSUS (= EPIPREMNUM)

name	application	product	concentration needed	tablets/litre
= EPIPREMNUM				

SCUTELLARIA (Skullcap)
Lamiaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5%		

SEDUM (stonecrop)
Crassulaceae

name	application	product	concentration needed	tablets/litre
sieboldii	P	Rhizopon AA 0,5%		

SENECIO
Caprifoliaceae

name	application	product	concentration needed	tablets/litre
laxifolius	P	Chryzopon Rose 0,1% or Chryzotop Green 0,25%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

SEQUOIA
Cupressaceae

name	application	product	concentration needed	tablets/litre
sempervirens	P	Rhizopon AA 1%		
sempervirens	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100-200 mg/ltr solution.	2 - 4

SEQUOIADENDRON
Cupressaceae

name	application	product	concentration needed	tablets/litre
giganteum	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100-200 mg/ltr solution.	2 - 4
giganteum (matrix plant up to 4 y)	P	Rhizopon AA 0,5% - AA 1%		

SIMMONDSIA
Simmondsiaceae

name	application	product	concentration needed	tablets/litre
chinensis	P	Rhizopon AA 0,5% - AA 1%		

SISAL (= AGAVE sisalana)

name	application	product	concentration needed	tablets/litre
= AGAVE sisalana				

SKIMMIA
Rutaceae

name	application	product	concentration needed	tablets/litre
japonica	P	Rhizopon AA 0,5% - AA 1%		
japonica "Rubella"	P	Rhizopon AA 0,5% - AA 1%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

SOLANUM
Solanaseae

name	application	product	concentration needed	tablets/litre

pdfcrowd.com

crispum	P	Rhizopon AA 0,5% - AA 1%		
species	P	Chryzotek Beige 0,4% - Rhizopon AA 0,5%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

SOLIDAGO (goldenrod)
Asteraceae

name	application	product	concentration needed	tablets/litre
hybrids	P	Chryzotop Green 0,25%		
hybrids	P	Chryzotek Beige 0,4%		

SOLLYA (bluebell creeper)
Pittosporaceae

name	application	product	concentration needed	tablets/litre
heterophilla	P	Chryzotek Beige 0,4% or Rhizopon AA 0,5%		

SOPHORA (kowhai)
Leguminoseae

name	application	product	concentration needed	tablets/litre
japonica	P	Rhizopon AA 1%		

SORBUS (mountain ash)
Rosaceae

name	application	product	concentration needed	tablets/litre
aucuparia	P	Rhizopon AA 0,5% - AA 1%		

SPARMANNIA (african hemp)
Tiliaceae

name	application	product	concentration needed	tablets/litre
africana	P	Rhizopon AA 0,5%		

SPIRAEA
Rosaceae

name	application	product	concentration needed	tablets/litre
arguta	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
species	P	Chryzotek Beige 0,4% or Rhizopon AA 0,5%		
species (cuttings from cuttings)	P	Chryzotek Beige 0,4% or Rhizopon AA 0,5%		
species (cuttings from cuttings)	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3
species (hardwood cuttings)	P	Chryzotek Beige 0,4% or Rhizopon AA 0,5%		
species and cultivars	P	Rhizopon AA 0,5% - AA 1%		

STACHYURUS
Stachyuraceae

name	application	product	concentration needed	tablets/litre
praecox	P	Rhizopon AA 1%		
praecox	O	Rhizopon AA 0,5%	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

STAPHYLEA
Staphyleaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5% - AA 1%		

name	application	product	concentration needed	tablets/litre
	P			
	O			1 - 2

STEPHANHANDRA
Rosaceae

name	application	product	concentration needed	tablets/litre
incisa	P	Rhizopon AA 0,5%		

STEPHANOTIS (madegascar jasmine)

pdfcrowd.com

Asclepiadaceae

name	application	product	concentration needed	tablets/litre
floribunda	P	Chryzotop Green 0,25%		
floribunda	P	Chryzotek Beige 0,4%		

STEVIA
Asteraceae

name	application	product	concentration needed	tablets/litre
rebaudiana	P	Chryzotop Green 0,25%		
species	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 50-100 mg/ltr.	1 - 2

STEWARTIA (= STUARTIA)

name	application	product	concentration needed	tablets/litre
= STUARTIA				

STRANVAESIA
Rosaceae

name	application	product	concentration needed	tablets/litre
davidiana	P	Rhizopon AA 0,5% - AA 1%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

STUARTIA
Theaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5% - AA 1%		

STYRAX
Asteraceae

name	application	product	concentration needed	tablets/litre
benzoin	P	Chryzotop Green 0,25%		

SURFINIA (see PETUNIA)

name	application	product	concentration needed	tablets/litre
see PETUNIA				

SUTERA

name	application	product	concentration needed	tablets/litre
difussus	P	Rhizopon AA 0,5% - AA 1%		

SYCOPSIS
Hamamelidaceae

name	application	product	concentration needed	tablets/litre
sinensis	P	Rhizopon AA 0,5% - AA 1%		

SYMPHORICARPOS (snowberry)
Caprifoliaceae

name	application	product	concentration needed	tablets/litre
chenaultii "Hancock"	P	Chryzotek Beige 0,4%		
orbiculatus	P	Chryzoplus Grey 0,8%		
orbiculatus	P	Rhizopon AA 0,5%		
species	P	Rhizopon AA 0,5% - AA 1%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

SYNGONIUM
Araceae

name	application	product	concentration needed	tablets/litre
podophyllum	P	Chryzopon Rose 0,1%		
species		Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 50-100 mg/ltr solution.	1 - 2

SYRINGA (lilac)
Oleaceae

name	application	product	concentration needed	tablets/litre

pdfcrowd.com

josikaea	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
microphylla "Superba"	P	Rhizopon AA 1%		
reflexa	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
tomentella	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2
tomentella	P	Rhizopon AA 1%		
vulgaris	P	Rhizopon AA 0,5% - AA 1%		

TAIWANIA

name	application	product	concentration needed	tablets/litre
cryptomerioides	P	Rhizopon AA 0,5% - AA 1%		

TAMARIX (tamarisk)
Tamaicaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 1% - AA 2%		
species and cultivars	P	Rhizopon AA 1% - AA 2%		

TAXODIUM
Cupressaceae

name	application	product	concentration needed	tablets/litre
distuchum	P	Rhizopon AA 0,5% - AA 1%		

TAXUS
Taxaceae

name	application	product	concentration needed	tablets/litre
baccata "Fastigiata Aureomaraginata"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2
baccata "Fastigiata"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2
baccata "Repandans"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2
baccata "Semperaurea"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2
baccata "Standishii"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2
baccata "Summergold"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2
baccata "Washingtonii"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2
baccata var.	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2
cuspidata	P	Rhizopon AA 0,5% - AA 1%		
cuspidata "Nana"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2
media "Hatfieldii"	P	Rhizopon AA 0,5% - AA 1%		
media "Hatfieldii"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2
media "Hicksii"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2
media "Hillii"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

TEUCRIUM
Lamiaceae

name	application	product	concentration needed	tablets/litre
chamaedrys	P	Chryzotop Green 0,25%		
chamaedrys	P	Chryzotek Beige 0,4%		
lucidrys	P	Rhizopon AA 0,5% - AA 1%		

THEA (tea)
Theaceae

name	application	product	concentration needed	tablets/litre
sinensis	P	Rhizopon AA 1% - AA 2%		
sinensis	O	Rhizopon AA 50 mg	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1

pdfcrowd.com

		tablets		

just before lignification.

THEOBROMA (cacao)
Sterculiaceae

name	application	product	concentration needed	tablets/litre
cacao	P	Rhizopon AA 1% - AA 2%		
cacao	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 150 mg/ltr solution.	3

just before lignification.

THUJA (yew)
Cupressaceae

name	application	product	concentration needed	tablets/litre
koraiensis	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2
occidentalis "Brabant"	P	Rhizopon AA 1%		
occidentalis "Brabant"	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3
occidentalis "Globosa"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2
occidentalis "Holmstrup"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2
occidentalis "Little Gem"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2
occidentalis "Pyramidalis Compacta"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
occidentalis "Rheingold"	P	Chryzotop Green 0,25%		
occidentalis "Rosenthalli"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2
occidentalis "Smaragd"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2
occidentalis "Smaragd"	P	Rhizopon AA 1%		
orientalis "Aurea Nana"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
orientalis "Aurea Nana"	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3
plicata	P	Rhizopon AA 0,5% - AA 1%		
plicata	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
plicata "Atrovirens"	P	Rhizopon AA 0,5% - AA 1%		
plicata "Atrovirens"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1

THUJOPSIS
Cupressaceae

name	application	product	concentration needed	tablets/litre
dolobrata	P	Rhizopon AA 1%		
dolobrata	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2

TIBOUCHINA
Melastomataceae

name	application	product	concentration needed	tablets/litre
urvilleana	P	Rhizopon AA 0,5%		
urvilleana	O	Rhizopon AA 50 mg tablet	Spray method: Spray with a solution of 50 mg/ltr.	1

TILIA (Linden)
Tiliaceae

name	application	product	concentration needed	tablets/litre
cordata species	P	Rhizopon AA 0,5% - AA 1%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

2 - 4 years-old matrix material

TORREYA
Taxaceae

name	application	product	concentration needed	tablets/litre

pdfcrowd.com

species	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2

TRACHELIUM (throatwort)
Campanulaceae

name	application	product	concentration needed	tablets/litre
caeruleum	P	Rhizopon AA 0,5% - AA 1%		
caeruleum	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 50-100 mg/ltr solution.	1 - 2

TROCHOCARPA
Epacridaceae

name	application	product	concentration needed	tablets/litre
thymnifolia	P	Rhizopon AA 0,5% - AA 1%		
thymnifolia	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2

TRYPLOCHLAMIS
malvaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 1%		

TSUGA (hemlock)
Pinaceae

name	application	product	concentration needed	tablets/litre
canadensis "Pendula"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2
chinensis	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2
mertensiana "Glauca"	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2
sieboldii	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1

ULEX (common gorse)
Papilonaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5% - AA 1%		

ULMUS (Elm)
Ulmaceae

name	application	product	concentration needed	tablets/litre
hollandica "Belgica"	P	Rhizopon AA 0,5% - AA 1%		
minora	P	Rhizopon AA 1% - AA 2%		
species	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	1
species and cultivars	P	Rhizopon AA 0,5% - AA 1%		

VACCINIUM (blueberry)
Ericaceae

name	application	product	concentration needed	tablets/litre
corymbosum	P	Rhizopon AA 1%		
vitis-idaea	P	Rhizopon AA 0,5% - AA 1%		

VALLEA
Eleocarpaceae

name	application	product	concentration needed	tablets/litre
stipularia	P	Rhizopon AA 0,5% - AA 1%		

PERENNIAL PLANTS (general advice)

name	application	product	concentration needed	tablets/litre
species	P	Chryzotop Green 0,25% or Chryzotek Beige 0,4%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

The total immersion method is recommended, especially for smaller cuttings. Spraying a solution over the cuttings can also be done with some species. For more information, you can always contact Rhizopon: helpdesk@rhizopon.com

VERBENA

pdfcrowd.com

Verbenaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5% - AA 1%		
species	P	Chryzotek Beige 0,4%		

VERONICA
Scrophulariaceae

name	application	product	concentration needed	tablets/litre
species	P	Chryzotop Green 0,25% of Rhizopon AA 0,5%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

VIBURNUM
Caprifoliaceae

name	application	product	concentration needed	tablets/litre
bodnantense "Dawn"	P	Rhizopon AA 1% - AA 2%		
burkwoodii	P	Rhizopon AA 1%		
burkwoodii "Chenault"	P	Rhizopon AA 1%		
carlesii	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 25 mg/ltr solution.	½
davidii	P	Rhizopon AA 1%		
farreri (fragans)	P	Rhizopon AA 1%		
opulus "Compactum"	P	Rhizopon AA 1% - AA 2%		
opulus cultivars	P	Rhizopon AA 0,5% - AA 1%		
rhytidophyllum	P	Rhizopon AA 1% - AA 2%		

VINCA (periwinkle)
Apocynaceae

name	application	product	concentration needed	tablets/litre
major	P	Chryzotek Beige 0,4% or Rhizopon AA 0,5%		
minor	P	Chryzotek Beige 0,4% or Rhizopon AA 0,5%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

VIOLA (sweet violet)
Violaceae

name	application	product	concentration needed	tablets/litre
odorata	P	Rhizopon AA 0,5%		

VITIS (grape)
Vitaceae

name	application	product	concentration needed	tablets/litre
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3
species	P	Rhizopon AA 0,5%		
species	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50-100 mg/ltr solution.	1 - 2
vinifera	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 50 mg/ltr solution.	
vinifera	P	Rhizopon AA 0,5% - AA 1%		

WATER PLANTS / AQUARIUM PLANTS (general advice)

name	application	product	concentration needed	tablets/litre
general	O	Rhizopon AA 50 mg tablets	Spray method: Spray with a solution of 50 mg/ltr.	1

after sticking the cutting, spray until drip off

WEIGELIA
Caprifoliaceae

name	application	product	concentration needed	tablets/litre
species	P	Rhizopon AA 0,5% - AA 1%		
species	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3
species (cutting	P	Rhizopon AA 0,5%		

pdfcrowd.com

from cutting)				
species (cutting from cutting)	O	Rhizopon AA 50 mg tablets	Total immersion method: Totally immerse for 5 sec. in 100-150 mg/ltr solution.	2 - 3

WISTERIA
Legminosae

name	application	product	concentration needed	tablets/litre
formosa "Issai"	P	Rhizopon AA 1% - AA 2%		
sinensis	P	Rhizopon AA 1% - AA 2%		
sinensis	O	Rhizopon AA 50 mg tablets	Absorption method: Allow to absorb for 12 hours in 100 mg/ltr solution.	2

YUCCA
Agavaceae

name	application	product	concentration needed	tablets/litre
elephantipes	P	Rhizopon AA 1%		
flaccida (rootstock)	P	Chryzotop Green 0,25%		
species (rootstock)	P	Chryzotop Green 0,25%		
species (rootstock)	P	Rhizopon AA 1%		

ZAMIOCULCAS
Araceae

name	application	product	concentration needed	tablets/litre
zamiifolia	P	Rhizopon AA 0,5%		

ZELKOVA (japanese zelkova)
Ulmaceae

name	application	product	concentration needed	tablets/litre
serrata	P	Rhizopon AA 0,5% - AA 1%		

ZENOBIA
Ericaceae

name	application	product	concentration needed	tablets/litre
pulverulenta	P	Chryzotop Green 0,25%		

ZYGOCACTUS (= SCHLUMBERGERA)

name	application	product	concentration needed	tablets/litre
= SCHLUMBERGERA				

pdfcrowd.com

pdfcrowd.com

pdfcrowd.com