# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

# SHARK®

| Version | Revision Date: | SDS Number: | Date of last issue: - |
|---|---|---|---|
| 1.0 | 30.01.2025 | 50002308 | Date of first issue: 30.01.2025 |

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Product name** SHARK®

**Other means of identification**

**Product code** 50002308

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Herbicide

Recommended restrictions on use : Use as recommended by the label.
For professional users only.

### 1.3 Details of the supplier of the safety data sheet

**Supplier Address**

FMC Agro Limited
Rectors Lane, Pentre
Flintshire
CH5 2DH
United Kingdom

Telephone: + 44 1244 537370
E-mail address: SDS-Info@fmc.com .

### 1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
England and Wales: 44-870-8200418 (CHEMTREC)

Medical emergency:
England and Wales: 111
Scotland: 84 54 24 2424

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

| | |
|---|---|
| Short-term (acute) aquatic hazard, Category 1 | H400: Very toxic to aquatic life. |
| Long-term (chronic) aquatic hazard, Category 1 | H410: Very toxic to aquatic life with long lasting effects. |

### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Hazard pictograms :



Signal word : Warning

Hazard statements :
H317 May cause an allergic skin reaction.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

**Prevention:**

P261 Avoid breathing mist or vapours.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty of water and soap.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

**Disposal:**

P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

**Additional Labelling**

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

**Components**

| Chemical name | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number | Classification | Concentration (% w/w) |
|---|---|---|---|
| carfentrazone-ethyl (ISO) | 128639-02-1<br><br>607-309-00-5 | Aquatic Acute 1; H400<br>Aquatic Chronic 1; H410<br>_____<br>M-Factor (Acute aquatic toxicity): 10<br>M-Factor (Chronic aquatic toxicity): 10 | >= 2.5 - < 10 |
| Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether | 134180-76-0 | Acute Tox. 4; H332<br>Acute Tox. 4; H312<br>Eye Irrit. 2; H319<br>Aquatic Chronic 2; H411 | >= 2.5 - < 10 |
| Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts | 68953-96-8<br>273-234-6 | Acute Tox. 4; H312<br>Skin Irrit. 2; H315<br>Eye Dam. 1; H318<br>Aquatic Chronic 2; H411 | >= 1 - < 2.5 |

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

If inhaled : Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.

If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.

In case of skin contact : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention immediately if irritation develops and persists.

In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Do not induce vomiting without medical advice.

### 4.2 Most important symptoms and effects, both acute and delayed

Risks : May cause an allergic skin reaction.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.
Immediate medical attention is required in case of ingestion.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.
High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Nitrogen oxides (NOx)
Carbon oxides

Chlorine compounds
Fluorine compounds

**5.3 Advice for firefighters**

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## SECTION 6: Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.

**6.2 Environmental precautions**

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

**6.3 Methods and material for containment and cleaning up**

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

**6.4 Reference to other sections**

See sections: 7, 8, 11, 12 and 13.

## SECTION 7: Handling and storage

**7.1 Precautions for safe handling**

Advice on safe handling : Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.

For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

**Occupational Exposure Limits**

Contains no substances with occupational exposure limit values.

**Derived No Effect Level (DNEL)**

| Substance name | End Use | Exposure routes | Potential health effects | Value |
|---|---|---|---|---|

**Predicted No Effect Concentration (PNEC)**

| Substance name | Environmental Compartment | Value |
|---|---|---|
| 2-ethylhexyl oleate | Fresh water sediment | 1.44 mg/kg dry weight (d.w.) |
| | Marine sediment | 1.44 mg/kg dry weight (d.w.) |
| | Soil | 20 mg/kg dry weight (d.w.) |
| Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts | Fresh water | 0.023 mg/l |
| | Marine water | 0.002 mg/l |
| | Sewage treatment plant | 5.5 mg/l |
| | Fresh water sediment | 1.35 mg/kg |
| | Marine sediment | 0.135 mg/kg |
| | Soil | 0.124 mg/kg |
| | Intermittent use (freshwater) | 0.290 mg/l |

### 8.2 Exposure controls

**Personal protective equipment**

Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

| | | |
|---|---|---|
| Physical state | : | liquid |
| Colour | : | yellow-orange |
| Odour | : | oily |
| Odour Threshold | : | not determined |
| pH | : | 4.86<br>Concentration: 1 %<br>In a 1% aqueous dispersion |
| Melting point/freezing point | : | not determined |
| Boiling point/boiling range | : | not determined |
| Flash point | : | 111 °C |
| Upper explosion limit / Upper flammability limit | : | not determined |
| Lower explosion limit / Lower flammability limit | : | not determined |
| Vapour pressure | : | Not available for this mixture. |
| Relative vapour density | : | not determined |
| Relative density | : | 0.9308 (20 °C) |
| Solubility(ies) | | |
| Water solubility | : | No data available |
| Solubility in other solvents | : | No data available |
| Partition coefficient: n-octanol/water | : | Not available for this mixture. |
| Decomposition temperature | : | not determined |
| Viscosity | | |
| Viscosity, dynamic | : | not determined |
| Viscosity, kinematic | : | 20.42 mm2/s (40 °C)<br>23.44 mm2/s (40 °C) |
| Explosive properties | : | Not explosive |
| Oxidizing properties | : | Non-oxidizing |

### 9.2 Other information

| | | |
|---|---|---|
| Flammability (liquids) | : | ignitable, Based on available information, the classification criteria for flammability hazard are not met. |
| Surface tension | : | 30 mN/m, 25 °C<br>29 mN/m, 40 °C |
| Particle size | : | Not applicable |
| Particle Size Distribution | : | Not applicable |
| Self-ignition | : | 356 °C |

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.
Heating of the product will produce harmful and irritant vapours.

### 10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

### 10.6 Hazardous decomposition products

Stable under recommended storage conditions.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.11 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

**Components:**

**carfentrazone-ethyl (ISO):**

Acute oral toxicity : LD50 (Rat, female): 5,143 mg/kg
Method: US EPA Test Guideline OPP 81-1
Symptoms: Tremors
GLP: yes

LD50 (Rat, female): > 5,000 mg/kg
Method: OECD Test Guideline 425

GLP: yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.09 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: EPA OPP 81 - 3
Symptoms: Tremors, chromodacryorrhea, nasal discharge
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 4,000 mg/kg
Method: US EPA Test Guideline OPP 81-2
GLP: yes
Assessment: The component/mixture is minimally toxic after single contact with skin.
Remarks: no mortality

**Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:**

Acute oral toxicity : LD50 (Rat): 3,200 mg/kg

Acute inhalation toxicity : LC50 (Rat): 1.08 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): 1,550 mg/kg

LD50 (Rat): > 2,000 mg/kg

**Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:**

Acute oral toxicity : LD0 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 401
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 1,000 - 1,600 mg/kg
Method: OECD Test Guideline 402

**Skin corrosion/irritation**

Not classified based on available information.

**Product:**

Species : Rabbit
Result : No skin irritation

**Components:**

**carfentrazone-ethyl (ISO):**

| | | |
|---|---|---|
| Species | : | Rabbit |
| Assessment | : | Not classified as irritant |
| Method | : | US EPA Test Guideline OPP 81-5 |
| Result | : | slight irritation |
| GLP | : | yes |

**Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:**

| | | |
|---|---|---|
| Result | : | slight irritation |

**Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:**

| | | |
|---|---|---|
| Species | : | Rabbit |
| Result | : | Skin irritation |

**Serious eye damage/eye irritation**

Not classified based on available information.

**Product:**

| | | |
|---|---|---|
| Species | : | Rabbit |
| Assessment | : | No eye irritation |
| Remarks | : | Minimal effects that do not meet the threshold for classification. |

**Components:**

**carfentrazone-ethyl (ISO):**

| | | |
|---|---|---|
| Species | : | Rabbit |
| Assessment | : | Not classified as irritant |
| Method | : | EPA OPP 81-4 |
| Result | : | slight irritation |
| GLP | : | yes |

**Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:**

| | | |
|---|---|---|
| Species | : | Rabbit |
| Result | : | Moderate eye irritation |

**Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:**

| | | |
|---|---|---|
| Species | : | Rabbit |
| Result | : | Irreversible effects on the eye |

**Respiratory or skin sensitisation**

**Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

Not classified based on available information.

**Product:**

| | | |
|---|---|---|
| Species | : | Guinea pig |
| Result | : | May cause sensitisation by skin contact. |

**Components:**

**carfentrazone-ethyl (ISO):**

| | | |
|---|---|---|
| Exposure routes | : | Skin contact |
| Species | : | Guinea pig |
| Method | : | US EPA Test Guideline OPP 81-6 |
| Result | : | Does not cause skin sensitisation. |
| GLP | : | yes |

| | | |
|---|---|---|
| Test Type | : | Local lymph node assay (LLNA) |
| Species | : | Mouse |
| Method | : | OECD Test Guideline 429 |
| Result | : | Does not cause skin sensitisation. |
| GLP | : | yes |

**Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:**

| | | |
|---|---|---|
| Species | : | Guinea pig |
| Result | : | Not a skin sensitizer. |

**Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:**

| | | |
|---|---|---|
| Test Type | : | Maximisation Test |
| Species | : | Guinea pig |
| Method | : | OECD Test Guideline 406 |
| Result | : | Does not cause skin sensitisation. |

**Germ cell mutagenicity**

Not classified based on available information.

**Product:**

| | | |
|---|---|---|
| Germ cell mutagenicity- Assessment | : | Weight of evidence does not support classification as a germ cell mutagen. |

**Components:**

**carfentrazone-ethyl (ISO):**

Genotoxicity in vitro : Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes

Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: U.S. EPA 84-2
Result: negative
GLP: yes

Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Result: negative
GLP: yes

Test Type: unscheduled DNA synthesis assay
Species: Rat (male)
Result: negative
GLP: yes

Germ cell mutagenicity- Assessment : No genotoxic potential

**Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster ovary cells
Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Cell type: Bone marrow
Application Route: Intraperitoneal injection
Result: negative

**Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative
Remarks: Based on data from similar materials

Test Type: reverse mutation assay
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Oral
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

**Carcinogenicity**

Not classified based on available information.

**Product:**

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

**Components:**

**carfentrazone-ethyl (ISO):**

| | | |
|---|---|---|
| Species | : | Rat, female |
| Application Route | : | Ingestion |
| Exposure time | : | 2 Years |
| NOAEL | : | 3 mg/kg bw/day |
| LOAEL | : | 12 mg/kg bw/day |
| Method | : | U.S. EPA 83-5 |
| Result | : | no increase in tumors observed |
| Target Organs | : | Liver |
| GLP | : | yes |

Species : Mouse, female

| | | |
|---|---|---|
| Application Route | : | Ingestion |
| Exposure time | : | 80 weeks |
| NOAEL | : | 10 mg/kg bw/day |
| LOAEL | : | 110 mg/kg bw/day |
| Method | : | U.S. EPA 83-5 |
| Result | : | no increase in tumors observed |
| Target Organs | : | Liver |
| GLP | : | yes |

| | | |
|---|---|---|
| Carcinogenicity - Assessment | : | Animal testing did not show any carcinogenic effects. |

**Reproductive toxicity**

Not classified based on available information.

**Product:**

| | | |
|---|---|---|
| Reproductive toxicity - Assessment | : | Weight of evidence does not support classification for reproductive toxicity |

**Components:**

**carfentrazone-ethyl (ISO):**

| | | |
|---|---|---|
| Effects on fertility | : | Test Type: Multi-generation study<br>Species: Rat, male and female<br>Application Route: Ingestion<br>Fertility: NOEL: 4,000 ppm<br>Result: negative |
| Effects on foetal development | : | Test Type: Embryo-foetal development<br>Species: Rat, female<br>Application Route: Oral<br>General Toxicity Maternal: NOEL: 100 mg/kg bw/day<br>Embryo-foetal toxicity: NOEL: 600 mg/kg bw/day<br>Result: negative<br><br>Test Type: Embryo-foetal development<br>Species: Rabbit, female<br>Application Route: Oral<br>General Toxicity Maternal: NOEL: 150 mg/kg bw/day<br>Embryo-foetal toxicity: NOEL: > 300 mg/kg bw/day<br>Result: negative |
| Reproductive toxicity - Assessment | : | Animal testing showed no reproductive toxicity. |

**Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:**

| | | |
|---|---|---|
| Effects on fertility | : | Test Type: Three-generation study<br>Species: Rat, male and female<br>Application Route: Oral<br>Dose: 14, 70, 350 mg/kg bw d |

General Toxicity - Parent: NOAEL: 350 mg/kg body weight
General Toxicity F1: NOAEL: 350 mg/kg bw/day
General Toxicity F2: NOAEL: 350 mg/kg bw/day
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
Dose: 0.2, 2.0, 300 and 600 mg/kg
Duration of Single Treatment: 20 d
General Toxicity Maternal: LOAEL: 600 mg/kg body weight
Teratogenicity: LOAEL: 600 mg/kg bw/day
Result: negative
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

**STOT - single exposure**

Not classified based on available information.

**Product:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

**Components:**

**carfentrazone-ethyl (ISO):**

Remarks : No significant adverse effects were reported

**Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

**STOT - repeated exposure**

Not classified based on available information.

**Product:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Components:**

**carfentrazone-ethyl (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Repeated dose toxicity**

**Components:**

**carfentrazone-ethyl (ISO):**

| | | |
|---|---|---|
| Species | : | Mouse, male |
| NOAEL | : | 143 mg/kg |
| LOAEL | : | 571 mg/kg |
| Application Route | : | Oral |
| Exposure time | : | 90 days |
| Method | : | EPA 82-1 |
| GLP | : | yes |
| Target Organs | : | Blood, Liver |

| | | |
|---|---|---|
| Species | : | Dog, male and female |
| NOEL | : | 150 mg/kg |
| LOAEL | : | 500 mg/kg |
| Application Route | : | Oral |
| Exposure time | : | 90 days |
| Target Organs | : | Blood |

| | | |
|---|---|---|
| Species | : | Dog, male and female |
| NOEL | : | 50 mg/kg |
| NOAEL | : | 150 mg/kg |
| LOAEL | : | 500 mg/kg |
| Application Route | : | Oral |
| Exposure time | : | 12 months |
| GLP | : | yes |
| Target Organs | : | Blood |

| | | |
|---|---|---|
| Species | : | Rat, male |
| NOAEL | : | 58 mg/kg |
| Exposure time | : | 90 d |
| Method | : | EPA 82-1 |
| GLP | : | yes |

**Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:**

| | | |
|---|---|---|
| Species | : | Rat |
| NOAEL | : | 200 mg/kg |
| Application Route | : | Oral |
| Exposure time | : | 28 d |
| Method | : | OECD Test Guideline 407 |

**Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:**

| | | |
|---|---|---|
| Species | : | Rat, male and female |
| NOAEL | : | 40 mg/kg bw/day |
| LOAEL | : | 115 mg/kg bw/day |
| Application Route | : | Oral - feed |
| Exposure time | : | 6 months |

Dose : 40, 115, 340, 1030 mg/kg bw d
Remarks : Based on data from similar materials

**Aspiration toxicity**

Not classified based on available information.

**Product:**

The mixture does not have properties associated with aspiration hazard potential.

**Components:**

**carfentrazone-ethyl (ISO):**

The substance does not have properties associated with aspiration hazard potential.

**Neurological effects**

**Components:**

**carfentrazone-ethyl (ISO):**

No neurotoxicity observed in animal studies

**Further information**

**Product:**

Remarks : No data available

## SECTION 12: Ecological information

### 12.1 Toxicity

**Product:**

Toxicity to algae/aquatic plants : ErC50 (algae): 0.45 mg/l

NOEC (algae): 0.1 mg/l

**Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

**Components:**

**carfentrazone-ethyl (ISO):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.55 mg/l
Exposure time: 96 h
Test Type: semi-static test

| | | |
|---|---|---|
| | | Method: OECD Test Guideline 203<br><br>LC50 (Menidia beryllina (Silverside)): 1.14 mg/l<br>Exposure time: 96 h<br>Test Type: flow-through test<br><br>LC50 (Oncorhynchus mykiss (rainbow trout)): 1.6 mg/l<br>Exposure time: 96 h<br>Test Type: flow-through test<br>Method: EPA OPP 72-1 |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): > 9.8 mg/l<br>End point: Immobilization<br>Exposure time: 48 h<br>Method: OECD Test Guideline 202<br>Remarks: No toxicity at the limit of solubility |
| Toxicity to algae/aquatic plants | : | EC50 (Selenastrum capricornutum (green algae)): 0.0133 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br>GLP: yes<br><br>NOEC (Selenastrum capricornutum (green algae)): 0.00933 mg/l<br>End point: Growth rate<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br>GLP: yes<br><br>EbC50 (Selenastrum capricornutum (green algae)): 16 µg/l<br>Exposure time: 120 h<br><br>EC50 (Navicula pelliculosa (Diatom)): 12 µg/l<br>Exposure time: 72 h<br>Test Type: static test<br><br>EC50 (Skeletonema costatum (Diatom)): 15 µg/l<br>Exposure time: 72 h<br>GLP: yes |
| M-Factor (Acute aquatic toxicity) | : | 10 |
| Toxicity to microorganisms | : | NOEC (activated sludge): 1,000 mg/l<br>Test Type: Respiration inhibition<br>Method: OECD Test Guideline 209 |
| Toxicity to fish (Chronic toxicity) | : | NOEC: 22 µg/l<br>Exposure time: 89 d<br>Species: Oncorhynchus mykiss (rainbow trout)<br>Test Type: Early Life-Stage |

| | | |
|---|---|---|
| | | Method: OECD Test Guideline 210<br>GLP: yes<br><br>NOEC: 0.118 mg/l<br>Exposure time: 102 d<br>Species: Oncorhynchus mykiss (rainbow trout)<br>Test Type: flow-through test<br>Method: US EPA Test Guideline OPP 72-4 |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC: 0.309 mg/l<br>End point: Growth<br>Exposure time: 21 d<br>Species: Daphnia magna (Water flea)<br>Method: OECD Test Guideline 202 |
| M-Factor (Chronic aquatic toxicity) | : | 10 |
| Toxicity to soil dwelling organisms | : | NOEC: 820 mg/kg<br>Species: Eisenia fetida (earthworms)<br><br>Method: OECD Test Guideline 216<br>Remarks: No significant adverse effect on nitrogen mineralization.<br><br>Method: OECD Test Guideline 217<br>Remarks: No significant adverse effect on carbon mineralization. |
| Toxicity to terrestrial organisms | : | LD50: > 5,620 ppm<br>End point: Acute oral toxicity<br>Species: Anas platyrhynchos (Mallard duck)<br>Remarks: Dietary<br><br>LD50: 2,250 mg/kg<br>End point: Acute oral toxicity<br>Species: Colinus virginianus (Bobwhite quail)<br><br>NOEL: 1000 ppm<br>End point: Reproduction Test<br>Species: Colinus virginianus (Bobwhite quail)<br><br>LD50: > 200 µg/bee<br>End point: Acute oral toxicity<br>Species: Apis mellifera (bees)<br><br>LD50: > 200 µg/bee<br>End point: Acute contact toxicity<br>Species: Apis mellifera (bees) |

**Ecotoxicology Assessment**

Toxicity Data on Soil : Harmful to the soil environment.

**Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.1 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.1 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Scenedesmus subspicatus): 28.2 mg/l
Exposure time: 72 h

EC50 (Scenedesmus subspicatus): 152.2 mg/l
Exposure time: 72 h

**Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 31.6 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 62 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 29 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.5 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): 550 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 0.23 mg/l
Exposure time: 72 d
Species: Oncorhynchus mykiss (rainbow trout)
Test Type: flow-through test
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1.18 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: flow-through test
Remarks: Based on data from similar materials

| | | |
|---|---|---|
| Toxicity to soil dwelling organisms | : | NOEC: 250 mg/kg<br>Exposure time: 14 d<br>Species: Eisenia fetida (earthworms)<br>Method: OECD Test Guideline 207<br>Remarks: Based on data from similar materials<br><br>LC50: > 1,000 mg/kg<br>Exposure time: 14 d<br>Species: Eisenia fetida (earthworms)<br>Method: OECD Test Guideline 207<br>Remarks: Based on data from similar materials |
| Plant toxicity | : | EC50: 167 mg/kg<br>Exposure time: 21 d<br>Species: Sorghum bicolor (sorghum)<br><br>80 mg/kg<br>Exposure time: 14 d<br>Species: Avena sativa (oats) |
| Toxicity to terrestrial organisms | : | EC10: 82 mg/kg<br>Exposure time: 21 d<br>Species: Hypoaspis aculeifer<br>Remarks: Information given is based on data obtained from similar substances. |

### 12.2 Persistence and degradability

**Product:**

| | | |
|---|---|---|
| Biodegradability | : | Result: Not readily biodegradable.<br>Remarks: Estimation based on data obtained on active ingredient.<br>Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants. |

**Components:**

**carfentrazone-ethyl (ISO):**

| | | |
|---|---|---|
| Biodegradability | : | Result: Not readily biodegradable. |

**Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:**

| | | |
|---|---|---|
| Biodegradability | : | Inoculum: activated sludge, non-adapted<br>Result: Not readily biodegradable.<br>Biodegradation: 2.9 %<br>Exposure time: 28 d<br>Method: OECD Test Guideline 301E<br><br>Result: Inherently biodegradable. |

Biodegradation: > 35 - 45 %
Exposure time: 10 d

### 12.3 Bioaccumulative potential

**Product:**

Bioaccumulation : Remarks: Does not bioaccumulate.
Estimation based on data obtained on active ingredient.

**Components:**

**carfentrazone-ethyl (ISO):**

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
Exposure time: 28 d
Bioconcentration factor (BCF): 176
Method: OECD Test Guideline 305E
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 3.7 (20 °C)

**Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:**

Bioaccumulation : Bioconcentration factor (BCF): 3.16
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 4.595 (20 °C)

### 12.4 Mobility in soil

**Product:**

Distribution among environmental compartments : Remarks: Under normal conditions the substance/mixture is mobile in soil.
Estimation based on data obtained on active ingredient.

**Components:**

**carfentrazone-ethyl (ISO):**

Distribution among environmental compartments : Remarks: The substance/mixture and its soil metabolites have a potential for being mobile, but were not detected in a field leaching study.

Koc: 866, log Koc: 2.93

### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

**Product:**

| | | |
|---|---|---|
| Endocrine disrupting potential | : | This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f). |
| Additional ecological information | : | An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.<br>Very toxic to aquatic life with long lasting effects. |

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

| | | |
|---|---|---|
| Product | : | The product should not be allowed to enter drains, water courses or the soil.<br>Do not contaminate ponds, waterways or ditches with chemical or used container.<br>Send to a licensed waste management company. |
| Contaminated packaging | : | Empty remaining contents.<br>Do not re-use empty containers.<br>Packaging that is not properly emptied must be disposed of as the unused product.<br>Empty containers should be taken to an approved waste handling site for recycling or disposal. |

## SECTION 14: Transport information

### 14.1 UN number

| | | |
|---|---|---|
| **ADN** | : | UN 3082 |
| **ADR** | : | UN 3082 |
| **RID** | : | UN 3082 |
| **IMDG** | : | UN 3082 |
| **IATA** | : | UN 3082 |

### 14.2 UN proper shipping name

| | | |
|---|---|---|
| **ADN** | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(Carfentrazone-ethyl) |

| | | |
|---|---|---|
| **ADR** | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Carfentrazone-ethyl) |
| **RID** | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Carfentrazone-ethyl) |
| **IMDG** | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Carfentrazone-ethyl) |
| **IATA** | : | Environmentally hazardous substance, liquid, n.o.s. (Carfentrazone-ethyl) |

**14.3 Transport hazard class(es)**

| | | Class | Subsidiary risks |
|---|---|---|---|
| **ADN** | : | 9 | |
| **ADR** | : | 9 | |
| **RID** | : | 9 | |
| **IMDG** | : | 9 | |
| **IATA** | : | 9 | |

**14.4 Packing group**

**ADN**

| | | |
|---|---|---|
| Packing group | : | III |
| Classification Code | : | M6 |
| Hazard Identification Number | : | 90 |
| Labels | : | 9 |

**ADR**

| | | |
|---|---|---|
| Packing group | : | III |
| Classification Code | : | M6 |
| Hazard Identification Number | : | 90 |
| Labels | : | 9 |
| Tunnel restriction code | : | (-) |

**RID**

| | | |
|---|---|---|
| Packing group | : | III |
| Classification Code | : | M6 |
| Hazard Identification Number | : | 90 |
| Labels | : | 9 |

**IMDG**

| | | |
|---|---|---|
| Packing group | : | III |
| Labels | : | 9 |
| EmS Code | : | F-A, S-F |

**IATA (Cargo)**

| | | |
|---|---|---|
| Packing instruction (cargo aircraft) | : | 964 |

Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

**IATA (Passenger)**
Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

### 14.5 Environmental hazards

**ADN**
Environmentally hazardous : yes

**ADR**
Environmentally hazardous : yes

**RID**
Environmentally hazardous : yes

**IMDG**
Marine pollutant : yes

**IATA (Passenger)**
Environmentally hazardous : yes

**IATA (Cargo)**
Environmentally hazardous : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Conditions of restriction for the following entries should be considered:
Number on list 3
carfentrazone-ethyl (ISO) (Number on list 3)
Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl]

ether (Number on list 3)
butan-1-ol (Number on list 3)
Aromatic hydrocarbons, C9; Alkylbenzenes; C9-aromatics (Number on list 3)
acetic acid (Number on list 3)

Regulation (EC) on substances that deplete the ozone layer : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation : Not applicable

Control of Major Accident Hazards Regulations 2015 (COMAH)

| | |
|---|---|
| E1 | ENVIRONMENTAL HAZARDS |
| E1 | |
| E2 | |

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
Volatile organic compounds (VOC) content: 2.95 %

**Other regulations:**

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

**The components of this product are reported in the following inventories:**

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

CFZ TECHNICAL (JB)
acetic acid
Polymeric surfactant

| | | |
|---|---|---|
| | | Aromatic hydrocarbons, C9; Alkylbenzenes; C9-aromatics<br>Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether<br>2-ethylhexyl oleate |
| ENCS | : | Not in compliance with the inventory |
| ISHL | : | Not in compliance with the inventory |
| KECI | : | Not in compliance with the inventory |
| PICCS | : | Not in compliance with the inventory |
| IECSC | : | Not in compliance with the inventory |
| NZIoC | : | Not in compliance with the inventory |
| TECI | : | Not in compliance with the inventory |

### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

## SECTION 16: Other information

**Full text of H-Statements**

| | | |
|---|---|---|
| H312 | : | Harmful in contact with skin. |
| H315 | : | Causes skin irritation. |
| H318 | : | Causes serious eye damage. |
| H319 | : | Causes serious eye irritation. |
| H332 | : | Harmful if inhaled. |
| H400 | : | Very toxic to aquatic life. |
| H410 | : | Very toxic to aquatic life with long lasting effects. |
| H411 | : | Toxic to aquatic life with long lasting effects. |

**Full text of other abbreviations**

| | | |
|---|---|---|
| Acute Tox. | : | Acute toxicity |
| Aquatic Acute | : | Short-term (acute) aquatic hazard |
| Aquatic Chronic | : | Long-term (chronic) aquatic hazard |
| Eye Dam. | : | Serious eye damage |
| Eye Irrit. | : | Eye irritation |
| Skin Irrit. | : | Skin irritation |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration as-

sociated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

**Further information**

Other information :

| **Classification of the mixture:** | | **Classification procedure:** |
|---|---|---|
| Skin Sens. 1 | H317 | Based on product data or assessment |
| Aquatic Acute 1 | H400 | Calculation method |
| Aquatic Chronic 1 | H410 | Based on product data or assessment |

**Disclaimer**

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

**Prepared by**

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

GB / 6N