

fargro®

Danish Trolleys & Accessories

Please contact
your **Area Sales
Manager** or
Customer Services
for pricing

Danish Trolley

The Fargro Danish trolley comes with 3 shelves and consists of a heavy duty steel base, removable rolled steel corner posts, plywood shelves and nylon wheels.



F/CODE	DESC
TROLDANP	Post for Danish Trolley
TROLDANS	Extra Plywood Shelf for Danish Trolley
TROLDANB	Base for Danish Trolley



Both fixed and swivel
spare wheels available.

FARGRO DANISH TROLLEY

F/CODE	DESC
TROLDAN	Danish Trolley Complete

SPARE WHEELS FOR DANISH TROLLEYS

F/CODE	DESC
TYRE15	Danish Trolley Wheel Fixed
TYRE16	Danish Trolley Wheel Swivel

CALL 01903 726 100 EMAIL ASK@FARGRO.CO.UK WEB FARGRO.CO.UK

VINERY FIELDS, ARUNDEL ROAD, (A27) POLING, ARUNDEL, WEST SUSSEX, BN18 9PY


Horti-Display



The Horti-Display is an excellent way to present your flowers, plants or any other product. With the Horti-Display you will give your presentation a professional look, and it is easy and convenient to use.

HORTI-DISPLAY WITHOUT BASE

F/CODE	REF	DESC
HDISP	1014-1010	Horti-Display (Without Base)



Hoti-Display awning



Make your display complete with the Horti-Display awning and protect your products from the rain and sun.

The roof is customisable: add your custom colours and/or logo.

HORTI-DISPLAY AWNING

F/CODE	REF	DESC
HDISPAW	1015-1014	Horti-Display Awning



Display-Maker

It is possible to easily transform your Danish trolley into a nice store presentation with the Display-Maker. The Display-Maker lifts the two posts at the back of the trolley to display the shelves at an angle.

x2 Display-Makers required per trolley.



DISPLAY-MAKER

F/CODE	REF
DISMK	1001-1000

CALL 01903 726 100 EMAIL ASK@FARGRO.CO.UK WEB FARGRO.CO.UK

VINERY FIELDS, ARUNDEL ROAD, (A27) POLING, ARUNDEL, WEST SUSSEX, BN18 9PY

Watering Trays

Heavy Duty & Reusable

Advantages:

- Longer selling period
- Less waste

These water trays are designed to provide your plants and flowers with a water reservoir when positioned on Euro pallets.



WATER TRAY FOR EURO PALLET BLACK

F/CODE	REF	SIZE L x W x H MM	THICK MM
WTEP	1015-1020	1200 x 800 x 52	3

The water trays are designed to provide your plants and flowers with a water reservoir when used on Danish trolleys or CC containers.


Available in two thicknesses.



WATER TRAY FOR DANISH TROLLEY BLACK

F/CODE	REF	SIZE L x W x H MM	THICK MM
WT522	1015-1004	1258 x 555 x 52	2
WT523	1015-1002	1258 x 555 x 52	3

Display Racks




Simple and effective way to display hanging baskets from your Danish trolley.

Strong and robust to withstand heavy loads.

HANGING BASKET RACK FOR DANISH TROLLEY

F/CODE	REF	SIZE L x W CM
HGBH	P-1010-350	225 x 87



The flower bucket rack is a shelf that can be placed in Danish trolleys and CC containers to display or transport flower buckets. Can also be used to transport 12" round cone hanging baskets. The rings are made of galvanised steel and have a diameter of 24cm.

This product can also be combined with the Horti-Display and Display-Maker.

FLOWER BUCKET RACK FOR DANISH TROLLEY

F/CODE	REF	SIZE CM
HIFB	4002-1010	124 x 55

Tool Box & Writing Board



The tool box holder can easily be attached to any desired height by attaching it to the hooks of the stand on your Danish trolley.

Writing boards can be hooked between the two poles of a Danish trolley.



**TOOL BOX
FOR DANISH TROLLEY**

F/CODE	REF
HITB	4002-1035



**WRITING BOARD
FOR DANISH TROLLEY**

F/CODE	REF
HIWB	1025-1000

Horti-Wrap™ Machine

The Horti-Wrap™ Machine employs a simple concept to wrap Danish trolleys with most kinds of film.

Trolleys are pushed onto the turntable and as this is manually rotated, the film is wound around the trolley as it moves up the 2m mast, wrapping the trolley from the base to the top.

Movement is controlled by foot pressure on the base plate. Using large machine-size rolls of film reduces costs compared to hand wrapping.



HORTI-WRAP™ MACHINE

F/CODE	REF
HORTWRAP	W-1007-1000

Blocking Discs



With blocking discs, you easily secure Danish trolleys, auction carts or CC containers. Once you put a caster in the hole of a disc, the cart will no longer move/roll, which makes applying wrapping film to the cart an easy task.

The blocking discs can easily be transported or placed thanks to their simple design. The bottom is equipped with anti-slip, and the extra steel rings prevent them from sagging.

**BLOCKING DISC FOR DANISH
TROLLEYS OR CC CONTAINERS**

F/CODE	REF
HORBDDT	1003-1000

Wippon Transporters & Vehicles



A simple yet effective way of moving Danish trolleys around the nursery or garden centre.

The wippon car is located under the trolley to enable the pneumatic wheels to support the trolley and move over uneven ground. The trolley can be locked onto the wippon car during movement.

Wheels: 100mm wide x 400mm diameter.



WIPPON CAR
DANISH TROLLEY MOVER

F/CODE	REF
WWT	1002-1000



The H-400 is an electric powered tug that is used for pulling heavy loads, such as transportation trolleys and Danish trolleys filled with shelves. Thanks to its compact size, it is easy to manoeuvre.

A new digital controller puts the braking energy back into the battery again. The H-400 can be used for 24 hours after one battery charge.

Together with the correct couplings the H400 Tug can pull a train of Danish trolleys with ease.

- Supplied with AGM battery and charger
(Longer life lithium battery available on request)
- Length 90cm x Width 51cm x Height 104cm
- Towing capacity 640kg

ELECTRIC POWERED TUG H-400

F/CODE	REF
HTH400	1024-1000



The 4x4 version of the wippon car has 4 wheels and a handle. This makes creating a train of wippon cars possible which can be pulled with an electric vehicle.

This makes the 4x4 wippon car perfect for the transportation of Danish trolleys and CC containers over soft surfaces such as ground covers or tiny gravel.

WIPPON WAGON TRANSPORTER 4x4

F/CODE	REF
WWT4	1002-3000



The Trike 1200 has a tensile weight of 1200kg which makes it ideal for transporting heavy loads. Robustly built, the Trike 1200 is the ideal machine for working in nurseries and warehouses.

Together with the correct couplings the Trike 1200 can pull a train of Danish trolleys with ease.

- Supplied with AGM battery and charger
(Longer life lithium battery available on request)
- Length 143.4cm x Width 72.2cm x Height 110.2cm
- Towing capacity 1200kg

ELECTRIC POWERED HORTI-TRIKE 1200

F/CODE	REF
HTXL1200	1024-1005

F/CODE	REF	DESC
HTBS	T-4010-2430	Back Support for Horti-Trike
HTCR	T-4010-2455	Crate for Horti-Trike

CALL 01903 726 100 EMAIL ASK@FARGRO.CO.UK WEB FARGRO.CO.UK

VINERY FIELDS, ARUNDEL ROAD, (A27) POLING, ARUNDEL, WEST SUSSEX, BN18 9PY



Couplings

fargro[®]



To attach Danish trolley to Horti-Trike & H-400 electric tug when using the ECC13 coupling.


FRONT HOOK

F/CODE	REF
HT1	ECC1



HOOK FOR HORTI-TRIKE & H-400 ELECTRIC TUG

F/CODE	REF
HIT13	ECC13



COUPLING HOOK TO ATTACH DANISH TROLLEY TO DANISH TROLLEY

F/CODE	REF
HIT2	ECC2



TOWING BALL FOR HORTI-TRIKE & H-400 ELECTRIC TUG

F/CODE	REF
HT51	ECC51

CALL 01903 726 100 EMAIL ASK@FARGRO.CO.UK WEB FARGRO.CO.UK

VINERY FIELDS, ARUNDEL ROAD, (A27) POLING, ARUNDEL, WEST SUSSEX, BN18 9PY




Multikett Matting System

Multikett ground tiles are a practical alternative to concrete slabs for walkways and transporting CC containers. Their low weight allow them to quickly and easily be laid by hand with no compacted substructure required, creating a slip-resistant, low noise environment for customers and employees alike.

Manufactured from post-consumer cable sheathing, the mats are 100% recycled and 100% recyclable.

- Transform unpaved surfaces into customer-friendly areas
- No compacted substructure is required
- Rubber-like material reduces running and rolling noise
- Slip-resistant surface
- Can be driven over by a car
- 100% recycled and 100% recyclable material

fargro[®]



MULTIKETT WALKWAY TILE

F/CODE	REF	L x W x H
HUB1001	1342.2020	120 x 80 x 2.2

Ramps



MULTIKETT WALKWAY RAMP TOP

F/CODE	REF	L x W x H
HUB1002	1342.2028	40 x 10 x 2.2




MULTIKETT WALKWAY RAMP BOTTOM


F/CODE	REF	L x W x H
HUB1003	1342.2029	40 x 10 x 2.2

CALL 01903 726 100 EMAIL ASK@FARGRO.CO.UK WEB FARGRO.CO.UK

VINERY FIELDS, ARUNDEL ROAD, (A27) POLING, ARUNDEL, WEST SUSSEX, BN18 9PY



Trolley Track



fargro®

Danish Trolley Track

These trolley tracks made from recycled plastic are the optimal solution for Danish trolleys. They have a wheel guide and can be inter-linked.

- Easy to lay
- Ideal for stationary and mobile purposes
- Pedestrian area with anti-slipping protection (pimples)
- Stable, weather-resistant and long-lasting
- Sound dampening
- 100% recycled and 100% recyclable material



DANISH TROLLEY TRACK

F/CODE	REF	L x W x H CM	WHEEL HEIGHT CM	WEIGHT EACH KG
TOROLDBTT	1342.5024	120 x 53 x 2.9	2.9	18

Danish Trolley Ramps

To be inter-linked with the Danish trolley track

DANISH TROLLEY RAMP TOP

F/CODE	REF	L x W x H CM
TROLDBRT	1342.5028	54.5 x 11 x 2.5

DANISH TROLLEY RAMP BOTTOM

F/CODE	REF	L x W x H CM
TROLDBRB	1342.5029	54.5 x 11 x 2.5



CALL 01903 726 100 EMAIL ASK@FARGRO.CO.UK WEB FARGRO.CO.UK

VINERY FIELDS, ARUNDEL ROAD, (A27) POLING, ARUNDEL, WEST SUSSEX, BN18 9PY



Horti-Grow 4 Layer Growing System



fargro[®]

The Horti-Grow DC is a vertical growing system based on a standard Danish trolley so is fully portable. Excellent for the cultivation of micro vegetables, baby leaves, lamb's lettuce and various fruit and vegetables.

LED-Lighting

LED-Lighting experiments in a controlled environmental chamber show that plants grow better under conditions replicating a clear sunny day than when only exposed to blue and red light. Therefore the spectrum has been adjusted to imitate this. LED lights introduce the latest technology in lighting culture.

LED lights produce little warmth and need no extra cooling. This makes them very energy efficient. The output voltage is 48 volts.

The combination with the IP65 waterproof rating makes the LED lights 100% safe, even under the most difficult conditions.

Automatic Water System

The Horti-Grow is equipped with a fully automatic water system. The system is based on irrigation whereby the water trays automatically fill with water at the time set by you.

Various internal trials with sprouts, baby leaves, lamb's lettuce, arugula, strawberries and even tomatoes have proved very successful. The Horti-Grow also allows you to grow herbs entirely according to your wishes.

The Horti-Grow DC is supplied as a complete package containing;

- Trolley with four growing shelves.
- 4 sets of pre-fixed LED lighting.
- 4 small water trays.
- Water tank, pump and all pipes and connectors.
- Full surround trolley jacket that can be removed in sections.
- Extra storage tray and lid on the top of the trolley.

F/CODE	£ EACH
HGTORL	1991.95



Four growing shelves



Water tank pump



Full surround trolley jacket

CALL 01903 726 100 EMAIL ASK@FARGRO.CO.UK WEB FARGRO.CO.UK

VINERY FIELDS, ARUNDEL ROAD, (A27) POLING, ARUNDEL, WEST SUSSEX, BN18 9PY

AVAILABLE ON
FARGRO FINANCE

fargro[®]
Finance



Trolleys & Sack Trucks

Strong, well made trolleys for movement of containers and heavy items safely and securely around the nursery.

Easy to manoeuvre & lightweight.

GARDEN CENTRE TROLLEY SILVER

F/CODE	BASKET SIZE L x W CM
TROL9	147 x 71
TYRE9	Spare wheel for TROL9



CONTAINER TROLLEY
UP TO 50CM DIAMETER POT

F/CODE	PLATFORM SIZE CM
TROL3	50 x 50



CONTAINER TROLLEY
UP TO 75CM DIAMETER POT

F/CODE	PLATFORM SIZE CM
TROL4	75 x 75



PLANT TROLLEY
UP TO 57CM DIAMETER POT

F/CODE
TROL7



SACK TRUCK
UP TO 85CM DIAMETER POT

F/CODE	PLATFORM SIZE CM
TROL5	50 x 60



SACK TRUCK
UP TO 95CM DIAMETER POT

F/CODE	PLATFORM SIZE CM
TROL6	60 x 70