


Fleming Way Regeneration Scheme

Amenity Project in Practice



OVERVIEW

The Fleming Way Improvement and Regeneration Scheme is reshaping Swindon town centre's main gateway into a modern, connected urban hub, improving links between bus and train transport. As part of this transformation, a £500,000 landscaping programme introduced approximately 0.5 hectares of planting, enhancing both the visual appeal and ecological value of central Swindon.

To support the installation and establishment of 167 mature trees and 19,000 shrubs and herbaceous plants, Fargro supplied a range of products:

- Gripple Rootball Anchor Kits
- PAS 100 Organic Compost
- Decorative Amenity Bark mulch

Disclaimer

This Case Study does not guarantee any specific outcomes. Fargro is not liable for results obtained from following the recommendations in this Case Study, whether in full or in part.

SUPPLIED PRODUCTS

Gripple Rootball Anchor Kits

Below ground tree anchoring system designed to stabilise newly planted semi-mature trees. Features a strap tensioning system for ease of use and supplied in ready-to-use kits.

- **Simple:** Fast installation
- **Long-lasting:** Allows tree to naturally establish itself
- **Secure:** Deters vandals as there is no sign the tree is newly planted
- **Versatile:** Sizes available to fit the most application, as shown below
- **Safe:** Trip hazard reduced as the kit is underground

Product Name	Tree Height	Tree Girth	Description	Wire information
ROOTAKNO3	4.5m	25cm	• Gripple Anchor TL-A3 • Quick Links • 3m x 40mm strapping • Ratchet tensioner	3mm 1 × 19 ZnAL coated high tensile steel wire. Tensile strength 1770MPa Breaking Load 800kg
ROOTAKNO4	7.5m	45cm	• Gripple Anchor TL-A4 • Quick Links • 5m x 40mm strapping • Ratchet tensioner	4mm 1 × 19 ZnAL coated high tensile steel wire. Tensile strength 1770MPa Breaking Load 1200kg
ROOTAKNO5	12m	75cm	• Gripple Anchor TL-A4 • Quick Links • 5m x 40mm strapping • Ratchet tensioner	6mm 7 × 19 ZnAL coated high tensile steel wire. Tensile strength 1770MPa Breaking Load 2250kg

Kits are also available with four anchor points on request.



Organic PAS 100 Compost

Ideal for most applications adding organic matter to the soil working as additional continued release of nutrients thus reducing the need for additional fertilisation when planting.

- Adheres to PAS 100 compliance
- PH range of 7.0-8.5
- Helps to prevent moisture loss
- Promotes healthy and strong root growth
- 95% of particulates fall within a 0-10mm range
- Available in loose loads, bulk bags, and 50L bags



Contract Ornamental Bark Mulch

8-35mm contract ornamental bark mulch is the most frequently used bark products within landscape situations, utilised to dress planter beds as a weed suppressant. This product is 100% British mixed conifer bark with a high percentage of spruce and is suitable for a number of landscape applications.

- 100% British
- 90% of particles 8-36mm
- Minimal dust and fines
- White wood content no greater than 15%
- PH Range of 4.5-5.5
- Free from pathogens, pests and weed seeds
- Screened for foreign matter
- Aids moisture retention within surface soils
- Apply at 50-100mm to achieve best results.

Available in
loose loads,
bulk bags, and
60 & 80L bags



SUMMARY

The Fleming Way Improvement and Regeneration Scheme demonstrates the impact of combining high-quality products with expert planning.

Fargro's products supported the successful establishment of 167 mature trees and 19,000 shrubs and herbaceous plants. The result is a sustainable, low-maintenance landscape that enhances Swindon town centre's ecology, connectivity, and visual appeal.

