

fargro[®]



By Appointment
To Her Majesty The Queen
Horticultural Sundriesmen



Amenity

Catalogue

Supporting our Amenity Customers

For local authorities, developers, large estates, landscapers, or those who work in the horticultural amenity sector, support for your business is essential. Whether that means high quality and reliable growing media, turf solutions, stabilisation products, advice, or access to flexible financial solutions, we can support you.

With more than 80 years' experience of supporting growers, we have developed deep knowledge and expertise across every horticultural sector.

Professionals in the Fargro community can tap into this specialist expertise by calling us to get tailored advice by phone by requesting an expert visit your local authority, estates, or developments, or coming along to meet us at one of our talks or events. This depth of knowledge combined with our commitment to providing first class customer service - and an excellent product range make us the first choice for our amenity customers.

Easy ways to order



Online Purchase

Order online at fargro.co.uk



Customer Services

Call the team on 01903 726 100



Area Sales Manager

Order via your Area Sales Manager



Click & Collect

Opening hours
9.00am – 5.00pm



By Appointment
To Her Majesty The Queen
Horticultural Sundriesmen

Delivery Information

We use our Fargro trucks in most instances to deliver your goods. We have specially assigned delivery routes which have been associated with your account. In order to find out when we will next be in your area, you will need to either place an order on the website to see your list of available delivery date options, or contact our Customer Services Team on **01903 726 100** or email orders@fargro.co.uk.

If you haven't received your goods on time, please call our Customer Services Team on **01903 726 100** or email orders@fargro.co.uk.

Delivery Charges

See website for details.

Click & Collect Deliveries

Please place your order online or by telephone, we will contact you as soon as your order is ready for collection. Collection hours are between 9am and 5pm, Monday to Friday.

Please note that we can no longer accept payments on site. All Click & Collect orders will need to be completed and paid for prior to collection.

Export Restrictions

In some instances, export restrictions may apply to some products, for example, chemicals.

If you want to purchase such products, please call our Customer Services Team on **01903 726 100** or email orders@fargro.co.uk.

Payment Options

We have a number of options available to make payment when purchasing goods.

Credit Account

You can use your existing credit account to make payment when you shop online or call our Customer Services to place your order. To apply for a credit account please email accounts@fargro.co.uk or call our Customer Services Team on **01903 726 100**.

Debit/Credit Card

You can use your debit/credit card when you shop online or call our Customer Services to place your order.



For our latest terms and conditions go to fargro.co.uk

Spraying & Application Equipment **2-11**

Safety & Storage Equipment **12-21**

Growing Media, Bark Mulches & Seeds **22-39**

Topsoil **40-41**

Fertilisers **42-47**

Planters **48-55**

Architectural Planters **56-61**

Biological Control **62-63**

Horticultural Fabrics & Polythenes **64-67**

Sundry Items **68-69**

Transport & Handling Equipment **70-73**

Tree Care Products **74-81**

Waste Management **82-83**

Irrigation **84-103**

Tools **104-113**

Turf & Lawn Care **114-119**

Landscape Construction Materials **120-123**

Agrochemicals **124-131**

Winter Items **132**



Vinery Fields, Arundel Road, Poling Arundel, West Sussex, BN18 9PY

Spraying & Application Equipment



- Berthoud Spraying Equipment
- Cooper Pegler Spraying Equipment

Spraying Equipment

Berthoud Vermorel Knapsack Sprayers

2000 Pro Comfort Knapsack Sprayer

A renowned brand name for a unique sprayer concept. The exceptionally comfortable to carry Vermorel features a ground-breaking, high-performance membrane and curvilinear piston pump.

- Reservoir capacity: 16lt with visible liquid level
- Ergonomic back frame, which fits the shape of your back. No direct contact between applicator's back and tank
- Reversible left/right pump lever, adjustable in all positions (for width and height by notches of 10°)
- High performance diaphragm pump with curved position
- Pressure relief valve, adjustable from 0 to 5 bars
- Professional 'PROFILE'-type lance handle
- Composite telescopic lance, 60cm/120cm, with high mechanical and chemical resistance
- Multi-purpose adjustable nozzle holder
- Delivered with the following equipment: 1 multipurpose, adjustable nozzle holder equipped with original swirl nozzle with 15/10 plate, a blue flat fan nozzle and a blue anvil nozzle
- Fully compatible

F/CODE

BER022



Vermorel 3000 Electric Pro Comfort Knapsack Sprayer

The benchmark in the market for electric sprayers. For all constant pressure knapsack sprayer operations where the user does not wish to pump manually.

Comfort:

- Ergonomic back frame, which perfectly fits the shape of your back and is supplied with a comfort harness for optimal comfort
- Optimised design for lighter weight. 6.2kg with battery

Performance:

- 12V Lithium-ion battery - 6hr battery life
- High performance twin diaphragm electric pump
- Viton seals for the application of aggressive chemicals
- Twin diaphragm pump and viton seals max flow: 2.6 lt/per min
- Supplied with 2 nozzles, cone 15/10 fan - Blue
- Telescopic lance 60-120cm
- Compatible with full range of Berthoud accessories

Precision:

- Rapid battery charger with charge level indicator (2.5 hrs max)
- Pressure selector - choice of three pressure settings
- Translucent 18lt tank - 11 full tanks per charge

F/CODE

BER688

Available with large wheeled cart for easy manoeuvrability and 5m hose

F/CODE

BER102141



Floraly 7 Optima Sprayer

- Total tank capacity: 7.2lt. Usable capacity: 5lt
- Fixed and off centre manual pressure pump with nitrile seals
- Wide opening on reservoir separate from the pump (diameter: 80mm)
- Multi-compartment measuring cap: 7 dosage possibilities (2,3,4,5,10,20 and 40ml)
- Nozzle outlet mounted on a swing-joint connection
- Carry strap with quick-fastening clip system
- Professional PROFILE type lance handle
- Hose length: 1m
- 40cm aluminium lance
- Multi-purpose, adjustable nozzle holder with integrated swirl plate
- Delivered with professional swirl nozzle for conical jet

F/CODE

BER451



Chapin Knapsack Sprayer

The Chapin Knapsack Sprayer 15lt has the traditional look and feel of a backpack sprayer with padded shoulder straps for a close fit to the back and a standard left-hand pump handle.

This knapsack sprayer features:

- 15ltr translucent tank
- 4" wide mouth opening for easy filling and cleaning
- 2-stage filtration system, one filter at the top and another filter at shut-off
- Poly shut-off with 2 nozzles: poly fan, poly adjustable cone
- Padded shoulder straps to accommodate a full backpack for hours

F/CODE

CHAP15

Spray Lance Handle Grip

- **Ergonomic:** Handle/lance angle ensures a natural wrist position
- **Easy maintenance:** Spring, seals and valve unscrew easily
- Compatible with all Berthoud lances



F/CODE
BER310

Spray Lance Profile Telescopic

- Improves comfort and precision for hard-to-reach areas
- Extends from 50-100cm



F/CODE	SIZE CM
BER362	50-100

Spray Lance Telescopic

Giant composite telescopic lances, with hose, quick connect and PROFILE handle. Light, rigid and strong, they are also highly chemical resistant and mechanically tough. They can also be used for treating roofs (moss control).

F/CODE	SIZE M
BER326	Up to 2.4
BER447	Up to 3.6



1 Bar Pressure Regulator

Pressure regulators can help you protect the environment (and save you money).

- Ensure you always have the right pressure of 1 bar at the nozzle tip
- Ensure optimum nozzle efficiency
- Can save up to 50% on chemicals
- Can be used with all commercially available professional nozzle tips



F/CODE
BER983

Spray Lance Shield

Large-model spray shield for safe, effective spot application of herbicides. To be used with the flat fan nozzle.



F/CODE	REF
BER504	455004

Berthoud Spray Booms

Booms convert a single nozzle spray lance into a multi-nozzle lance:

- **2 nozzles:** sprays two rows in a single run
- **3 nozzles:** wide boom herbicide treatment
- **4 nozzles:** very wide boom herbicide spraying



F/CODE	NOZZLES
BER516	2



F/CODE	NOZZLES
BER044	3



F/CODE	NOZZLES
BER071	4

Nozzle Kits



All Treatment Nozzle

F/CODE	CONTAINS NOZZLE CAP + 1 EACH OF THE FOLLOWING			
BER324	Orange Cone Jet	Black Cone Jet	Blue Fan Jet	Brown Flood Jet

Cone Nozzle Tip Kit

F/CODE	CONTAINS NOZZLE CAP + 1 EACH OF THE FOLLOWING			
BER560	Red Cone Jet	Green Cone Jet	Yellow Cone Jet	Black Cone Jet

Herbicide Nozzle Tip Kit

F/CODE	CONTAINS NOZZLE CAP + 1 EACH OF THE FOLLOWING				
BER601	Red Fan Jet	Yellow Fan Jet	Blue Fan Jet	Brown Flood Jet	Yellow Flood Jet



Valve and Seal Repair Kit

For all Vermorel sprayers.

F/CODE
BER2310



Tank Lid for Vermorel 2000 Knapsack Sprayer

Berthoud Tank Lid for Vermorel 2000 Knapsack Sprayer.

F/CODE
BER307



Vermorel 2000 Hose Assembly

Berthoud Vermorel 2000 Hose Assembly.

F/CODE
BER484



Harness for Vermorel 2000 Knapsack Sprayer

Replacement harness for the Vermorel 2000 models.


F/CODE
BER845

Calibration: Formula

$$\frac{\text{Flow (l/min)} \times 10,000}{\text{Swath (m)} \times \text{speed (m/min)}} = \text{Volume (L/ha)}$$

Hollow Cone Nozzles

For Cone Jets (hollow): with stainless steel tips in several different orifice diameters for a choice of flow values in lt/min (7 diameters from 8/10th to 25/10th - see table). They create a cone jet (hollow) for insecticide and fungicide treatments.



F/CODE	COLOUR	NOZZLE	PRESSURE BAR	SWATH CM	FLOW L/MIN	VOL RATES L/HA
BER282369	Orange	8/10°	2	20	0,245	204,17
BER282370	Green	10/10°	2	25	0,300	200,00
BER282371	Yellow	12/10°	2	35	0,385	183,33
BER282372	Black	15/10°	2	60	0,535	148,61
BER282373	Red	18/10°	2	80	0,660	137,50
BER282374	Dark Grey	20/10°	2	80	0,720	162,50
BER282375	Light Grey	25/10°	2	80	0,980	204,17

Flat Fan Nozzles

For Small Width Flat Jets: available in several colour codes (5) for flow value (lt/min) differentiation and different angles (80°, 110°) (see table). Used for spot weed control (with or without herbicide shield).



F/CODE	COLOUR	NOZZLE	PRESSURE BAR	SWATH CM	FLOW L/MIN	VOL RATES L/HA
BER282488	Orange	80°	2	84	0,340	283,34
BER282489	Green	80°	2	84	0,500	99,21
BER282461	Yellow	80°	2	84	0,650	128,97
BER282458	Blue	80°	2	84	0,970	192,46
BER282462	Red	110°	2	143	1,290	150,35

Anvil Nozzles

For Large Width Flat Jets ("broadcast" weed control): also exist in several colour codes for flow value (lt/min differentiation and in different angles (105°, 110°, 125°) (see table).



F/CODE	COLOUR	NOZZLE	PRESSURE BAR	SWATH CM	FLOW L/MIN	VOL RATES L/HA
BER282460	Yellow	105°	2	130	0,650	73,08
BER282457	Brown	110°	2	143	1,630	164,34
BER282490	Grey	110°	2	143	1,700	198,14
BER282491	Blue	135°	2	215	2,830	219,38

Spraying Equipment

Cooper Pegler Knapsack Sprayers

Knapsack Sprayer 2000 Series

Ergonomic & Efficient

With its unique ergonomic design and build to meet international standards, the 2000 series is the most comfortable, safe and capable piston pump knapsack sprayer (wide pressure range). The non-corrosive polypropylene tank, with no openings below the liquid level, substantially reduces any chance of user contamination. The sprayer is comprised of few parts and can be quickly dismantled for cleaning and maintenance without the use of tools.

- Reinforced hose for greater pressure resistance
- Exceptionally strong lance made from composite material for extended life
- Double filter system: high capacity strainer in the lid and fine mesh filter within the trigger assembly to prevent blockages
- Wide (12cm), angled side opening for quick filling and complete emptying. Cap incorporates one way vent valve to prevent spillage
- Transparent, lightweight tank contoured to your back
- Piston pump: wide pressure range, very easy to clean and service
- Reversible left/right pump lever, easy to adjust

Available in two sizes: 15 and 20lt

Nozzles included: Yellow hollow cone and green anvil

F/CODE	MODEL	CAPACITY L
SPRC03	CP3 2000	20
SPRC15	CP15 2000	15



Knapsack Sprayer Classic

Its unique diaphragm pump system and integrated pressure control system ensure many years of accurate protection of your crops. Its ergonomic conception gives greater comfort when performing intensive tasks.

- Reinforced hose for greater pressure resistance
- Lid with separate seal and air vent for secure locking
- Wide filler hole to prevent overflow when filling
- UV stabilised polypropylene tank for a durable yet lightweight sprayer
- Low mesh strainer to filter out dirt. Supplementary filter in trigger
- High resistance GRP (Glassfibre Reinforced Plastic) lance
- Pressure control valve with fixed settings for spraying herbicides / insecticides and fungicides
- Few moving parts of which none are exposed to friction, thus ensuring resistance to dirt in the spray liquid and a very low maintenance level
- Adjustable reinforced lever for left/right hand operation

Available in two sizes: 15 and 20lt

Nozzles included: Yellow hollow cone and green anvil

F/CODE	MODEL	CAPACITY L
SPRCL03	CP3	20
SPRCL15	CP15	15



Hand Held Sprayer Maxipro

Designed for professional results, the CP compression sprayers offer you performance and comfort. Their new robust and ergonomic shape allows the sprayer to be emptied completely (no retention zone) and ensures both efficient pumping (only 20 pump strokes to achieve working pressure) and ease of use. Its safety valve releases at 3 bars - with only 0.2 bar loss - ideal for all insecticide and fungicide applications.

- Nozzle on multi-nozzle adapter
- Safety valve with maximum pressure at 3 bar - manual sprayer decompression for secure opening
- Comfortable carrying handle
- Wide opening for easy filling, emptying and cleaning
- Lance locking facility
- Transparent tank with moulded indicator for accuracy
- Adjustable, non-absorbant shoulder strap
- Wide base/high stability tank
- Internal gauges
- High resistance GRP (Glassfibre Reinforced Plastic) lance
- Professional trigger system with integrated filter
- Reinforced hose for greater pressure resistance

Available in two sizes: 5 and 8lt

Nozzles included: Yellow hollow cone and green anvil

F/CODE	CAPACITY L
SPRM5	5
SPRM8	8



Knapsack Sprayer Evolution CP15

Thanks to its unbeatable durability, toughness and spray quality, the CP15 has been the favourite sprayer for users all over the world, particularly well suited for pesticide application under very harsh conditions. With its revolutionary new ergonomic carrying system it's now even easier to use due to the ultra-comfortable shoulder straps and waist belt.

- Robust yet lightweight design
- 2 top carrying handles for easy handling
- Diaphragm pump system very resistant towards water impurities
- Full padded safety harness and belt for ultra comfort and long-term wearability
- Adjustable re-inforced lever for left/right handed use
- Pressure control valve with fixed settings for spraying herbicides/insecticides and fungicides
- High resistance glassfibre reinforced plastic lance and trigger
- Low mesh strainer to filter out dirt
- Few moving parts of which none are exposed to friction, ensuring resistance to dirt in the spray liquid and a very low maintenance level

Nozzles included: Yellow hollow cone and green anvil

F/CODE	CAPACITY L
SPREV15	15



Hand Held CP2 Pressure Sprayer

Using a compact hand pump to build up air pressure within the bottle to force the liquid out as a continuous stream as long as the trigger button is held down.

- Ergonomic knob for easy pressurising
- Pump with metal rod
- Tank with large opening for easy filling and emptying
- Translucent and graduated tank
- Lockable handle for continuous spraying
- Ergonomic grip

F/CODE	CAPACITY L
SPRM2L	2



Cooper Pegler Sprayer Accessories



Lances

Extensions of the hand and arm, ideal for remote targets like tall fruit trees.

F/CODE	LENGTH M
SPRL05M	0.5
SPRL1M	1
SPRL2M	2



Telescopic Lance

More compact extensions for distant targets, they can be adjusted to the desired length for a perfect application.

F/CODE	LENGTH M
SPRTL	1-2

Lance Handle Trigger Valve

Replacement trigger valve for all Cooper Pegler knapsack sprayers.



F/CODE
SPRTV

Blue-Gem Dye Spray Indicator

A non toxic dye, compatible with pesticides to show sprayed areas and helping prevent missing or overdosing areas.



F/CODE	SIZE L
BGDSI	1

Spray Booms

To pass from a mono-jet to a multi-jet spray, booms are designed to increase capacity and width coverage. They are particularly good for large surfaces and herbicide spraying.

- Lightweight booms ideal for spraying larger areas
- 2, 3 and 4 nozzle booms equipped with ISO F-02-110 flat fan nozzles spaced to every 50cm, ideal for double overlap
- Output per nozzle at 2 bar is 0.65 lt/min
- Nozzle angle: 110°



F/CODE	DESCRIPTION
SPRNB2	2 Nozzle
SPRNB3	3 Nozzle
SPRNB4	4 Nozzle

Constant Pressure Valve 1 Bar

Releases spray fluid only when the pressure is above 1 bar and only at this pressure.



F/CODE
SPRCPV

Spray Lance Shield

To spray a localised zone and avoid spray drift. A wide shield (38cm) for spraying inter-row or along a path safely and efficiently.



F/CODE	SIZE "
SPRLSJ	15

Further ranges

Further range of accessories available. Contact your Area Sales Manager for more details.

Cooper Pegler Nozzles

	F/CODE	COLOUR	WIDTH CM	OUTPUT L/MIN	VOLUME L/HA	PACK SIZE
Hollow Cone	CP571012	Yellow	95	0.8	140	5
	CP571013	Red	120	1.4	195	5
	CP571014	Brown	130	1.8	230	5
	CP571015	Grey	140	2.4	290	5
Flat Fan	CP571008	Orange	140	0.4	133	5
	CP571009	Yellow	140	0.8	267	5
	CP571010	Blue	140	1.2	400	5
	CP571011	Red	140	1.6	533	5
Anvil	CP571001	Yellow	50	0.6	200	5
	CP571002	Green	100	1.2	200	5
	CP571003	Blue	150	1.8	200	5
	CP571004	Red	200	2.4	200	5

Hollow Cone Nozzle Spray Pack

Producing a fine mist hollow cone spray. Usually for insecticide or fungicide application.

Contents

- 1 x nozzle cap
- 1 x backing washer
- 1 x filter
- 1 x yellow cone, 1 x red cone, 1 x brown cone, 1 x grey cone



F/CODE
SPRCNP

Anvil Nozzle Floodjet Spray

Usually used for herbicide application. Used at low pressure, ensuring that the large droplet size reduces to minimise the risk of damage from unwanted drift. Large orifice means a reduced risk of blockage.

Contents

- 1 x nozzle cap
- 1 x backing washer
- 1 x yellow anvil, 1 x red anvil, 1 x green anvil, 1 x blue anvil



F/CODE
SPRFNP

Flat Fan Nozzle

Provides a flat fan shaped spray. Used in spray booms. When positioned at 0.5m spacing provides a 50% overlap to ensure complete cover.

Contents

- 1 x nozzle cap
- 1 x nozzle body
- 1 x bowler-hat filter
- 1 x orange fan, 1 x yellow fan, 1 x blue fan, 1 x red fan



F/CODE
SPRFFNP

Standard Nozzle Kit

A selection of different nozzle types to suit most applications.

Contents

- Yellow 110° flat fan nozzle
- Yellow hollow cone nozzle
- Green deflector tip nozzle (anvil nozzle)
- Blue nozzle filter
- Screw on cap
- 1 seal



F/CODE
SPR750305

Even Spray Nozzle Pack

A selection of different nozzle types to suit most applications.

Contents

- 1 x nozzle cap
- 1 x nozzle body
- 1 x bowler hat filter + backing washer
- 1 x yellow even spray, 1x blue even spray, 1 x red even spray



F/CODE
SPR750286

Nozzle Adaptor

Cooper Pegler nozzle body will allow the use of standard plastic nozzles. This is to be used with the Cooper Pegler brass lance assembly.



F/CODE
SPRNB

Safety & Storage Equipment



- Chemical Storage Safes
- Chemical Spill Kits
- Respiratory Equipment
- Protective Clothing - PPE
- First Aid Kits
- Safety Warning Signs
- Clothing - Non Safety

chembank™

Purpose built for storage of chemical substances.

Tough welded construction.

- High security lockable vaults for the safe storage of chemicals
- Conforms to all relevant HSE requirements
- Twin 5 lever deadlocks with gas struts
- Complete with relevant signage
- High and low level ventilation



ARMORCB2



ARMOCBC4

F/CODE	DESCRIPTION	WEIGHT KG	EXTERNAL DIMENSIONS MM	SUMP CAPACITY L
ARMORCB2	Site Box	86	1275 x 665 x 575	85
ARMOCBC4	Site Chest with 1 Shelf	150	1275 x 675 x 1270	85

transbank chem™

The transbank chem™ has been specially designed to comply with all legislation regarding storage of chemicals both in vehicles and at fixed locations.

- Over-centre catch
- Ventilation to prevent build up of fumes
- Fully welded sump base
- Supplied with relevant hazard warning signs



ARMOTRB1C



ARMOTRB2C



ARMOTRB4C

F/CODE	DESCRIPTION	WEIGHT KG	EXTERNAL DIMENSIONS MM	SUMP CAPACITY L
ARMOTRB1C	Storage Box	13	430 x 415 x 365	15
ARMOTRB2C	Storage Box	20	530 x 485 x 540	35
ARMOTRB4C	Storage Box	28	880 x 485 x 540	70

flambank™

Ultra-tough lockable vault for storing hazardous chemicals and flammables.

- Designed to comply with all COSHH regulations ensuring hazardous substances are securely protected
- 5 lever deadlocks on both sides
- Strong gas struts
- Suitable for chemicals and flammables
- High and low level ventilation



ARMOFBC2



ARMOFBC5



ARMOFBC8

F/CODE	DESCRIPTION	WEIGHT KG	EXTERNAL DIMENSIONS MM	SUMP CAPACITY L
ARMOFBC2	Site Chest with Internal Shelf	107	765 x 675 x 1270	50
ARMOFBC5	Site Chest with Internal Shelf	174	1585 x 675 x 1275	110
ARMOFBC8	Site Chest with 2 Internal Shelves	334	2370 x 985 x 1220	250

The unique galvanised security cage specially designed for storing gas cylinders

Robustly constructed using 25mm box sections and 3mm wire mesh, the Gorilla Gas Cage™ features a unique modular bolt-together design using individual galvanised panels, making it quick and easy to erect and dismantle. Suitable for use on site or in the storage yard, it comes complete and ready to erect with all fixings, and packs flat when not in use. Gorilla Gas Cages are available in 16 standard sizes, but can easily be customised to any requirement.

- Robust construction using 25mm box sections and 3mm wire mesh
- Quickly dismantled when not in use and stored as individual panels
- Padlock point to secure unit from theft
- Relevant hazard warning signage attached
- Facility to fix to ground, for added security and stability
- Galvanised finish - resists all weather conditions for maximum durability
- Customisable to suit any requirement



ARMOGGC7



ARMOGGC6



ARMOGGC1



ARMOGGC3

F/CODE	WEIGHT KG	EXTERNAL DIMENSIONS W x D x H MM	INTERNAL DIMENSIONS W x D x H MM
ARMOGGC1	40	1000 x 500 x 900	1000 x 500 x 900
ARMOGGC3	60	900 x 500 x 1800	900 x 500 x 1800
ARMOGGC4	68	1200 x 1200 x 1200	1200 x 1200 x 1200
ARMOGGC5	67	900 x 900 x 1800	900 x 900 x 1800
ARMOGGC6	87	1200 x 1200 x 1800	1200 x 1200 x 1800
ARMOGGC7	98	1800 x 900 x 1800	1800 x 900 x 1800
ARMOGGC8	108	1800 x 1200 x 1800	1800 x 1200 x 1800
ARMOGGC9	135	1800 x 1800 x 1800	1800 x 1800 x 1800

Other sizes available.

Chemical Spill Kits



Wheelie Bin Spill Kit 120lt

Spill kit contained in a portable, robust, two wheeled, hinged lid dash bin.

Ideal for locations where a quantity of sorbents need to be taken to the site of a spill at a moments notice, with the advantage of being able to put all the bagged sorbents back in the bin for removal. Suitable for recovering both oil and water-based fluids.

Features a combination of pads, socks and pillows that will contain and recover a 120lt spill, as well as the basic equipment needed to handle the clean-up process.

Contents:

- 60 x pads (50cm x 40cm)
- 4 x pillows (23cm x 38cm)
- 5 x socks (8cm x 1.2m)
- 5 x waste bags and ties
- 60% recycled content
- Base fibre: polypropylene and super absorbent flake

F/CODE

TWBSPI

Face fit training

We offer face fit training and additional certificates for PPE. Contact your Area Sales Manager for more details.



Respiratory Equipment



Moldex Series 9000 Full Mask

The Moldex 9000 Series meet the requirements of EN 136:1998 CL2 and are CE-marked in accordance with the requirements of European Directive

- Periphery vision side panels. Hydrophobic coating for easy cleaning
- Face shield: Polycarbonate
- Mask body: Thermoplastic Elastomere (TPE)
- Head harness: Thermoplastic Elastomere (TPE)

F/CODE	UNIT
MOL9003	Box



Moldex 3405 Half Mask Valved FFP3SL RD

- Limited life reusable FFP3 mask with washable face seal allowing use for more than one shift
- Includes protection from toxic dusts and water based mists / aerosols
- Approved to EN149:2001 +A1:2009

F/CODE	UNIT
MOL3405K	Box

Half Face Masks & Filters

Moldex Series 7000 Half Mask Medium With Filters

- Approval to EN140:1998, EN14387:2004+A1:2008, EN143:2000+A1:2006
- Contains one mask body medium size, 1 pair of pre-assembled filters A1B1E1K1P3 R
- Supplied in a plastic storage box
- Other mask sizes (small and large) are available on special order
- Replacement filters are available separately
- Combined gas filter: A (Brown) Organic gases and vapours, boiling point > 65 C B (Grey) Inorganic gases and vapours E (Yellow) Acid gases (e.g. sulphur dioxide, hydrochloric acid) K (Green) Ammonia Particulate filter: P3 R



F/CODE	UNIT
MOL7432K	Box

MOLDEX

Moldex Series 7000 Half Mask

- Extremely lightweight, the mask body is made from hypoallergenic material which is gentle on the skin
- The low profile design offers excellent field of vision
- Easy accessible components for cleaning and maintenance
- Use with Moldex EASYLOCK Filters system that requires no additional clips or holders
- Mask body only - filters sold separately



F/CODE	SIZE	UNIT
MOL7001	Small	Each
MOL7002	Medium	Each
MOL7003	Large	Each

Moldex Easylock Filters for Series 7000 Mask

- A1B1E1K1P3 R Filter to Fit Moldex Series 7000 half mask
- Pre-assembled gas and particulate filter which can be split
- Supplied and to be used in pairs
- Particulate filter: P3 R
- Conforms to EN14387:2004+A1:2008, EN143:2000+A1:2006

Combined gas filter:

- A (Brown) Organic gases and vapours, boiling point > 65°C,
- B (Grey) Inorganic gases and vapours,
- E (Yellow) Acid gases (e.g. sulphur dioxide, hydrochloric acid),
- K (Green) Ammonia



F/CODE	REFERENCE	UNIT
MOL9430	ABEK1P3	Pair

A COSHH assessment will show if Respiratory Protective Equipment (RPE) is required and its type. Regulations require all RPE to be face fit tested to ensure each piece of equipment fits the operator.

Please contact your Area Sales Manager for more details.

Coveralls Disposable

Tyvek 500 Xpert CHF5 Coverall

Chemical protective clothing, Category III Type 5B and 6B

Hooded coverall. Ergonomic-protective design. Stitched external seams. Elasticated wrists, ankles and face. Elasticated waist (glued in).

Certified according to Regulation (EU) 2016/425. EN 14126, EN 1073-2 (protection against radioactive contamination). Antistatic treatment (EN1149-5) on both sides.



F/CODE	SIZE	UNIT
OVERS	S	Each
OVERM	M	Each
OVERL	L	Each
OVERX	XL	Each
OVERXXL	XXL	Each

Tyvek 600 Plus CHA5Aa Coverall

Chemical protective clothing, Category III Type 4B, 5B and 6B

A tough, robust, hooded protected coverall with cuff, ankle, facial and waist elastification.

This coverall complies with requirements for protection against liquid spray (Type 4), particles (Type 5), light liquid splashes (Type 6). EN 14126 (barrier to infective agents). Antistatic treatment (EN 1149-5) on both sides.



F/CODE	SIZE	UNIT
TYVEKM	M	Each
TYVEKL	L	Each
TYVEKXL	XL	Each
TYVEKXXL	XXL	Each

Coveralls Reusable

Chemmaster CMBH-EWA Chemical Protection Suit - Green

Type 3 and 4

Protective clothing against liquid chemicals with liquid tight (type 3) and spray tight (type 4) connections. Conforming to the requirements of EN14605:2005+A1:2009.

Excellent resistance against acids, alkalis and common industrial chemicals.



F/CODE	SIZE	UNIT
PSPRAYM	M	Each
PSPRAYL	L	Each
PSPRAYX	XL	Each

Apron

Alpha Chemmaster PVC Apron 48" x 36" - Green

- Tough, high tear and abrasion resistant green PVC
- Long-lasting, reusable protection
- Sewn on ties with fixlock at neck
- Excellent resistance against certain acids, alkalis and common industrial chemicals
- EN 14605:2005+A1 2009 Protective Clothing against Liquid Chemicals

Applications including chemical cleaning, chemical site handling, food industry, heavy industry, oil and gas, petrochem refining, shipping and tank cleaning.



F/CODE	UNIT
CHEMGREEN	Each

Gloves

Gloves Disposable Nitrile Powder Free

Meets the requirements of EN374-2, level 2 with the EC pictogram for micro-biological hazards, as specified on some pesticide labels for workers handling treated crops.

- Powder free
- Very good tactual sensation
- High elasticity
- Category III protection
- Complies with EN374



F/CODE	SIZE	UNIT
NDISBS3	S	Box 100
NDISBM	M	Box 100
NDISBL	L	Box 100
NDISBXL	XL	Box 100

Polychem Gloves PVC 45cm Gauntlet P45/E9.5

- A PVC chemical resistant gauntlet with cotton interlock knitted liner
- Protects against a variety of chemicals including concentrated acids, alkalis, oils and greases
- Approved to EN388: 4121 EN374-2 EN374-3: JKL



F/CODE	SIZE	UNIT
GLGAU	10	Pair

Mapa Glove Ultranitril 493 39cm Long 0.55mm Nitrile Flock Lined – GLM-AP4938/9/10

Nitrile chemical protection gloves. 0.55 mm thick nitrile with flock lining, 39 cm long. Conforms to EN388 (mechanical hazards), EN ISO 374-1 type A (A J K O P T), ISO 18889 (protection from pesticides) G2 (diluted and concentrated pesticides / mechanical risk), EN ISO 374-5 Micro-organisms.



F/CODE	SIZE	UNIT
GLMAP4938	8	Pair
GLMAP4939	9	Pair
GLMAP49310	10	Pair

Face & Eye Protection

Avenger Safety Goggles

Safety goggles with a linear and compact design that can be worn over any prescription spectacles due to its spherical lens.



Other features include an indirect ventilation system, a wide fully adjustable headband, category III PPE and conforms to EN166 K & N Rating.

F/CODE	UNIT
GOH	Each

Supervisor Faceshield with Browguard and Acetate Visor

Supervisor Browguard with ratchet headband EN166:2001 with acetate visor to protect against chemical splash.



F/CODE	DESCRIPTION	UNIT
MASFI	Faceshield with Browguard and Visor	Each
MASFVR	Replacement Acetate Visor	Each

Economy Ear Defenders SNR 27

Lightweight robust design with adjustable headband. Conforms to EN352-1:2002.



F/CODE	UNIT
TEDFDR	Each

For more information on our full range of face and eye protection, aprons, gloves and much more, get in touch.

Full range of clothing



First Aid Kits

Delta First Aid Kit 1-10 Person

Kit contains the following:

- 1 x Guidance note
- 4 x Non woven triangular bandages
- 2 x Large sterile dressing (180 x 180mm)
- 6 x Medium sterile dressing (120 x 120mm)
- 2 x Sterile eye pad dressing
- 20 x Assorted sterile waterproof plasters
- 6 x Alcohol free cleansing wipes
- 1 x Pair of disposable vinyl gloves
- 6 x Safety pins



CODE	UNIT
DELTA101	Each

Eyewash Replacement Bottle

500ml bottle of sterile emergency eye wash solution (sodium chloride BP 0.9%w/v). For irrigation only.

CODE	SIZE ML	UNIT
BEEYERF	500	Bottle



Eyewash Station with 2 x Bottles

Eye wash station includes:

- 2 x 500ml bottles sterile eyewash solution (sodium chloride BP 0.9%w/v)
- 2 x No16 eye bandages
- Mirror

CODE	SIZE ML	UNIT
BEEYEST	2 x 500	Pack



Safety Warning Signs

Rigid Pesticide Application in Progress

CODE	SIZE MM	UNIT
SS2584	400 x 300	Each



Self Adhesive Danger Keep Out

CODE	SIZE MM	UNIT
SS1227	200 x 300	Pack 5



Self Adhesive First Aid

CODE	SIZE MM	UNIT
SS2050	300 x 100	Pack 5



Self Adhesive No Admittance - Authorised Personnel Only

CODE	SIZE MM	UNIT
SS533S	400 x 300	Each



Self Adhesive Flammable Liquid

CODE	SIZE MM	UNIT
SS1175	200 x 300	Pack 5



Rigid PVC Caution Forklifts Operating

CODE	SIZE MM	UNIT
SS1132	200 x 300	Pack 5



Other signs available - please call for details.

Clothing - Non Safety

B-Click Trainer Shoe

- EN ISO 20345 compliant
- Penetration resistant steel midsole
- 200J Impact resistant steel toecap
- Shock absorber heel
- Leather upper
- Antistatic properties
- SRC Slip resistance
- Dual density sole unit



CODE	SIZE	COLOUR	UNIT
DDTSB08	8	Black	Pair
DDTSB09	9	Black	Pair
DDTSB10	10	Black	Pair
DDTSB11	11	Black	Pair

Wellington Boots - Non Safety

Practical PVC wellington boots. Ideal for use in agriculture, walking and leisure, resistant to minerals, vegetable oils and fats and other animal by-products.

- No steel components
- Standard: CE
- Non safety
- Waterproof



CODE	SIZE*	UNIT
B006	6	Pair
B007	7	Pair
B008	8	Pair
B009	9	Pair
B010	10	Pair
B011	11	Pair
B012	12	Pair

*Other sizes available on request

Monsoon Anti-Splash Apron Double Faced Neoprene

- Manufactured in green neoprene coated nylon
- 36 x 48" long
- Comes with neck and waist ties for secure fitting
- Minimal risk only



CODE	UNIT
PSAPRON	Each

Disposable Gloves

Gloves Disposable Latex Powder Free

Disposable, latex, powder-free gloves in a box of 100. Allows touch sensitive work to be carried out with ease.



CODE	SIZE	COLOUR	UNIT
BGLLPFS	Small	Clear	Pair
BGLLPFM	Medium	Clear	Pair
BGLLPFL	Large	Clear	Pair
BGLLPFX	Extra Large	Clear	Pair

Gloves Disposable Vinyl Powder Free

Disposable, latex, powder-free gloves in a box of 100. Allows touch sensitive work to be carried out with ease.



CODE	SIZE	COLOUR	UNIT
DVGCS	Small	Clear	Pair
DVGCM	Medium	Clear	Pair
DVGCL	Large	Clear	Pair
DVGCLX	Extra Large	Clear	Pair

Easy ways to order



Online Purchase

Order online at fargro.co.uk



Customer Services

Call the team on 01903 726 100



Area Sales Manager

Order via your Area Sales Manager



Click & Collect

Opening hours 9.00am – 5.00pm



By Appointment
To Her Majesty The Queen
Horticultural Sundriesmen

Waterproof Clothing

Rain Over Jackets

Lightweight nylon with PVC coating on inside.

- Zip front
- Concealed hood
- Lower front pockets with flap
- Studded cuffs
- Hip drawcord
- Fully taped seams



CODE	SIZE*	COLOUR*	UNIT
TRAINJM	M	Navy	Each
TRAINJL	L	Navy	Each
TRAINJXL	XL	Navy	Each

*Other sizes and colours available

Rain Over Trousers

- PVC coating to the inside
- Elasticated waist
- Lightweight nylon
- PVC coating to the inside
- Access to side pockets
- Stud fastening to ankles
- Fully taped seams



CODE	SIZE*	COLOUR*	UNIT
TRAINOTM	M	Navy	Each
TRAINOTL	L	Navy	Each
TRAINOTXL	XL	Navy	Each

Weatherproof Jackets

Polyester with PU coating.

- Concealed hood
- Full zip front with double storm flap
- Self double yoke back
- Lower pockets with flap
- Elasticated wind cuffs
- Stitched and welded seams
- Conforms to EN343 Class 3 Water Penetration
- Conforms to EN343 Class 1 Breathability



CODE	SIZE*	COLOUR*	UNIT
SBDJOM	M	Olive	Each
SBDJOL	L	Olive	Each
SBDJOXL	XL	Olive	Each

*Other sizes and colours available

Weatherproof Trousers

Polyester with PU coating.

- Overtrousers with elasticated waist
- Studded ankles
- Conforms to EN343 Class 3 Water Penetration
- Conforms to EN343 Class 1 Breathability



CODE	SIZE*	COLOUR*	UNIT
SBDTOM	M	Olive	Each
SBDTOL	L	Olive	Each
SBDTOXL	XL	Olive	Each

Microflex Rain Jacket

300 Denier Heavyweight polyester with PU coating.

- Two-way heavy duty zip front with storm flap
- Fleece lined collar
- 2 x lower bellows pockets with flaps
- Security and phone pockets
- Knitted storm cuffs
- Concealed hood
- Retro-reflective tape



CODE	SIZE*	COLOUR	UNIT
TMFCJM	M	Yellow	Each
TMFCJL	L	Yellow	Each

*Other sizes available

Microflex Trousers

Hi-visibility breathable overtrousers.

- 100% polyester with breathable PU coating
- Elasticated waist
- 30cm gusset at ankles with hook and loop closure
- 2 x side pockets access
- Fully taped seams
- Retro-reflective tape



CODE	SIZE*	COLOUR	UNIT
TMFXTM	M	Yellow	Each
TMFXTL	L	Yellow	Each

Hydrowear Utrecht SNS Waterproof Jacket

Zip front with storm flap cover and press stud closure.

- Fixed hood
- Elasticated cuffs with press stud closure
- 2 front pockets with flap
- Mesh polyester lining
- Simply no Sweat (SNS) 210gsm Polyester laminate fabric
- Highly breathable providing great comfort
- Durable and cost effective
- Smooth polyester textile finish



CODE	SIZE*	COLOUR*	UNIT
HUWJSN	Small	Navy	Each
HUWJMN	Medium	Navy	Each
HUWJLN	Large	Navy	Each

*Other sizes and colours available.

Hydrowear Utrecht SNS Waterproof Trousers

- Elasticated waist with draw cord
- Adjustable leg opening with press studs
- Mesh polyester lining
- Simply no Sweat (SNS) 210gsm Polyester laminate fabric
- Highly breathable providing great comfort
- Durable and cost effective
- Smooth polyester textile finish



CODE	SIZE*	COLOUR*	UNIT
HUWTSN	Small	Navy	Each
HUWTMN	Medium	Navy	Each
HUWTLN	Large	Navy	Each

Gloves

Deluxe Premium Leather Gauntlet

Ultra soft leather and suede. Extremely hard-wearing with a tough leather palm for added protection. The extra long, reinforced safety cuff fully protects wrists.



CODE	SIZE	COLOUR	UNIT
BATGL109M	M	Tan	Pack of 6
BATGL415	L	Tan	Pack of 6

Master Gardener

Offers protection against thorns and other sharp objects and has an excellent grip both in wet and dry conditions. The outstanding fit and snug wrist means there is no loss of touch.



CODE	SIZE	COLOUR	UNIT
BATGL200S	S	Green	Pack of 6
BATGL200M	M	Green	Pack of 6
BATGL429	One size	Green	Pack of 6

Mastergrip

Provides up to 100% more grip than standard gloves using patented Microfinish technology, giving the ultimate grip in both wet and dry conditions. The latex coating protects against liquid penetration and the breathable back enhances comfort, ideal when watering plants or light gardening.



CODE	SIZE	COLOUR	UNIT
BATGR100S	S	Green	Pack of 12
BATGR100M	M	Green	Pack of 12
BATGR401L	L	Green	Pack of 12

ThermalMAX

Thermal lined gloves perfect for gardening tasks in cold or autumnal conditions. The thermal soft lining fits snugly keeping hands comfortable and warm. The nitrile coating on the palms and fingers provides extra grip and protection in all weather.



CODE	SIZE	COLOUR	UNIT
BATGL116M	M	Green	Pack of 12
BATGL442L	L	Green	Pack of 12

Original All Rounder Rigger - Mens

For heavy duty tasks. Tough suede leather on palms, fingertips and knuckle strap with a ventilated back for extra comfort. The safety cuff offers extra wrist protection.



CODE	SIZE	COLOUR	UNIT
BATGL410	One Size	Blue	Pack of 12

Other gloves available on request

Further ranges

Growing Media Bark Mulches & Seeds



- Growing Media
- Bark Mulches
- Seeds

Growing Media

Propagation



Modular Seed

A low-nutrient growing media suitable for raising transplants, seed sowing and rooting cuttings.

- Free flowing for easy filling of modular trays and cells
- Fine grade peat ensures rapid rooting
- Lower AFP encourages moisture retention
- Lower nutrient content ensures seedlings aren't checked during germination and early growth
- Mix suitable for modular seed sowing, cuttings and seed trays

F/CODE	COSM	UNIT	Bag
BAG SIZE L	75	PALLET QTY	45
FERTILISER CONTENT	N 96, P ₂ O ₅ 170, K ₂ O 249		
pH	6.0		

PEAT%
REDUCED



Seed Sowing with Vermiculite

A propagation mix for seed sowing and rooting cuttings.

- Free flowing for easy filling of trays and cells
- Added vermiculite for good aeration and heat retention
- Higher nutrient content for more vigorous species including vegetable plants
- Mix suitable for seed sowing and cuttings
- Suitable for modules and small pots

F/CODE	SINSV	UNIT	Pallet
BAG SIZE L	75	PALLET QTY	45
FERTILISER CONTENT	N 144, P ₂ O ₅ 154, K ₂ O 264		
pH	6.0		

Nursery Stock Propagation

A peat-bark-perlite growing medium which provides excellent rooting.

- For excellent rooting for nursery stock, cutting and seed sowing
- Mix can be used for both ericaceous and non-ericaceous species
- Medium grade peat for good drainage
- Fine bark plus fine perlite for good drainage and heat retention



F/CODE	COPROP1	UNIT	Bag
BAG SIZE L	75	PALLET QTY	45
FERTILISER CONTENT	N 60, P ₂ O ₅ 70, K ₂ O 120		
pH	5.0		

PEAT%
REDUCED

Potting & Bedding



All Purpose

An easily managed general purpose peat-sand growing medium. Suitable for all year round propagating and raising of salad, vegetable, bedding and pot plants in pots, trays and packs.

- Suitable for propagation and raising of salad crops, bedding plants, pot plants and cell packs
- Sand to aid moisture retention
- Fine and grade medium peat for good aeration and drainage
- Suitable for pots up to 10.5cm



F/CODE	COUA75	UNIT	Bag
BAG SIZE L	75	PALLET QTY	45
FERTILISER CONTENT	N 168, P ₂ O ₅ 192, K ₂ O 192		
pH	6.0		



Potting & Bedding

For raising bedding and pot plants in pots, trays, hanging baskets and tubs.

- Popular mix for raising bedding plants from modules
- Medium grade sphagnum peat for good aeration and drainage
- Can be used to grow a wide range of bedding plants, pot plants and hanging baskets
- Added nutrients sufficient for up to 4 weeks
- Suitable for pots, packs and hanging baskets



F/CODE	COSPB	UNIT	Bag
BAG SIZE L	75	PALLET QTY	45
FERTILISER CONTENT	N 192, P ₂ O ₅ 224, K ₂ O 384		
pH	6.0		



Coir Potting & Bedding

Suitable for all year round raising of salad, vegetable, bedding and pot plants in trays, packs, pots, containers and hanging baskets.

- Suitable for raising salad, vegetable, bedding and pot plants in trays, packs, pots containers and hanging baskets
- Mix is not suitable for ericaceous species
- Excellent drainage, no water logging
- Good buffering capacity - holds on to nutrients
- Coir-peat free growing medium from a sustainable source



F/CODE	COSCPB	UNIT	Bag
BAG SIZE L	75	PALLET QTY	45
FERTILISER CONTENT	N 96, P ₂ O ₅ 112, K ₂ O 192		
pH	6.0		

Please note that these products are also available in big bales, IBCs and loose bulk.



Peat Free Bedding

A professional sustainable peat free bedding mix using consistent components and providing excellent performance.

- Sustainable and responsibly sourced components
- West+ technology
- Increased air-filled porosity (AFP)
- Promotes stronger and faster root establishment
- Improves rewetting and capillary action
- Flows well through mechanised systems
- Consistent, lightweight and stable
- No green waste inclusion



F/CODE	COPFB	UNIT	Pallet
BAG SIZE L	75	PALLET QTY	45
FERTILISER CONTENT	N 180, P ₂ O ₅ 180, K ₂ O 200		
pH	6		



Primula & Pansy

A low-stress growing medium for an integrated approach to disease control. Reduced pH minimises the risk of iron chlorosis.

- A low stress growing medium for sensitive species
- Lower nitrogen level added to ensure good growth
- High potash level for big blooms
- pH adjusted to 5.5 to ensure optimum availability of nutrients particularly iron
- Suitable for bedding, trays, packs and pots up to 10.5cm



F/CODE	COSPP	UNIT	Pallet
BAG SIZE L	75	PALLET QTY	45
FERTILISER CONTENT	N 108, P ₂ O ₅ 198, K ₂ O 297		
pH	5.5		



Potting

A popular mix for raising bedding and pot plants in pots, trays, hanging baskets and tubs. Contains fine peat for enhanced nutrient content and moisture retention.

- 15% fine peat and 85% medium peat for added moisture retention
- Added nutrients sufficient for up to 4 weeks
- Wetting agent improves moisture retention for good root development
- pH adjusted to ensure optimum availability of nutrients



F/CODE	COPS1	UNIT	Bag
BAG SIZE L	75	PALLET QTY	45
FERTILISER CONTENT	N 204, P ₂ O ₅ 238, K ₂ O 408		
pH	6.0		



Medium-Coarse Potting

A free-draining growing medium for pot bedding and pot plants.

- Suitable for pot bedding and pot plants
- West+ technology
- A blend of medium and medium coarse peat helps maintain AFP, providing good drainage
- Added nutrients sufficient for up to 4 weeks
- Suitable for pots 10.5cm to 2lt



F/CODE	COSC	UNIT	Bag
BAG SIZE L	75	PALLET QTY	45
FERTILISER CONTENT	N 168, P ₂ O ₅ 196, K ₂ O 336		
pH	6.0		



Foremost Professional Multi Purpose Compost

A superior grade of growing media ideal for potting on plug plants and houseplants, and for filling hanging baskets, troughs and patio planters for all-year-round displays.

- Professional grade multi purpose growing medium
- A blend of fine and medium peat for increased moisture retention
- Reduced nutrient levels to assist germination of seeds and root cuttings
- Added nutrients sufficient for up to 4 weeks
- Wetting agent improves moisture retention for good root development

F/CODE	FOREMP50	UNIT	Bag
BAG SIZE L	50	PALLET QTY	75
FERTILISER CONTENT	N 168, P ₂ O ₅ 192, K ₂ O 192		
pH	6.0		

Container Nursery Stock



Alpine, Herbaceous & Cyclamen

- West+ technology
- An easily managed peat-bark mix suitable for a wide range of alpine and herbaceous perennials and cyclamen
- Mix is not suitable for ericaceous species
- Medium-coarse peat and bark for good drainage
- Suitable for pots 1lt upwards

F/CODE	COSAH	UNIT	Bag
BAG SIZE L	75	PALLET QTY	45
FERTILISER CONTENT	N 120, P ₂ O ₅ 140, K ₂ O 240		
pH	6.0		



Peat Free Alpine & Herbaceous

A superior peat free growing a wide range of alpine and herbaceous plants.

- Sustainable and responsibly sourced components
- West+ technology
- Excellent air-filled porosity
- Promotes stronger and faster root establishment
- Improves wetting and capillary systems
- Consistent, lightweight and stable
- No green waste inclusion

F/CODE	COSAHPF	UNIT	Bag
BAG SIZE L	75	PALLET QTY	45
FERTILISER CONTENT	N 180, P ₂ O ₅ 180, K ₂ O 200		
pH	6.0		



Container

Less coarse than Sinclair Nursery Stock Growing Medium and without grit. Recommended for both ericaceous and non-ericaceous species.

- West+ technology
- Excellent air-filled porosity for faster root establishment
- Mix can be used for both ericaceous and non-ericaceous species
- Includes coarser grade peat for good drainage
- Suitable for 2lt pots or larger

F/CODE	COSCO75	UNIT	Pallet
BAG SIZE L	75	PALLET QTY	45
FERTILISER CONTENT	N 120, P ₂ O ₅ 140, K ₂ O 240		
pH	5.0		

Please note that these products are also available in big bales, IBCs and loose bulk.



Nursery Stock

An easily managed 50% peat reduced mix with bark and grit.

- Excellent air-filled porosity for faster establishment
- An easily managed 40% peat reduced mix with bark, grit and West+ technology
- Mix can be used for both ericaceous and non-ericaceous species
- Includes coarser peat and bark for good drainage
- Suitable for 2lt pots or larger



F/CODE	COSN75	UNIT	Bag
BAG SIZE L	75	PALLET QTY	45
FERTILISER CONTENT	N 120, P ₂ O ₅ 140, K ₂ O 240		
pH	5.0		



Peat Free Nursery Stock

A professional sustainable peat free nursery stock mix.

An excellent peat alternative providing exceptional results.

- Sustainable and responsibly sourced components
- West+ technology
- Increased air-filled porosity (AFP)
- Promotes stronger and faster root establishment
- Optimum water availability
- Improves rewetting and capillary action
- Flows well through mechanised systems
- Consistent, lightweight and stable
- No green waste inclusion



F/CODE	CONSPF	UNIT	Pallet
BAG SIZE L	75	PALLET QTY	45
FERTILISER CONTENT	N 180, P ₂ O ₅ 180, K ₂ O 200		
pH	6.0		



Tree & Shrub Planting

A peat reduced growing medium prepared from rich dark peat with high buffer capacity and high moisture retention for use when planting out into the ground.

- West+ technology
- Helps establishment of trees and shrubs
- Encourages strong root development
- Added nutrients sufficient for up to 4 weeks
- Can be used as a soil conditioner and mulch
- 50% peat reduced



F/CODE	COMT1	UNIT	Bag
BAG SIZE L	75	PALLET QTY	45
FERTILISER CONTENT	N 168, P ₂ O ₅ 196, K ₂ O 336		
pH	6.0		

Easy ways to order



Online Purchase

Order online at fargro.co.uk



Customer Services

Call the team on 01903 726 100



Area Sales Manager

Order via your Area Sales Manager



Click & Collect

Opening hours 9.00am – 5.00pm



By Appointment
To Her Majesty The Queen
Horticultural Sundriesmen

Propagation

Available pack sizes: 75lt, pro bales, bulk bags, bulk loads.



Levington Advance Seed & Modular (F1)

- Seed sowing and direct rooting of cuttings
- For salt sensitive crops and controlled growth with water soluble fertilisers
- Modules, trays and small pots up to 7cm

F/CODE	COLF1LN	UNIT	Pallet
BAG SIZE L	75	PALLET QTY	45
PARTICLE SCREEN	Peat: 0-3 mm		
FERTILISER CONTENT	N 96, P 49, K 159		
pH	5.3-5.8		



Levington Advance Seed & Modular (F2)

Seed & Modular is fine and free flowing; ideal for filling tiny cells in a module tray as well as deep trays, yet allowing the easy sticking of cuttings.

- Seed sowing and direct rooting of cuttings
- For more vigorous seedlings including vegetable plants
- Modules, trays and small pots up to 7cm

F/CODE	COLF2SM	UNIT	Bag
BAG SIZE L	75	PALLET QTY	45
PARTICLE SCREEN	Peat: 0-3 mm		
FERTILISER CONTENT	N 144, P 73, K 239		
pH	5.3-5.8		



Levington Advance Seed & Modular with Sand (F2S)

Seed & Modular is fine and free flowing; ideal for filling tiny cells in a module tray as well as deep trays, yet allowing the easy sticking of cuttings.

- Seed sowing and direct rooting of cuttings
- Added silver sand to aid flowability
- Modules, trays and small pots up to 7cm

F/CODE	COLF2SA	UNIT	Pallet
BAG SIZE L	75	PALLET QTY	42
PARTICLE SCREEN	Peat: 0-3 mm		
FERTILISER CONTENT	N 144, P 73, K 239		
pH	5.3-5.8		

Get in touch

For more information contact Fargo
Call: 01903 726 100 or Email: orders@fargo.co.uk





Potting & Bedding




Available pack sizes: 75lt, pro bales, bulk bags, bulk loads.



Levington Advance Potting & Bedding (M1)

- For salt sensitive and slow growing crops
- Allows controlled growth with water soluble fertilisers
- Cell packs and small pots up to 9cm

F/CODE	COLPBM1PR	UNIT	Bag
BAG SIZE L	75	PALLET QTY	45
PARTICLE SCREEN	Peat: 0-10 mm		
FERTILISER CONTENT	N 120, P 61, K 199		
pH	5.3-5.8		



Levington Advance Potting & Bedding (M2)

- For general bedding plants
- Generally sufficient nutrients for up to 4 weeks depending on watering regime
- Cell packs and small pots up to 9cm

F/CODE	COLPBM2PR	UNIT	Bag
BAG SIZE L	75	PALLET QTY	45
PARTICLE SCREEN	Peat: 0-10mm		
FERTILISER CONTENT	N 180, P 90, K 299		
pH	5.3-5.8		



Container Nursery Stock

Available pack sizes: 75lt, bulk bags, pro bales.



Levington Advance



Levington Advance Sustain Growing Media CNS General Peat Free

ICL's peat free Levington Advance Sustain for container nursery stock is formulated to flow into even small pots whilst retaining a good open structure for drainage.

- For use in pots and liners from 9cm to 2lt
- Low level of starter fertiliser
- Includes Osmoform slow-release fertiliser for gradual release of nutrients
- Ideal pH levels for plant growth
- H2Gro to ensure good wetting up and re-wetting
- Contains ICL's Fibagro Advance

F/CODE	ICL00222	UNIT	Bag
BAG SIZE L	75	PALLET QTY	45
PARTICLE SCREEN	40% Coir / 30% Fibagro / 30% 0-8mm Bark		
FERTILISER CONTENT	N 90, P 46, K 150		
pH	4.8 - 5.5		



Heart of Eden Compost Multi Purpose Peat Free

All-Purpose Natural Compost is an environmentally friendly all-rounder product, suitable for both indoor and outdoor plants. Peat free and based on premium quality ingredients, this multi-purpose compost is enriched with naturally occurring nutrients and balanced fertiliser levels, ensuring healthy and vigorous plants at all stages of growth and under a variety of situations.

- For use all year round
- Suitable for seeds, cuttings, pots, hanging baskets and tubs
- Includes composted bark fines and PAS100 certified soil improver with added nutrients
- 100% of materials sourced in the UK

F/CODE	AHS000003	UNIT	Bag
BAG SIZE L	50	PALLET QTY	60
PARTICLE SCREEN	90% of bark fines 0 - 10mm		
pH	6.5 - 8.5		



BULRUSH



Bulrush Growing Media Multi-Purpose

Bulrush professional multi-purpose compost is produced with essential plant nutrients and trace elements, which provide an ideal medium for vigorous and healthy plant growth.

- Enhanced with Forest Gold to deliver stronger, healthier plants

F/CODE	BRMMP60	UNIT	Bag
BAG SIZE L	60	PALLET QTY	80



BULRUSH



Bulrush Growbag

Enriched with Forest Gold, Bulrush growbag provides vital nutrients for growing vegetables, fruits, salads and herbs. Unlike compost, these growbags are suitable for standalone use in growing various crops, offering space efficiency if you are looking to grow tomatoes, peppers, courgettes, cucumbers, and strawberries.

F/CODE	BRG33	UNIT	Bag
BAG SIZE L	33	PALLET QTY	125

Levington Advance Sustain

Born from years of research, development and knowledge from years within ornamental industry, ICL's Levington Advance Sustain provides growers with the ultimate in sustainable growing media.

Carefully produced for the professional growing industry ICL have a range of products which can be used as standard or as part of the Levington Advance Solutions programme.

Available pack sizes: 75lt, bulk bags, pro bales.



Levington® Advance

Levington Advance Sustain Potting & Bedding (SM1)

- Suitable for growing the most sensitive of bedding plants
- Cell packs and small pots up to 9cm
- Includes H2Gro wetting agent
- Essential trace element package included as standard

F/CODE	COLM2PF	UNIT	Pallet
BAG SIZE L	75	PALLET QTY	45
PARTICLE SCREEN	50% Coir, 25% Fibagro, 25% Bark: 0-8mm		
FERTILISER CONTENT	N 149, P 60, K 199		
pH	5.5-6.2		



Levington® Advance

Levington Advance Sustain Pot Plant (SNCP)

- Specifically designed with a blend of materials to provide an open structure for optimum drainage and a low base fertiliser allowing for more controlled growth
- For indoor and outdoor crops
- Pots, tubs and baskets 9-14cm
- Includes H2Gro wetting agent
- Essential trace element package included as standard

F/CODE	COLPPF	UNIT	Pallet
BAG SIZE L	75	PALLET QTY	45
PARTICLE SCREEN	40% Coir, 25% Fibagro, 25% Bark: 0-8mm, Bark: 5-12mm 10%		
FERTILISER CONTENT	N 173, P 73, K 239		
pH	5.5-6.2		



Levington® Advance

Levington Advance Growing Media Nursery Stock General (CNSG)

Made up of a blend of 0-10mm and 6-12mm particles of peat allowing it to flow readily into smaller pots yet retain a reasonable open structure for drainage. For use as a liner, general or nursery stock compost, perennials, containers and stock plants growing in 9cm up to 3lt pots.

- Suitable for all types of nursery stock except ericaceous.




F/CODE	COLCNSGPR	UNIT	Pallet
BAG SIZE L	75	PALLET QTY	45

Melcourt Growing Media

A leader in innovation and high quality for nearly four decades; Melcourt has developed a range of products that is second to none, with unparalleled technical back-up, prompt and efficient delivery, outstanding levels of customer care, and above all, excellent environmental sustainability.

Available in: Bags, Maxi-bale, Bulk bags and Loose bulk.



Melcourt SylvaGrow® Multi-Purpose Compost

A unique blend of fine bark, wood fibre and coir; SylvaGrow Multi-Purpose contains no peat or green waste compost and incorporates nutrients sufficient for the first 4-6 weeks of growth. Based on a growing medium widely used by professional growers throughout the UK, this quality mix has an extensive range of uses.



F/CODE	MEL000085	UNIT	Bag
BAG SIZE L	40	PALLET QTY	75




Melcourt SylvaGrow® with Added John Innes

A unique blend of fine bark, wood fibre and coir; SylvaGrow Multi-Purpose contains no peat or green waste compost and incorporates nutrients sufficient for the first 4-6 weeks of growth. Based on a growing medium widely used by professional growers throughout the UK, this quality mix has an extensive range of uses.



F/CODE	MEL000086	UNIT	Bag
BAG SIZE L	40	PALLET QTY	75



Melcourt All Purpose Peat-Free Compost

A general-purpose peat-free growing medium suitable for a wide range of uses around the garden including potting on, patio gardening, container growing and tree and shrub planting.



F/CODE	MEL000090	UNIT	Bag
BAG SIZE L	40	PALLET QTY	75



Melcourt SylvaGrow® Rose, Tree & Shrub

SylvaGrow® Rose, Tree & Shrub has been carefully formulated to add valuable organic matter; effectively improving the soil quality when planting bare root, root balled and container-grown roses, trees and shrubs. RHS endorsed (when sold in 40 litre bags).



F/CODE	MEL000091	UNIT	Bag
BAG SIZE L	40	PALLET QTY	75



Melcourt SylvaGrow® Ericaceous

A professional-quality, 100% peat-free acidic compost ideal for growing blueberries, rhododendrons, azaleas, heathers, camellias and other lime-hating plants in tubs and containers, planting out, and as a growing bag.



F/CODE	MEL000089	UNIT	Bag
BAG SIZE L	40	PALLET QTY	75



Melcourt SylvaGrow® Organic

Based on a formula used by professional organic growers throughout the UK, SylvaGrow Organic contains balanced organic fertilisers and seaweed meal for excellent vigour and disease resistance. Suitable for a wide range of uses all around the garden.

Soil association approved.



F/CODE	MEL000087	UNIT	Bag
BAG SIZE L	40	PALLET QTY	75

Easy ways to order



Online Purchase

Order online at fargro.co.uk



Customer Services

Call the team on 01903 726 100



Area Sales Manager

Order via your Area Sales Manager



Click & Collect

Opening hours 9.00am – 5.00pm



By Appointment
To Her Majesty The Queen
Horticultural Sundriesmen

Available pack sizes: 60lt, bulk bags, pro bales.



15cm

Propagating Bark™

A fine, substantially dust free, matured, pine bark designed for use in mixes with peat or suitable alternatives for the vegetative propagation of nursery stock and a wide range of other plants. Also an excellent pot mulch to suppress weed, moss and liverwort growth. Approved by the Soil Association (SA).

F/CODE	MELBPR60	UNIT	Bag
BAG SIZE L	60	PALLET QTY	50
PARTICLE SCREEN	2-7mm		
AFP	58%		
pH	4.5-5.5		



15cm

Potting Bark™

A mature, pine bark chip, mid to dark brown in colour, with virtually no fines, designed for incorporation into peat-based or peat-free growing media, to improve both air-filled porosity and long-term structural stability. Also an excellent pot mulch to suppress weed, moss and liverwort growth. Approved by the Soil Association (SA).

F/CODE	MELBPO60	UNIT	Bag
BAG SIZE L	60	PALLET QTY	50
PARTICLE SCREEN	3-15mm		
AFP	62%		
pH	4.5-5.5		



15cm

Melcourt Orchid Bark™ Medium

A chunky fine-free pine bark, rich mid-brown in colour, designed for use in orchid composts where it provides extremely free drainage and long-term structural stability. This product is from FSC Mix Sources at a minimum of 70% and is Soil Association approved.

F/CODE	MELBORM60	UNIT	Bag
BAG SIZE L	60	PALLET QTY	50
PARTICLE SCREEN	5-15mm		
AFP	62%		
pH	5-5.5		



15cm

Melcourt Orchid Bark™ Coarse

A chunky fine-free pine bark, rich mid-brown in colour, designed for use in orchid composts where it provides extremely free drainage and long-term structural stability. This product is from FSC Mix Sources at a minimum of 70% and is Soil Association approved.

F/CODE	MELBOR60	UNIT	Bag
BAG SIZE L	60	PALLET QTY	50
PARTICLE SCREEN	15-35mm		
AFP	73%		
pH	5-5.5		



Heart of Eden Bark Decorative

Heart of Eden Decorative Bark is a long-lasting, natural material ideal for ground cover in beds and borders. Suitable for all mulching applications big and small where an attractive yet durable product is required. Also helps suppress weeds and retain soil moisture.

F/CODE	AHS000004	UNIT	Bag
BAG SIZE L	60	PALLET QTY	45
F/CODE	AHS000008	UNIT	Bag
BAG SIZE L	80	PALLET QTY	55
PARTICLE SCREEN	Small / medium sized bark graded 8-35mm		



Heart of Eden Composted Fine Bark

This long-lasting, natural mulch is ideal for flower beds, borders, and large containers. Suitable for suppressing weeds and retaining moisture. As a composted product, it's more durable than other bark options and gradually enriches soil fertility by releasing nutrients into the soil over time.

F/CODE	AHS000005	UNIT	Bag
BAG SIZE L	60	PALLET QTY	55



Heart of Eden Hardwood Play Chips

Hardwood Play Chips are impact-absorbing, making them ideal for playgrounds and leisure areas where fall protection is important, particularly under slides and around climbing equipment. This undyed material doesn't stain clothes and is tested to the BSEN1177 standard. It also serves as an attractive natural mulch for beds and borders, combining aesthetics with certified shock absorption.

F/CODE	AHS000006	UNIT	Bag
BAG SIZE L	60	PALLET QTY	45



Heart of Eden Bark Nuggets

This premium-grade, long-lasting natural bark is ideal for ground cover in beds and borders, as they provide a clean background to highlight flowers and foliage when used as mulch. Also helps to suppress weeds and retain soil moisture during dry spells.

F/CODE	AHS000007	UNIT	Bag
BAG SIZE L	50	PALLET QTY	55



Grass Seeds



Masterline Road Verge Grass Seed Mix

- Approved by Department of Transport
- Ideally suited for road verges where the soil may not be of the best quality and where quick establishment, short growth, and some salt and exhaust fume tolerance are called for.
- 4turf® perennial ryegrass ensures fast establishment, improved drought tolerance, nitrogen efficiency, and improved stability.

F/CODE	SIZE KG
DLFMRVGS20	20



Masterline Grass Seed Pro Master 51 Greenscape Mix with Ryegrass

A hard-wearing mixture that will establish rapidly. Ideal for general purpose landscaping and lawns, the unique 4 Turf Tetraploid ryegrass delivers fast establishment, improved colour, increased drought tolerance and incredible disease resistance, improving performance and reducing management costs.

- Contains only STRI UK listed cultivars.

F/CODE	SIZE KG
GRASS2	10
GRASS6	20

**More
in stock**

Contact us to find out about special mixes and technical specifications.





Masterline Paddock Seed Mix

A good quality mixture that will provide year round ground cover as well as a good food source. HorseMax Paddock is a high specification grass mixture designed for the creation and maintenance of all types of horse pastures. The species selected have been carefully chosen for their suitability for horses and their ability to reduce the risk of Laminitus when compared to standard horse mixtures. Suitable for a hay crop if desired.

F/CODE	SIZE KG
GRASSHM10	20



Masterline Playing Field Seed Mix

The introduction of Double 4Turf tetraploid ryegrass from DLF delivers fast establishment, improved colour, drought tolerance, nitrogen efficiency and incredible disease resistance. A good quality, economical sports field renovation mixture. Contains only STRI UK listed cultivars. Delivers great results & value.

F/CODE	SIZE KG
DLFMPFSM20	20



Masterline Grass Seed Heavy Wear

A hard-wearing mixture that will establish rapidly. Ideal for general purpose landscaping & lawns. Unique 4turf Tetraploid ryegrass delivers fast establishment, improved colour, increased drought tolerance and incredible disease resistance. Improving performance and reducing management costs.

F/CODE	SIZE KG
DLFMGSHW20	20

**We Supply
British Standard
Topsoil & Subsoil**

SEE PAGE 41



Pro Flora Wildflower Seeds



Masterline Pro Flora 8 Wildflower Mix Legacy General Purpose

A great all year-round seed, suitable to a range of different soil conditions and quick establishment.

F/CODE	SIZE KG
DLFPF8	1

SOWING RATE	5g/m ²
FLOWER HEIGHT	5cm-1m
FLOWERING PERIOD	May-October

ANALYSIS	
%	SEED
80	Grasses
20	Wildflower



Masterline Pro Flora 10 Wildflower Mix General Purpose + Annuals

A good all-round mixture suitable for a whole range of sites and soils, containing the same range of robust flower species found in Pro Flora 8. The inclusion of annuals makes it ideal for sites where there is to be no 'year one' mowing as part of the maintenance regime, allowing the annuals to flower providing colour in the first year.

F/CODE	SIZE KG
DLFMPF10WM1	1

SOWING RATE	5g/m ²
FLOWER HEIGHT	5cm-1.2m
FLOWERING PERIOD	April-October

ANALYSIS	
%	SEED
90	Grasses
10	Wildflower



Masterline Pro Flora 11 Wildflower Mix Woodland and General Shade

Heavy shade provides a challenging environment for the establishment of wildflowers, but the key shade indicator species used in Pro Flora 11 are well placed to thrive. This mixture is recommended for areas that are already subject to an element of shade.

F/CODE	SIZE KG
DLFMPF11WMWGS	1

SOWING RATE	5g/m ²
FLOWER HEIGHT	5cm-2m
FLOWERING PERIOD	May-September

ANALYSIS	
%	SEED
80	Grasses
20	Wildflower



Masterline Pro Flora 12 Wildflower Mix Water Margins and Pond Edges

Establishing mixtures on water margins can be difficult due to fluctuating water levels. Try to sow Pro Flora 12 when weather conditions look stable, and only use this mix where there is a constant supply of moisture. This is essential for the indicator species to thrive.

- Ideal for use around ponds, canals, and waterscape areas.

F/CODE	SIZE KG
DLFMPF12WWMPE1	1

SOWING RATE	5g/m ²
FLOWER HEIGHT	5cm-2m
FLOWERING PERIOD	May-September

ANALYSIS	
%	SEED
80	Grasses
20	Wildflower



Masterline Pro Flora 14 Wildflower Mix Tall Herb & Tussock

A blend of various height species ideal for insects and small mammals, providing a vital food source for invertebrates late into the year.

- The ideal mix when rewilding farmland areas.

F/CODE	SIZE KG
DLFMPF14WMTHT1	1

SOWING RATE	5g/m ²
FLOWER HEIGHT	5cm-2m
FLOWERING PERIOD	April-October

ANALYSIS	
%	SEED
80	Grasses
20	Wildflower



Masterline Pro Flora 110 Wildflower Mix Economy General Purpose plus Annuals

A good all-round mixture suitable for a whole range of sites and soils, containing the same range of robust flower species found in Pro Flora 8. The inclusion of annuals makes it ideal for sites where there is to be no 'year one' mowing as part of the maintenance regime, allowing the annuals to flower providing colour in the first year.

F/CODE	SIZE KG
DLFMPF110WMEGPA1	1

SOWING RATE	5g/m ²
FLOWER HEIGHT	5cm-1.2m
FLOWERING PERIOD	April-October

ANALYSIS	
%	SEED
95	Grasses
5	Wildflower



Topsoil



- Topsoil
- Subsoil

Topsoil



Bs3882 Certified Topsoil

(NHBC complaint soils) Peat free, light in texture and designed for easy spread applications.



Bs8601 Certified Subsoil

Ideal for raising levels and for use with general infill requirements.



Amenity Tree Soils

Structural and load bearing planting medium designed for use in urban installations.



Low Fertility Soils

Designed to meet the requirements of Bs3882:2015 – Soils designed specifically to limit the nutrient level of the soil for planting schemes such as wildflower meadows, ensuring minimal competition with weed species.



Rooftop Garden Loams


Designed to be lightweight and for use on roof gardens/ containerised planters.

We offer a soil testing service for site-based projects – contact us for a quotation today.

Soil testing service

We Supply British Standard Topsoil and Subsoil

Regardless of soil conditions, Fargo offer a diverse selection of topsoils and subsoils, available in loose, bulk and bags, to support a wide variety of planting applications. Moreover, we deliver market-leading expertise to ensure soils are tailored to meet the most stringent specifications.



Soils available in bulk bags/bulk loads – Loose tip/grab wagon services available on request.

Fertilisers



- Organic Fertilisers
- Slow Release Fertilisers
- Bio Stimulants & Feeds

DCM has over 40 years of experience in developing, producing, and marketing organic and organic-mineral fertilisers. Sustainability has been considered as one of the important pillars of our corporate philosophy.

The more we understand nature, the better we can help it with practical technological innovations. We constantly search for advanced solutions to boost soil fertility and plant health. Every day, we are committed to creating, producing and marketing our products seamlessly aligned with our values.

DCM's mini-granule, Minigran®, ensures a uniform and better distribution of the fertiliser or soil improver. Studies have shown that this distribution is 60% more effective, resulting in a better rooting and better plant growth compared to fertilisers in crumble and pellet form. This makes our unique microgranules perfect for special applications: mixing into a fine substrate, precision fertilisation in agriculture, fertilisation of golf courses and football pitches, private lawns, etc.



PELLET



CRUMBLE



MINIGRAN®

Organic Fertilisers

Vivikali® Organic Fertiliser 2-0-20

Compound high potash organic fertiliser. Slow but continuous release by microbial soil life which produces humus. To harden off ornamental plants and nursery plants, for cultivation of fruit, root and tuber crops.



F/CODE	DCMVK
BAG SIZE KG	25
ANALYSIS	2-0-20 + 35% Organic Matter

RATES	RATE APPLICATION
Vegetables	5-12 kg/100m ²
Vegetables as Additional Potassium Source	3-8 kg/100m ²
Fruit and Small Fruit	5-10 kg/100m ²
Tree Nursery and Ornamental Plant Cultivation Sole or Additional Potassium Source	4-10 kg/100m ²
Potting Soils Base	2-4 kg/m ³
Top Dressing	2-3 kg/m ³
Lawn maintenance	5-10 kg/100m ²

Vivifos® Fertiliser 4-30-0

Compound organic-mineral fertiliser. Contains easily absorbable organically bound phosphorus that remains available to the plant for several weeks. Stimulates root formation also flowering and fruit formation.



F/CODE	DCMVF
BAG SIZE KG	25
ANALYSIS	4-30-0

RATES	RATE APPLICATION
Vegetables, Fruit and Ornamentals	2-8 kg/100m ²
Container Plant Potting Mixes	1-3 kg/m ³
Container Plants Top Dressing	0.5-2 kg/m ³
Lawn and Sports Turf Laying Out	4-6 kg/100m ²
Lawn and Sports Turf Overseeding and Maintenance	3-5 kg/100m ²

Vivisol® Soil Improver

Organic soil improver based on vegetable raw material with bacteria. Improves both physical and biological soil fertility. Creates optimal root environment for applications in which high demands are required in soil structure and fertility.



F/CODE	DCMVS25
BAG SIZE KG	25

RATES	RATE APPLICATION
Vegetables	10-15 kg/100m ²
Fruit	5-15 kg/100m ²
Tree Nursery Field Cultivation	5-15 kg/100m ² or 10-20g/Plant Hole of 10lt
Ornamental Plant Cultivation	15-20 kg/100m ²
Potting Soils	1-2 kg/m ³
Planting Trees and Ornamental Shrubs	1-2 kg/m ³ Dug Out Soil
Turf Laying	15-25 kg/100m ²



Turf Fertilisers and Wetting Agents

Contact us to find out about our specialist DCM Turf Fertilisers and Wetting Agents



Mix 2 Fertiliser 7-6-12

A compound organic-mineral fertiliser with long lasting and conspicuous action over 75-100 days. Organically bound nutrients, released by microbial life. Suitable as a base fertiliser for field cultivation or in potting mixes and as a top dressing on the soil or pot. High potassium content ideal for flowering plants, tomatoes, peppers, tuberous plants and lawns and sports turf in autumn to harden off.

F/CODE	DCMM2
BAG SIZE KG	25
ANALYSIS	7-6-12 + 4 MgO 33% Organic Matter

RATES	RATE APPLICATION
Vegetables, Fruit, Tree Nursery, Cut Flowers, Flowering Plants and Ornamental Gardens	8-15 kg/100m ²
Potting Mixes	2-4 kg/m ³
Top Dressing Pots	2-4 kg/m ³
Sports Turf Lawn	6-12 kg/100m ²



Xtra-Mix® 1 Fertiliser 16-3-8

Organic mineral fertiliser containing urea-formaldehyde. Contains 3 forms of nitrogen: fast acting mineral, a wide range of organic and slow acting urea formaldehyde. Provides continuous and uniform plant nutrition over a period of 120-150 days. Ideal for fast growing and strong field grown ornamentals and vegetables.

F/CODE	DCMXM1
BAG SIZE KG	25
ANALYSIS	16-3-8 + 32% Organic Matter

RATES	RATE APPLICATION
Vegetables and Fruit	3-8 kg/100m ²
Ornamentals in Ground	4-10 kg/100m ²
Lawn and Sports Turf	3-8 kg/100m ²



Ecor 4 Organic Fertiliser 7-7-10

Balanced formula with a long-lasting action that provides continuous and uniform growth. Ideal fertiliser for leafy and fruiting vegetables, pot plants, lawns and sports turfs


F/CODE	DCMECO4
BAG SIZE KG	25
ANALYSIS	7-7-10 + 43% Organic Matter

RATES	RATE APPLICATION
Field vegetables	10-25 kg/100m ²
Greenhouse Crops	5-20 kg/100m ²
Fruit	8-15 kg/100m ³
Tree Nursery	8-15 kg/100m ²
Tree Nursery Base	8-12 kg/100m ²
Potting Mixes Base	1-6 kg/100m ³
Potting Mixes Top Dressing	2-5 kg/100m ³



The nutrient release time of DCM fertilisers has been measured by several laboratories. To characterise the duration of effectiveness of its 100% organic fertilisers, DCM has introduced the C.O.R value (Controlled Organic Release).

This value indicates the number of days during which the fertiliser releases its nutrients in a controlled and gradual manner. DCM's innovation, DCM, is the first organic fertiliser with an action of 100-150 days.



Each ingredient has its specific release



Organic fertiliser with extra long lasting action



Less leaching

Ecor 3 Organic Fertiliser

Nitrogen rich organic fertiliser/top dressing. Long lasting 75-100 days. Nutrients gradually released by microbial action. Recommended for outdoor tree nursery, ornamental plant production, herbs, leaf and fruiting vegetables. Spring fertiliser in lawns and sports turf. Ideal for crops where phosphorus is not required.



F/CODE	DCMECO3
BAG SIZE KG	25
ANALYSIS	12-0-3 80% Organic Matter

RATES	RATE APPLICATION
Fruit and Small Berries Base	10-15 kg/100m ²
Fruit and Small Berries Top Dress	7-12 kg/100m ²
Vegetables	5-15 kg/100m ²
Tree Nursery and Ornamental Plant Cultivation Outdoor Base	6-15 kg/100m ²
Tree Nursery and Ornamental Plant Cultivation Outdoor Top Dressing	5-10 kg/100m ²
Potting Mixes Base	2-4 kg/m ³
Top Dressing Pots	1-3 kg/m ³
Lawn and Sports Turf	4-6 kg/m ²

Ecor 1 Organic Fertiliser

Compound organic-mineral fertiliser. Prolonged and continuous action 75-100 days. 100% organic and usable in organic production for feeding fruit and vegetables. Extremely suitable as base fertilization and top dressing during long-term crops. Usable in potting mixes.



F/CODE	DCMECO1
BAG SIZE KG	25
ANALYSIS	9-5-3 +65% Organic Matter

RATES	RATE APPLICATION
Tree Nursery Base	10-20 kg/100m ²
Tree Nursery Top	8-15 kg/100m ²
Ornamental Plant Cultivation Base	8-15 kg/100m ²
Potting Mixes Base	1-6 kg/m ³
Topdressing Pots	2-5 kg/m ³

Ecor 5 Organic Fertiliser

A compound organic fertiliser complexed with plant extracts. Gives prolonged and continuous release of nutrients over 100-150 days by microbial action. Use in potting soils as base fertiliser and as a top dressing on container plants. For use on lawns sports turf, and on tree nurseries, ornamental plants, vegetables and fruit.



F/CODE	DCMECO5
BAG SIZE KG	25
ANALYSIS	8-5-6 + 60% Organic Matter

RATES	RATE APPLICATION
Potting Soil Base Fertilisation	4-7 kg/m ³
Seedlings and Cuttings Base	2-5 kg/m ³
Container Plants Top Dressing	3-7 kg/m ³
Tree nursery, Ornamental Plants, Vegetables and Fruit	6-15 kg/100m ²
Lawn, Sports Turfs and Golf Courses	6-12 kg/100m ²

Slow Release Fertilisers



Yara Paddock Royale

A prilled compound fertiliser for horse and pony pastures designed to optimise horse grazing without the risk of laminitis. Being a compound fertiliser, the separate nutrients are mixed together into homogeneous prills, all containing the identical balance of nutrients required for paddock grass growth. As all the fertiliser prills have the same shape and content, the product cannot separate out whilst spreading, allowing a uniform distribution of fertiliser. Allow at least 10 days or until fertiliser is not visible before grazing.

F/CODE	PADROY	ANALYSIS	12-11-18 + 2.7 MgO + 20 SO ₃
BAG SIZE KG	25		



Floranid Twin Permanent

A slow release fertiliser containing macro and microelements in each of its granules. Its balanced formula makes it particularly suitable for those crops in which rapid and balanced development is required.


F/CODE	FLORANID	ANALYSIS	16-7-15 + 2 MgO + TE
BAG SIZE KG	25		



Thomas Elliott Fertiliser Phosmag Mini-Gran

Phosmag is a mini granular compound fertiliser which provides nutrients in a soluble form. It can be applied at any time during the growing season, but is best applied in spring. Phosmag can be applied to a wide range of tree and shrubs, both ericaceous and non-ericaceous, and can also be used as a base dressing prior to re-seeding of grass. Phosmag should be applied at recommended rates and worked into the top soil before sowing and planting, and as growth commences in spring as a top dressing.

F/CODE	PHOSMAG	ANALYSIS	5-18-10 + 5 Mg
BAG SIZE KG	25	RATES	70-140 g/m ²



Bio Stimulants & Feeds



Original Seaweed Extract (Organic)

A plant growth extract for use in organic growing systems.

- A pure extract of seaweed in an easy to use liquid form
- Ideal for flowers, fruit, vegetables, shrubs and trees, in the home, garden, allotment or for professional use
- Use early as a root drench or foliar spray, and later with fertiliser to help ensure maximum nutrient uptake
- Stimulates natural processes, seed germination, plant rooting and establishment
- Approved for use by the Soil Association

F/CODE	MAXOR
SIZE L	10



Triple Plant Growth Stimulant

A concentrated seaweed extract, fortified with a low level of NPK and trace elements.

- Stimulates root and shoot growth Increases chlorophyll levels as well as plant health, resulting in more productive plants
- Can be used as a foliar spray across a range of crops
- Compatible with a full range of fungicides and pesticides

F/CODE	MAXTR
SIZE L	10
ANALYSIS	3-1.5-3



Plus Sequestered Iron

- Formulated to prevent or alleviate iron deficiency
- When sprayed directly on to foliage or applied as a root drench will prevent yellowing (chlorosis) of leaves, especially in lime-hating plants
- Regular use will help produce dark green foliage, healthy growth and abundant flowers, even under difficult soil conditions

F/CODE	MAXIR
SIZE L	10
ANALYSIS	Fe 2%



Natural Fertiliser

A blend of plant and seaweed extracts, this liquid fertiliser has a 5:2:5 NPK analysis and contains no animal products. The balanced nutrient content can be used to supplement plant nutrition during the growing season. Stimulates strong root growth, and reduces stress, leading to strong, healthy growth.

- Soil Association approved for use in organic production systems
- Suitable for use as a root drench or foliar spray
- Safe to use on a wide range of crops and plant types

F/CODE	MAXNF
BAG SIZE L	10
ANALYSIS	5-2-5



Xtra-Fol

Maxicrop Xtra-Fol is a liquid fertiliser containing NPK, Sulphur, trace elements, plant extracts and Maxicrop seaweed extract.

- It can be safely used on a wide range of agricultural and horticultural crops, to help maintain plant development during periods of rapid growth or stress (when a plant's ability to take up soil nutrients may be limited)
- The trace element package provides a balanced supplement for healthy growth, though it should be noted that it will not correct severe micronutrient deficiencies
- The seaweed extract in Maxicrop Xtra-Fol stimulates root growth, enhances chlorophyll retention and helps plants cope better with environmental and abiotic stress factors
- The net effect is to produce strong, healthy crops for optimum yield and quality

F/CODE	XFOL
SIZE L	10
ANALYSIS	8-8-7 + 2.5% SO ₃ + TE + Seaweed Extracts

Planters



- Infinity Pots
- Heavy Duty Pots
- Air-Pots

Infinity


endless green innovation

■ INNOVATION ■ SUSTAINABILITY ■ EXCELLENCE: INFINITY



The new eco-sustainable grower pot range from Pasquini & Bini

Reducing, reusing and recycling are essential to help limit the effect our activities have on the environment. This has led to the development of a new recycled and recyclable raw material GranPlast.



What is GranPlast?

GranPlast is a material made from recycling Tetra Pak®-type packaging. Thanks to this innovative project, tonnes of Tetra Pak®-type drinks cartons discarded after use, are collected to transform them into a secondary-raw material.

By separating its components and extracting cellulose from TetraPack to create GranPlast from the remaining components of polythene and aluminium.

Pasquini & Bini manufacture the Infinity plant containers from GranPlast.

Infinity pots provide several advantages when it comes to growing plants:

1. Phytostimulation

Infinity plant pots provide a positive environment for plants to grow in, promoting phytostimulation and improving root health. The advantage noted is that action due to the release of a small percentage of aluminium particles into the substrate the pot can be used in absolute safety including with edible crops

2. Temperature Control

Thanks to the qualities of GranPlast, the plant pots regulate root temperature, creating optimal conditions for the plants to grow. Infinity plant pots reduce the extent to which the substrate inside the pots overheats during the summer months, recording temperatures that are on average 5-7 degrees lower than black pots, with peaks of 10° during the hottest hours of the day.

This is of considerable benefit to the plant roots, and for their health in general, reducing stress to a minimum. In the winter or on days where there is little or no sun, the Infinity range behaves in the same way as the black PE pot.

The Infinity is much more than a plant pot, it is a commitment to a sustainable future, an initiative that proves how recycling and sustainability can go hand in hand.



3. Carbon Black Free

The total lack of carbon black simplifies disposal on completion of cultivation, making Infinity plant pots a sustainable choice. The Infinity plant containers are easily recycled through curb side recycling.

By separating its components and extracting cellulose from TetraPack to create GranPlast from the remaining components of polythene and aluminium.

Pasquini & Bini manufacture the Infinity plant containers from GranPlast.

Infinity Pots

Infinity Fenice Pots

Decorative nursery pots

Standard Colour: Grey

F/CODE	VOL L	L x W x H CM	UNIT
PBINFE19	3	19.2 x 16.5	x 10
PBINFE21	4.5	21.5 x 18.5	x 10
PBINFE23	6	23.5 x 20.5	x 10
PBINFE25	7.5	25.5 x 22.5	x 10
PBINFE26	9	26.5 x 23.5	x 10
PBINFE28	10	28 x 24.5	x 10
PBINFE30	12.5	30.5 x 26.5	x 10
PBINFE32	15	32 x 27	Each
PBINFE34	18	34 x 28.5	Each
PBINFE35	20	35.5 x 30.5	Each
PBINFE37	25	37.5 x 32	Each
PBINFE40	30	40.5 x 33.5	Each
PBINFE44	35	44 x 35	Each
PBINFE47	45	47 x 37.5	Each
PBINFE50	55	50.5 x 40	Each
PBINFE60	90	60 x 47	Each



Infinity Serie Ercol Pot

Root training pots

Standard Colour: Grey

 Available to order
Pallet quantity only

F/CODE	VOL L	D x H CM	PACK
PBINS16	2	16.5 x 14.5	x 4320
PBINS19	3	19 x 17.5	x 2880
PBINS23	5	23 x 20	x 2000
PBINS26	7.5	26 x 22	x 1100
PBINS28	9.5	28.5 x 24	x 960
PBINS30	12	30.5 x 26.5	x 600
PBINS33	20	33 x 29	x 630
PBINS37	25	37.5 x 32	x 720
PBINS42	35	42 x 36	x 450
PBINS50	50	50 x 39	x 220



Infinity Serie Bassa Pots

Heavy duty squat containers
Standard Colour: Grey

F/CODE	VOL L	D x H CM	UNIT
PBINB26	10	26 x 22	x 10
PBINB28	12	28 x 24	x 10
PBINB30	15	30 x 26	x 10
PBINB32	20	32 x 26	x 10
PBINB35	25	35 x 28	Each
PBINB40	35	40 x 31	Each
PBINB42	40	42 x 32	Each



Infinity Mastelli Pots with Handles

Heavy duty containers
Standard Colour: Grey

F/CODE	VOL L	D x H CM	UNIT
PBINMM40	30	40 x 33	Each
PBINMM45	35	45 x 37	Each
PBINMM50	43	50 x 34	Each
PBINMM50A	50	50 x 41	Each
PBINMM55A	75	55 x 48	Each

Infinity Serie Vivaio Pots

Heavy duty tall containers
Standard Colour: Grey

F/CODE	VOL L	D x H CM	UNIT
PBINA24	9.5	24 x 24	x 10
PBINA26	12	26 x 26	x 10
PBINA28	15	28 x 28	x 10
PBINA30	18.5	30 x 30	x 10
PBINA33	25	33 x 33	x 10
PBINA35	30	35 x 37	Each

Heavy Duty Pots

Square Pots - Extra Deep

- Injection moulded square pots with raised drainage

Standard Colour: Black

F/CODE	VOL L	L x W x H CM	PACK
PBQ10	1.4	10 x 10 x 17	x 100
PBQ18	6.2	17.5 x 17.5 x 25	x 100
PBQ22	11	25 x 25 x 26	x 100



Fenice Pots

- Larger sized decorative nursery pots

Standard Colour: Black

F/CODE	VOL L	D x H CM	UNIT
PBFE50N	55	46 x 40	Each
PBFE56N	70	52 x 43	Each
PBFE60N	90	56 x 46	Each
PBFE66N	110	62 x 48	Each



Serie Bassa

- Heavy duty squat containers

Standard Colour: Black

F/CODE	VOL L	D x H CM	UNIT
PBB26	10	26 x 22	x 10
PBB28	12	29 x 24	x 10
PBB30	15	30 x 26	x 10
PBB32	20	32 x 26	x 10
PBB35	25	37 x 28	Each
PBB40	35	41 x 31	Each
PBB42	40	44 x 32	Each



Serie Vivaio

- Heavy duty tall containers

Standard Colour: Black

F/CODE	VOL L	D x H CM	PACK
PBA24	9.5	24 x 24	x 10
PBA26	12	26 x 26	x 10
PBA28	15	28 x 28	x 10
PBA30	18.5	30 x 30	x 10
PBA33	25	34 x 33	x 10



Mastelli Range

Mastelli without Handles

- A complete range of heavy duty container pots
- Strong and durable

Standard Colour: Black

F/CODE	VOL L	DIAM CM	HEIGHT CM	UNIT
PBR80B	160	80	51	Each
PBR80	210	80	55	Each
PBR85	230	85	55	Each
PBR95	285	95	55	Each
PBR95A	350	95	73	Each
PBR102	500	102	82	Each
PBR120	600	120	68	Each
PBR120A	750	120	78	Each
PBR140	1000	140	90	Each
PBR155	1500	155	100	Each



Mastelloni Squat Aquatic Pot

- No handles and no drainage holes

Standard Colour: Black

F/CODE	VOL L	DIAM CM	HEIGHT CM	UNIT
PBRB88	150	88	32	Each
PBRB96	240	96	43	Each
PBRB110	275	110	35	Each

Mastelli with Handles

F/CODE	VOL L	DIAM CM	HEIGHT CM	UNIT
PBMM40	30	39	37	Each
PBMM45	35	42	38	Each
PBMM50	43	46	38	Each
PBMM50A	50	49	44	Each
PBMM55BB	60	51	38	Each
PBMM55B	65	52	41	Each
PBMM55	70	51	44	Each
PBMM55A	75	53	48	Each
PBMM60B	80	58	47	Each
PBMM60	90	56	48	Each
PBMM60A	100	59	57	Each
PBMM65	110	61	50	Each
PBMM65A	125	62	59	Each
PBMM70	130	66	56	Each
PBMM75	155	75	51	Each
PBMM80	160	80	51	Each



Flower Buckets

F/CODE	VOL L	D x H CM	UNIT
PBC26	10	24 x 29	x 10
PBC30	13	29 x 24	x 10

Air-Pots

For plants to thrive they need healthy roots, but standard pots deform roots which seriously compromises the plant. The Air-Pot system does the opposite, actively enhancing the plant, by making it develop a mass of healthy fibrous roots. This maximises its ability to absorb nutrients and water, leading to a healthier, faster growing plant.

The ground-breaking design of the Air-Pot container has been continually refined over twenty years and is now in its sixth generation. Every detail has been enhanced to guarantee healthy root development and maximise aeration. Tightly constructed from recycled plastic Air-Pot containers can last up to ten years or more even in strong sunshine.



Compost and Water

Lack of aeration and poor drainage are big problems when growing in traditional containers.

However no such problems exist when using the Air-Pot system. We have designed and tested different mixes of compost with customers across the globe, adapting the mix to incorporate available local components.

The same consideration must be given to irrigation and the delivery of fertiliser. The increased rate of growth and the much greater number of new white tipped roots means Air-Pot® grown plants demand more moisture and nutrient. Managing this demand is fundamental to the success of the system.

The Range

The Air-Pot system is extremely flexible and can be purchased in a variety of different forms.

- As a kit – that includes walls, bases and fixings, for assembly into specific pot sizes
- As pre sized sheets of pot wall – for larger containers
- As a roll of pot wall for you customise to your own requirements

F/CODE	DESCRIPTION	SIZE	PALLET
AIRPOCL	Air-Pot Fixing Clip	Large	x 100
AIRPOK01	Air-Pot Kit	1lt	x 50
AIRPOK03	Air-Pot Kit	3lt	x 50
AIRPOK05	Air-Pot Kit	5lt	x 50
AIRPOK07	Air-Pot Kit	7.5lt	x 50
AIRPOK12	Air-Pot Kit	12.5lt	x 50
AIRPOK20	Air-Pot Kit	20lt	x 20
AIRPOK38	Air-Pot Kit	38lt	x 20
AIRPOR100	Air-Pot Roll	100cm x 60m	x 2
AIRPOR60	Air-Pot Roll	60cm x 60m	x 3
AIRPOR80	Air-Pot Roll	80cm x 60m	x 2
AIRPOW100	Air-Pot Wall	100lt	x 20
AIRPOW200	Air-Pot Wall	200lt	x 10
AIRPOW400	Air-Pot Wall	400lt	x 5
AIRPOW60	Air-Pot Wall	600lt	x 5



Air-Pot Kit - 3lt



Air-Pot Kit - 12.5lt



Air-Pot Kit - 20lt



Air-Pot Wall - 200lt



Air-Pot Roll

Architectural Planters



- Pasquini & Bini Rotational Moulded Pots

Pasquini & Bini Rotational Moulded Pots

The special manufacturing and finishing process involved in this technique generates 'unique pieces' since it provides the pot with different colours and shades.

Jumbo Collection

- Street furniture
- Smooth pot with reinforced bottom
- Resistant to breakage
- Impermeable to frost damage



Pasquini&Bini
where your roots are safe

F/CODE	VOL L	DIAM OUTER CM	DIAM INNER CM	HEIGHT CM	COLOUR
JUM70	70	55	48	42/40	Bronze
JUM100	100	63	55	44.5/42	Bronze
JUM125	125	70	61	47/44.5	Bronze
JUM165	165	80	71	50/46	Bronze
JUM215	215	90	81	52/47	Bronze
JUM285	285	100	90	56/50	Bronze
JUM390	390	110	101	64/56	Bronze
JUM500	500	122	110	67/60	Bronze
JUM800	800	145	130	74/67	Bronze
JUM1250	1250	160	145	83/73	Bronze
JUM1650	1650	185	170	91/80	Bronze

Sestante Collection

- Anthracite and bronze colours are also available to order
- All pots are available without steel band



Sestante Vaso Pot



Sestante Cassetta Flower Box

Sestante Vaso Pot - No Holes

F/CODE	VOL L	DIAM OUTER CM	DIAM INNER CM	HEIGHT CM	USABLE INTERNAL HEIGHT CM	COLOUR
SESTO116BR	470	116	94	53	45	Bronze



Balena Amphora Pot

F/CODE	DIAM OUTER CM	VOL L	HEIGHT CM	TRAY L x W x H CM	COLOUR
TEBALBL	100	75	100	56 x 63 x 27	Anthracite
TEBALBR	100	75	100	56 x 63 x 27	Bronze

**Bespoke
design
services**

We offer bespoke planters and design services on request, get in touch to find out more



Trio composed of two pots with different heights and a comfortable seat.



Foglia Pots and Seat

F/CODE	DESCRIPTION	MAX DIMENSIONS CM	HEIGHT CM	COLOUR
TEFOGA	Alto (Tall)	84.4	100.7	Black
TEFOGB	Basso (Squat)	84.4	50.7	Black
TEFOGP	Seat	84.4	51.6	Black

TEIPLAST
ROTATIONAL TUSCANY POTS

TEIPLAST street furniture
HIGH QUALITY ROTATIONAL POT
products made in polyethylene,
shock-proof, light, strong against
sudden changes of temperature
& UV stabilised

TEIPLAST represents a range of high quality,
modern and attractive design while meeting
the highest standards with resistance to shock
and temperature extremes. They offer the best
solution for the decoration of interior and exterior
spaces that require class and durability.

Fargo offer a comprehensive range of TEIPLAST
street furniture available in a selection of colour
finishes. Please contact your local distributor
or Area Sales Manager for details on the full
TEIPLAST range.





Argo Flower Box

F/CODE	LENGTH CM	WIDTH CM	HEIGHT CM	COLOUR
TEARGAN	100 > 92	43 > 37	80 > 25	Anthracite
TEARGBR	100 > 92	43 > 37	80 > 25	Bronze



Triangolo Twisty Pot

F/CODE	OUTER L x W x H CM	INNER L x W x H CM	TRAY L x W x H CM	COLOUR
TETRIAN	55 x 55 x 100	38 x 38 x 26	38 x 38 x 26	Anthracite
TETRIBL	55 x 55 x 100	38 x 38 x 26	38 x 38 x 26	Black
TETRIBR	55 x 55 x 100	38 x 38 x 26	38 x 38 x 26	Bronze

Easy ways to order



Online Purchase

Order online at
fargro.co.uk



Customer Services

Call the team on
01903 726 100



Area Sales Manager

Order via your
Area Sales Manager




Click & Collect

Opening hours
9.00am – 5.00pm



By Appointment
To Her Majesty The Queen
Horticultural Sundriesmen



Lira Elite

Standard Colour: Grey

F/CODE	VOLUME L	DIAM OUTER CM	DIAM INNER CM	HEIGHT CM
TELRE1000	430	100	90	91.5
TELRE1200	765	120	108	110



Lira Pot

Standard Colour: Terracotta


F/CODE	VOLUME L	DIAM OUTER CM	DIAM INNER CM	HEIGHT CM
NPBLR50	48	50	45	38
NPBLR55	64	55	50	41
NPBLR60	84	60	54	45
NPBLR65	105	65	58	48
NPBLR70	127	70	63	50
NPBLR75	161	75	67	55
NPBLR85	223	85	76	61

Lira Smooth Pot

Street furniture. Smooth pot with reinforced and ergonomic bottom suited to be lifted with a forklift.



Ergonomic bottom suited to be lifted with the forklift



Reinforced bottom



F/CODE	DESCRIPTION	VOLUME L	DIAMETER > CM	DIAMETER < CM	HEIGHT CM	COLOUR
LIR400	Reinforced Bottom	400	105	96	70	Terracotta
LIR700	Reinforced Bottom	700	135	120	80	Terracotta
LIR1100	Ergonomic Bottom	1100	155	140	90	Terracotta
LIR1500	Ergonomic Bottom	1500	175	159.5	100	Terracotta
LIR2200	Ergonomic Bottom	2200	200	184	110	Terracotta
LIR3250	Ergonomic Bottom	3250	230	214	120	Terracotta

Anthracite is available to order.

Contact Fargo for details on our internal architectural planter range

Further ranges

Biological Control



- Biocontrols
- Monitoring
- Chemical control
- Physical control

Integrated Pest Management



Biocontrols

Consider programmed introductions of a range of biocontrols.



Monitoring

Crop walk weekly. Base controls on pest levels observed.



Hygiene

Maintain excellent hygiene levels throughout the year.



Chemical control

Regular applications of IPM Compatible products to control pests.



Physical control

Use barriers and traps.



We specialise in Integrated Pest Management

Fargro is the leading supplier of Integrated Pest Management (IPM) products. We understand IPM and are always seeking to offer the best controls to suit your requirements. We deliver pest and disease control through the application of biological controls, IPM compatible pesticides and an ever increasing range of biopesticides.



Contact us to find out how we can help you manage pests

Get in touch

Horticultural Fabrics & Polythenes



- Groundcover Material
- Mulch Material Weed Block Fabric
- Fixing Accessories
- Capillary Matting
- Polythene Sheeting

Groundcover Material

5 Years
UV Resistance

Supercover Groundcover

A cost effective woven polypropylene material that combines excellent weed suppression with optimum water permeability.

Supercover Black with Green Grid Lines


Material: Woven polypropylene

Markers: Green every 20cm

Weight: 105 g/m²

UV: 5 years

F/CODE	SIZE M
SUPAF1G50	1 x 50
SUPAF1G	1 x 100
SUPAF15G50	1.5 x 50
SUPAF15G	1.5 x 100
SUPAF2G50	2 x 50
SUPAF2G	2 x 100
SUPAF3G	3.25 x 50
SUPAF5G	4.2 x 50
SUPAF6G	5.2 x 50
SUPAF3100G	3.25 x 100
SUPAF4100G	4.2 x 100



Mulch Material Weed Block Fabric

Mulch Material Weed Block Fabric

Designed as a competitive weed control fabric, the black material is 60 g/m² spunbound non-woven.

F/CODE	WIDTH M	SIZE M
MULCH1	1	100
MULCH15	1.5	100
MULCH2	2	100
MULCH3	3	100

Geodiscs

Geodiscs - Spin Out treated pot toppers. Say goodbye to hand weeding and herbicides.

- Made out of Tex-R fabric
- Treated on one side with Spin Out plant root growth regulator
- Geodiscs prevent light reaching the compost surface inhibiting any weed growth
- The copper in the Spin Out treatment also inhibits the growth of algae and moss on the pot topper

F/CODE	DISC DIAMETER CM	POT SIZE L	PACK SIZE
SPID050	12.7 (5")	1	500
SPID065	16.5 (6.5")	2	500
SPID110	27.9 (11")	10	500
SPID150	38.1(15")	-	500



The pot on the right has been covered with Geodisc for 5 months and has no weeds compared to the untreated pot.

To ensure correct use the treated side (dark colour) of the disk should face upwards.

Fixing Accessories

Groundcover Pegs

Black durable barbed pegs for securing ground cover. 15cm long.



F/CODE	DESCRIPTION	PACK QTY
COVED	Fixing Pegs 15cm	100
COVED19	Fixing Pegs 19cm	1000

Groundcover Washers

Designed to provide groundcover peg heads with a larger surface area to secure ground cover sheeting.



F/CODE	DESCRIPTION	PACK QTY
GRCOVW	Yellow Plastic Washers 5cm (2½")	500

Groundcover Fixing Staples

Copper coated staples for securing ground cover onto hard or stony ground.



F/CODE	DESCRIPTION	PACK QTY
GCS719	Standard 3mm 15 x 10cm	100

Groundcover Joining Tape

An extruded tape with high performance sealant and adhesive properties. Ideal for joining ground cover sheets.



F/CODE	DESCRIPTION	PACK QTY
SUPCP	19mm x 1mm x 45m	Each

Capillary Matting

Klavermat HC Capillary Matting

Klavermat HC capillary mattings are made from 100% new high quality virgin synthetic fibres. Klavermat HC mattings are free of viscose which is biodegradable and can lead to disease spreading in the water system. Advantages of Klavermat HC.

- Excellent capillary action combines with low water capacity
- Capable of eliminating an over supply of water
- Ability to compensate small differences in height

Other lengths available

Other lengths available on request, subject to volume.

Klavermat HC 80

F/CODE	WEIGHT	LENGTH	STANDARD WIDTHS	WATER CAPACITY
HENHC8010	80 gm/m ²	100m	From 8-480cm	0.5-0.8 lt/m ²

Klavermat HC 100

F/CODE	WEIGHT	LENGTH	STANDARD WIDTHS	WATER CAPACITY
HENKCMHC100	100 gm/m ²	100m	From 8-480cm	0.7-1.0 lt/m ²

Fargro Capillary Matting

Great value capillary matting. Polythene backed with a capacity of 2 lt/m².

Recommended to use with perforated bench polythene.



F/CODE	SIZE M
CAPIR	1 x 40
CAPIQ	1.25 x 40
CAPIU	1.54 x 40
CAPIS	1.85 x 40
CAPIT	2.1 x 40

Lantor Capillary Matting

Lantor Capillary Matting is a premium quality, hard wearing capillary matting with superior capillary action and longevity. Recommended to be used with a permeable underlayer and suitable cover such as perforated polythene.

Standard 2H

More suited for indoor applications as the lower holding capacity can be compensated by controlled irrigation.

Capacity: 3 lt/m²

Weight: 247gm

Thickness: 4mm

Life Expectancy: 2-3 seasons

F/CODE	SIZE
IRAN2H60	60cm x 50m
IRAN2H91	91cm x 50m
IRANI122	122cm x 50m
IRANI142	142cm x 50m
IRANI183	183cm x 50m

Heavy Duty 4H

Suitable for outdoor and indoor applications. High water holding capacity, ideal for retail plant areas.

Capacity: 5 lt/m²

Weight: 464gm

Thickness: 8.8mm

Life Expectancy: 2-3 years

F/CODE	SIZE
IRAN4H60	60cm x 25m
IRAN4H90	90cm x 25m
IRANH122	122cm x 25m
IRANH150	150cm x 25m
IRANH183	183cm x 25m



Polythene Sheeting

Clear Polythene Sheeting

Thin Gauge

For many uses including:

- Covering cuttings
- Covering low tunnels
- Lining benches



F/CODE	TYPE	SIZE	THICKNESS MU
QCFDR	Clear	1850mm x 200m	38
QCFHH	Clear	3700mm x 100m	38
QCFGR	Clear	2750mm x 200m	38

Clear Polythene Sheeting

Standard Gauge

A thick, clear polythene used for:

- Partitioning in the greenhouse
- Covering frames and tunnels
- Lining benches



F/CODE	TYPE	SIZE	THICKNESS MU
QCUDH	Clear	1850mm x 100m	125
QCUH50	Clear	3700mm x 50m	125

Black Polythene

For many uses around the nursery:

- Covering soil/mulching
- Lining benches
- Excellent weed control
- Blackout properties



F/CODE	TYPE	SIZE	THICKNESS MU
QBFCR	Black	1300mm x 200m	38

Dense Black Polythene

A thick black polythene used for:

- Covering benches and floors
- Good weed suppression



F/CODE	TYPE	SIZE	THICKNESS MU
QDLW4	Black	4m x 50m	100
QDLW	Black	2m x 100m	100

Dense White Polythene

- Used for weed control
- Reflective floor covering for NFT growing systems



F/CODE	TYPE	SIZE	THICKNESS MU
QWQCS	White	3.6m x 300m	70

Black/White Polythene

Co-extruded black on white sheeting for use as a glasshouse floor covering and a nutrient channel for NFT systems. White side offers reflective properties and black side offers excellent weed suppression.



F/CODE	TYPE	SIZE	THICKNESS MU
DEJPBW085200	Black/White	2m x 150m	85

Propagation Films

XL ThermaProp Propagation Film

ThermaProp propagation film is designed to give a more stable temperature and humidity level inside the propagation tent which encourages quicker and better rooting.



F/CODE	TYPE	SIZE	THICKNESS MU
XLTH34100W	White	3.4m x 100m	38
XLTH34100C	Clear	3.4m x 100m	38
XLTH34300W	White	3.4m x 300m	-

Polythenes

A range of clear and white polythenes suitable for propagation.



F/CODE	TYPE	SIZE	THICKNESS MU
QWEDR	White	2m x 200m	30
QWEAA	White	2.5m x 300m	20
QCEAD	White	3.6m x 300m	20
QCEAF	Clear	3.6m x 300m	20

Sundry Items



- Canes & Plant Supports

Canes & Plant Supports

Bamboo Canes

The very best quality bamboo canes imported directly from China. Weight factor represents the average weight per 100 canes.

Bamboo Canes

F/CODE	SIZE FT	WEIGHT LBS	BALE
CAN3D	3	6-8	500
CAN3C	3	9-11	500
CAN4G2	4	6-8	500
CAN4H	4	12-14	250
CAN4F	4	16-18	250
CAN4E	4	22-24	250
CAN5A	5	24-26	250
CAN6AA	6	28-32	125
CAN7A	7	36-40	125
CAN8C	8	44-48	125

Graded canes available to order.



Split Canes - Green Dyed

F/CODE	SIZE	BALE
CANSAC	12" (30 cm)	5000
CANSBH	16" (40cm)	2500
CANSCH	18" (45 cm)	2500
CANSEH	24" (60 cm)	2500
CANSFG	30" (75 cm)	1250
CANSGH	36" (90 cm)	1250



Cane Caps

Green cane caps are made from a rubber type material and will fit most canes. It cushions any impact against the face and will protect eyes from injury.

Cane Caps

F/CODE	DESCRIPTION	USE	BOX
CANEC	Cane Caps Thin - CC2	Thin Canes	1000
CANET	Cane Caps Standard - CC1	Standard Canes	1000
CANED	Cane Caps Universal - CC4	All Canes	1000
CANECC5	Cane Caps Thick - CC5	Thick Canes	1000
CANESP	Cane Caps Split - CC3	Split Canes	1000



Cane Caps Pyramid

The pyramid cane caps cap hold the tops of three canes when used together to form a pyramid. Stabilises the canes and protects the eyes.

F/CODE	USE	PACK
CANEPY	All Canes	1000

Transport & Handling Equipment



- Danish Trolleys & Accessories
- Trucks & Trolleys
- Wheelbarrows

Danish Trolleys & Accessories

Fargro Danish Trolley

The Fargro Danish trolley comes with 3 shelves and consists of a heavy duty steel base, removable rolled steel corner posts, plywood shelves and nylon wheels.

F/CODE	ITEM
TROLDAN	Danish trolley complete
TROLDANP	Post for Danish trolley
TROLDANS	Extra plywood shelf for Danish trolley
TROLDANB	Base for Danish trolley



Spare Wheels for Danish Trolleys

Both fixed and swivel spare wheels available.

F/CODE	ITEM
TYRE15	Danish Trolley Wheel Fixed
TYRE16	Danish Trolley Wheel Swivel



Wippon Car (Danish Trolley Mover)

A simple yet effective way of moving Danish trolleys around the nursery or garden centre.

The wippon car is located under the trolley to enable the pneumatic wheels to support the trolley and move over uneven ground. The trolley can be locked onto the Wippon car during movement.

Wheels: 100mm wide x 400mm diameter

F/CODE	ITEM
WWT	Wippon Wagon Transporters
WWT4	Wippon Wagon Transporter 4x4



Danish Trolley Jackets

The Tranjack trolley jacket fits the Danish trolleys offering a cost effective method of protecting plants during transportation. Made from durable PVC coated mesh with reinforced edging and strengthened corners. String zip fastener and three clips secures the jacket around the trolley.



F/CODE	ITEM
TRANJACK	Standard Danish Trolley Jacket



Trucks & Trolleys



Plant Container Trolley

Heavy duty sack truck designed to move large planted pots on site. Tubular galvanised construction and galvanised finish.

F/CODE	ITEM
CFTR003	Up to 70cm Diameter Pot

Haemmerlin Sack Truck

F/CODE
HAEM2400

Heavy Duty Container & Plant Trolleys

Strong, well made trolleys for movement of containers and heavy items safely and securely around the nursery. Galvanised finish.



F/CODE	ITEM
CFTR001	Up to 70cm Diameter Pot
CFTR002	Up to 50cm Diameter Pot
TROL7	55/57cm Plant Trolley - Up to 90lt

Wheelbarrows

Aktiv Wheelbarrow Original Powder Coated 90lt

90lt green epoxy powder coated tray, with front and side ribs for additional strength with double shifted edges for extra robustness.

- Supplied with pneumatic 4 ply tyre
- L 150cm x W 67cm x H 58cm

F/CODE	ITEM
HAEM1041G	90lt Wheelbarrow - Green
HAEMSWP	Haemmerlin Spare Wheel Pneumatic 400mm



Aktiv Ultimate 108 Wheelbarrow Galvanised Pneumatic 120lt

The ULTIMATE is the answer for those who need a larger capacity wheelbarrow. It has a huge 120lt galvanised tray that gives plenty of space for large heavy loads.

- Supplied with pneumatic 4 ply tyre
- L 150cm x W 61cm x H 63cm

F/CODE	ITEM
HAEMULP	120lt Wheelbarrow - Galvanised
HAEMSWP	Haemmerlin Spare Wheel Pneumatic 400mm



Haemmerlin Wheelbarrow Chillington Camden Classic Pneumatic 85lt

The Camden is the epitome of the British wheelbarrow, comes equipped with an 85lt black epoxy powder coated tray with a British style design. The black frame is very reliable with a one piece tubular design. The tray of the Camden has a specific narrow design that allows easier access through doors.

- Supplied with pneumatic tyre
- L 148cm x W 58cm x H 56cm

F/CODE	ITEM
HAEMCCB	85lt Wheelbarrow - Black
HAEMCSW	Haemmerlin Spare Wheel Pneumatic 350mm



Vibrante Go Green 5000 Polypro Wheelbarrow Pneumatic 90lt

The trays are made out of Haemmerlin's renowned high density Polypropylene, which is very strong and flexible at the same time. The strong rigid frame is made out in one piece, with a tipping bar that facilitates the process of unloading the content.

- Supplied with pneumatic tyre
- L 148cm x W 66cm x H 58cm

F/CODE	ITEM
HAEMGGP	90lt Wheelbarrow
HAEMCSW	Haemmerlin Spare Wheel Pneumatic 350mm



Tree Care Products



- Tree & Shrub Ties
- Tree Stakes
- Tree Protection
- Tree & Shrub Shelters
- Tree Anchoring
- Bird Feeders & Bat Boxes
- Jute Tying & Planting

Tree & Shrub Ties

Super-Soft Tree Ties

Made from soft rubber plastic with moulded grooves to prevent bark damage. The tie stretches as the tree grows, and acts as a cushion between the tree and the support stake. Because of the elasticity of the material the tree will not be disfigured, the tie stretches as the tree grows - preventing wounds where diseases can enter.

- Weather resistant and UV stabilised
- Fast fit design



F/CODE	REF	L x W MM	THICKNESS MM	BOX
TRTS12	TP30	300 x 12	4	100
TRTS14	TP35	350 x 16	4	100
TRTS15	TP40	400 x 22	6	100
TRTS18	TP45	450 x 22	6	100
TRTS23	TP60	600 x 22	6	100

Rose and Shrub Ties

The Rainbow Buckle is uniquely strong, manufactured in polycarbonate, which is needed to withstand the incredibly high loads that winds can apply to the middle of the buckle. This tree tie comes with a collar that fits between the tree and stake to prevent rubbing allowing some stretch to give the tree some movement which helps it develop its own resistance to the wind.



F/CODE	REF	L x W MM	PACK
RSTT12	C238	300 x 13	100

Soft Buckle Tree Ties

Made from soft black PVC, they will stretch as the tree grows and are easily adjustable. They are supplied with a hoop collar and spacer. Popular in amenity situations.



F/CODE	REF	SIZE	PACK
TRT18	C202	45cm (18") x 2.5cm (1")	100
TRT24	C203	60cm (24") x 2.5cm (1")	100

Tree Support Ties

Designed to support and protect the tree when supported by steel, nylon wire and non slip cord. The tie acts as a cushion between the wire/cord and the tree.



F/CODE	REF	DESCRIPTION	PACK
TRSUTI200	TST200	For Container Trees Approx 3cm Diam	100
TRSUTIESS	TST300	For Container Trees Approx 5cm Diam	50
TRSUTIES	TST400	For Container Trees Approx 7.5cm Diam	50
TRSUTIESL	TST600	For Container Trees Approx 10cm Diam	50

We stock
Jute tree ties

SEE PAGE 81

Adjustable Ties

Adjustable ties for shrubs and trees.

TP125, TP175, TP225, TP340, TP430


A single tie for light tying of climbers, shrubs and small trees. Made from green polyethylene material it is very strong and long lasting.

TP320

A double tree tie for light applications of tying trees to a support stake, made in green polyethylene material, very strong, durable and will last many seasons outdoors.

TP180

The same as the LP320 but shorter. Made from black polyethylene material. It is very strong and long lasting.



F/CODE	REF	SIZE	PACK
TP125	TP125	5" (125mm) Long	500
TP175	TP175	7" (175mm) Long	500
TYNTP225	TP225	9" (225mm) Long	500
TP340	TP340	13.5" (340mm) Long	500
TP430	TP430	17" (430mm) Long	500
TP180	TP180	8" (200mm) Long	500
TP320G	TP320	12.5" (320mm) Long	250

Soft Strapping and Cushions

Soft strapping is UV resistant, and does not stiffen with age. In 25mm and 38mm widths - both sizes come in standard duty and heavy duty versions. Cushions and hoop collars to fit.

F/CODE	REF	DESCRIPTION	UNIT
SST25	ST25	Soft Strapping 2.5cm Wide X 25m	1 Coil
SST25HD	ST25HD	Heavy Duty Strapping 2.5cm Wide X 25m	1 Coil
SSC25	TC25	Soft Cushions for St25	Bags of 100
SSHC25	HC25	Hoop Collar for 2.5cm	Bags of 100
SST38	ST38	Soft Strapping 3.8cm Wide x 25m	1 Coil
SST38HD	ST38HD	Heavy Duty Strapping 3.8cm Wide x 25m	1 Coil
SSC38	TC38	Soft Cushions for ST38	Bags of 100
SSHC38	HC38	Hoop Collar for 3.8cm	Bags of 100



Chainlock Tree Strapping

Strong, re-usable and economic system for tying trees.

F/CODE	REF	DESCRIPTION	SIZE	PACK
TRST	C218	Chainlock No.3 (MDPE)	25m x 12mm x 3.8mm	Each
TRST4	C219	Chainlock No.4 (PVC)	25m x 25mm x 2.5mm	Each



Tree Stakes

Machine Rounded Tree Stakes/Support Posts

Pressure treated. Pointed at one end.

F/CODE	LENGTH M	DIAMETER MM	PACK
MCRS12	1.2	50	Each
MCRS18	1.8	50	Each
MCRS24	2.4	75	Each

Hardwood Tree Stakes

Square hardwood stakes. Pointed at one end.

F/CODE	LENGTH M	DIAMETER MM	PACK
DEFTS150	1.5	32	Each
DEFTS090	0.9	25	10
DEFTS075	0.75	25	10



Other sizes available on request.




Fargro's range of Spiral Tree Guards

Spiral Tree Guards offer simple, cost-effective protection against pests and systemic herbicides and is available to order in a variety of sizes to suit every forestry or landscape planting project.

Manufactured using 100% recycled PVC. PVC is a durable long-lasting plastic that offers at least 4 seasons of protection to the sapling even at high UV exposure levels and will gradually over the years break down into minute inert particles which will not harm the soil around the tree.

Spiral Tree Guards

Spiral tree guards stand up to all weather conditions - they do not shrink and allow air to circulate through the holes. They are easy to unfurl, fit and are cost effective.



F/CODE	SIZE	BOX
TRG4538H	45cm x 38mm with holes	300
TRG6039H	60cm x 38mm with holes	250
TRG7538H	75cm x 38mm with holes	300

Tubex Tree Wraps

Twin-walled wraps that expand as the plant grows.



F/CODE	DIAMETER MM	UNIT
SP0047255	50-65	Each

Contact Fargro to discuss planting spiral requirements and available ranges

Further ranges





Tubex Nature™ Standard Biodegradable

Incorporating all the proven Tubex features, Nature Standard increases the chances of survival and healthy growth through the early stages of the tree's life, allowing planting of smaller, cheaper trees. It provides a microclimate which aids strong root and stem growth, while offering protection against animal browsing, herbicides and weeding.



Treeguard Combitube

TUBEX COMBITUBE tree shelters are designed for more exposed sites where there is a greater contrast between growing conditions within the shelter and those without.



F/CODE	COLOUR	SIZE M	PACK
TUBEXN060	Green	0.6	60
TUBEXN075	Green	0.75	60
TUBEXN120	Green	1.2	60

F/CODE	COLOUR	SIZE M	PACK
TUBEXSC075	Green	(73-105mm) 0.75m	100

Tubex Standard Tree Shelter

Tubex Standard Tree Shelter enhances tree growth, through creating a micro-climate and protecting the tree from browsing agents, like animals or herbicides. Results in better initial establishment and higher survival rates, reducing the costs of growing and maintaining.



Treeguard Mesh Tube

Protection against browsing animals Treeguard Mesh for shrubs is a range of mesh shrub guards designed to protect young shrubs from browsing animals (including rabbits and hare). TREEGUARD mesh for shrubs is suitable for species that do not require the sheltered environment of shrub shelters, but require protection from browsing animals. Made from 100% recycled plastic.



F/CODE	COLOUR	SIZE M	PACK
TUBEXS0.6M	Light Brown	0.6	100
TUBEXS075	Light Brown	0.75	100
TUBEXS120	Light Brown	1.2	100

F/CODE	COLOUR	SIZE	PACK
TUBEXTGM075	Dark Green	(80-110mm) 0.75m	100

Gripple Tree Anchoring Solutions

Securing newly planted trees in rural and urban environments.

Our tree anchoring systems comprise a range of kits for securing newly planted semi-mature trees, protecting them while they become established and promoting vertical growth in tree avenues. They are optimised for quick and easy installation for both urban and rural environments.

Root Ball Kits

Below ground tree anchoring system designed to stabilise newly planted semi-mature trees. Features a strap tensing system for ease of use and supplied in ready-to-use kits.

- Simple – fast installation
- Long-lasting – allows tree to naturally establish itself
- Secure – deters vandals as there is no sign the tree is newly planted
- Versatile – sizes available to fit most applications
- Safe – trip hazard reduced as the kit is underground



TREE HEIGHT M	TREE GIRTH CM	DESCRIPTION	WIRE INFORMATION
4.5	25	<ul style="list-style-type: none"> • Gripple Anchor TL-A3 • Quick links • 3m x 40mm strapping • Ratchet tensioner 	3mm 1 x 19 ZnAL coated high tensile steel wire Tensile strength 1770MPa Breaking load 800kg
7.5	45	<ul style="list-style-type: none"> • Gripple Anchor TL-A4 • Quick links • 5m x 40mm strapping • Ratchet tensioner 	4mm 1 x 19 ZnAL coated high tensile steel wire Tensile strength 1770MPa Breaking load 1200kg
12	75	<ul style="list-style-type: none"> • Gripple Anchor TL-A4 • Quick links • 5m x 40mm strapping • Ratchet tensioner 	6mm 7 x 19 ZnAL coated high tensile steel wire Tensile strength 1770MPa Breaking load 2250kg

Premium Root Ball Kits

The premium range of root ball kits share the same benefits of the standard kits with the addition of the Gripple Dynamic range. This allows adjustment of the anchor points to ensure the correct and most secure installation of the tree by guiding the loop into the best position.

- Adjustable – optimum positioning of anchor point irrespective of ground conditions
- Strong – high load performance for safety and security
- Secure – deters vandals as there is no sign the tree is newly planted
- Long-lasting – allows tree to naturally establish itself
- Simple – fast installation
- Versatile – sizes available to fit most applications
- Safe – trip hazard reduced as the kit is underground



TREE HEIGHT M	TREE GIRTH CM	DESCRIPTION	WIRE INFORMATION
4.5	25	<ul style="list-style-type: none"> • Gripple D3 • Gripple Anchor TL-A3 • Quick Links • 3 m x 40 mm strapping • Ratchet tensioner 	3 mm 1 x 19 ZnAL coated high tensile steel wire. Tensile Strength 1770 MPa. Breaking Load 800 kg
7.5	45	<ul style="list-style-type: none"> • Gripple D4 • Gripple Anchor TL-A4 • Quick Links • 5 m x 40 mm strapping • Ratchet tensioner 	4 mm 1 x 19 ZnAL coated high tensile steel wire. Tensile Strength 1770 MPa. Breaking Load 1200 kg
12	75	<ul style="list-style-type: none"> • Gripple D6 • Gripple Anchor TL-A4 • Quick Links • 5 m x 40 mm strapping • Ratchet tensioner 	6 mm 7 x 19 ZnAL coated high tensile steel wire. Tensile Strength 1770 MPa. Breaking Load 2250 kg

Tree Guying Kit

Provides an above ground tree anchoring solution to stabilise the tree and promote vertical growth. Supplied in ready to use kits and suitable for use with trees up to 12 m tall.

- Safe – ground level tensioning promotes vertical growth and reduces time working at height
- Simple – quick and easy installation
- Quick – tension and adjust with the Gripple tensioner and the Torq tensioning tool
- Protective – rubber sleeves eliminate frictional damage to trunk



TREE HEIGHT M	TREE GIRTH CM	DESCRIPTION	WIRE INFORMATION
2.5	12	<ul style="list-style-type: none"> • Gripple Anchor TL-A2 • Gripple Plus Small • Quick Links • Protective rubber sleeves • Safety Webbing 	2mm 7 x 7 Zn coated high tensile steel wire. Tensile Strength 1770 MPa. Breaking Load 280 kg
4.5	25	<ul style="list-style-type: none"> • Gripple Anchor TL-A3 • Gripple Plus Medium • Quick Links • Protective rubber sleeves • Safety Webbing 	3mm 1 x 19 ZnAL coated high tensile steel wire. Tensile Strength 1770 MPa. Breaking Load 800 kg
7.5	45	<ul style="list-style-type: none"> • Gripple Anchor TL-A4 • Gripple Plus Large • Quick Links • Protective rubber sleeves 	4mm 1 x 19 ZnAL coated high tensile steel wire. Tensile Strength 1770 MPa. Breaking Load 1200 kg
12	75	<ul style="list-style-type: none"> • Safety Webbing • Gripple Anchor TL-A4 • Gripple D6 • Quick Links • Protective rubber sleeves • Safety Webbing 	6mm 7 x 19 ZnAL coated high tensile steel wire. Tensile Strength 1770 MPa. Breaking Load 2250 kg

Concrete Fixing Kit

Below ground tree anchoring system designed to stabilise newly planted trees where concrete flooring or containers are below the planting location. Features a strap tensioning system for ease of use and is supplied as a ready-to-use kit.

- Specifically engineered – secures trees to a concrete structure where anchors cannot be driven
- Simple – quick and easy installation
- Strong – incorporates Gripple Dynamic tensioners for maximum strength in windy environments e.g. roof gardens
- Secure – deters vandals as there is no sign the tree is newly planted



TREE HEIGHT M	TREE GIRTH CM	DESCRIPTION	WIRE INFORMATION
4.5	25	<ul style="list-style-type: none"> • Gripple Plus Medium • Quick Links • 3 m x 40 mm strapping • Ratchet tensioner • M10 eyebolt and Drop-in Anchor 	3mm 1 x 19 ZnAL coated high tensile steel wire. Tensile Strength 1770 MPa. Breaking Load 800 kg
7.5	45	<ul style="list-style-type: none"> • Gripple Plus Large • Quick Links • 5 m x 40 mm strapping • Ratchet tensioner • M10 eyebolt and drop-in Anchor 	4mm 1 x 19 ZnAL coated high tensile steel wire. Tensile Strength 1770 MPa. Breaking Load 1200 kg
12	75	<ul style="list-style-type: none"> • Gripple D6 • Quick Links • 5 m x 40 mm strapping • Ratchet tensioner • M10 eyebolt and drop-in Anchor 	6mm 7 x 19 ZnAL coated high tensile steel wire. Tensile Strength 1770 MPa. Breaking Load 2250 kg



DM Kit

Below ground tree anchoring system designed to stabilise newly planted trees. For use when the driving of anchors is not possible and a more traditional ballast system needs to be used, for example, concrete blocks. Features a strap tensioning system for ease of use and is supplied as a ready-to-use kit.

- Simple – quick and easy installation
- Specifically engineered – secures trees using available ballast where anchors cannot be driven
- Strong – incorporates Gripple Dynamic tensioners for maximum strength and adaptability to the size of the tree pit available
- Secure – deters vandals as there is no sign the tree is newly planted



TREE HEIGHT M	TREE GIRTH CM	DESCRIPTION	WIRE INFORMATION
4.5	25	<ul style="list-style-type: none"> • Gripple Plus Medium • Quick Links • 3 m x 40 mm strapping • Ratchet tensioner 	3mm 1 x 19 ZnAL coated high tensile steel wire. Tensile Strength 1770 MPa. Breaking Load 800 kg
7.5	45	<ul style="list-style-type: none"> • Gripple Plus Large • Quick Links • 5 m x 40 mm strapping • Ratchet tensioner 	4mm 1 x 19 ZnAL coated high tensile steel wire. Tensile Strength 1770 MPa. Breaking Load 1200 kg
12	75	<ul style="list-style-type: none"> • Gripple Dynamic 6 • Quick Links • 5 m x 40 mm strapping • Ratchet tensioner 	6mm 7 x 19 ZnAL coated high tensile steel wire. Tensile Strength 1770 MPa. Breaking Load 2250 kg

Bird feeders and bat boxes

Contact Fargo to discuss our full range



Jute Tying & Planting



Jute Tree Planting Squares

Biodegradable Jute planting square

F/CODE	SIZE CM	THICKNESS MM	PACK
JUTESQ	50 x 50	2-3	100



Jute Tree Ties Lightweight/Standard

Biodegradable Jute roll

F/CODE	SIZE	THICKNESS	PACK
JUTETIE1	50mm x 10m	Lightweight	Roll
JUTETIE2	50mm x 10m	Standard	Roll

Waste Management



- Waste Management

Waste Management

Tailored Solutions for your needs

From bin bags to wheelie bins to 8M Front End Loader bins, hubba offers a diverse range of waste management solutions, catering to your specific needs. hubba understand that every business is unique, and their services are designed to fit seamlessly into your operations.

Transparency and Sustainability

hubba believe in transparency and sustainability. That's why they offer no hidden costs and a commitment to keeping your waste out of landfills. Their waste solutions are delivered through a carefully selected network of preferred suppliers, aligning with the principles of the circular economy.

Why Choose Hubba?



Cost savings

Partnering with hubba can lead to significant savings of up to 50% on your current waste collection and recycling bills.



No excess weight charge

With hubba, you can say goodbye to worries about excess weight charges for your rubbish.



Zero Waste to Landfill

100% of your waste is recycled and repurposed. hubba's extensive experience has been dedicated to hand-picking suppliers who share our commitment to environmental responsibility.



Dedicated support

hubba provides a dedicated account manager and a single point of contact, ensuring that your waste management needs are met promptly and efficiently.

hubba: Your sustainable waste management partner

Fargro has partnered with hubba, a leading independent waste management company. Together, we bring you tailored, sustainable, efficient, reliable, and cost-effective waste management and recycling services for businesses.



Schedule a waste management audit

Ready to optimise your waste management with Fargro and hubba?

It all starts with a Waste Management Audit. A representative from our partnership will begin with an initial fact-finding call to assess your current waste management setup. Following that, we'll arrange a site visit and provide you with a tailored proposal.

Partner with Fargro and hubba to achieve efficient, sustainable, and cost-effective waste management solutions. Together, we can make a positive impact on your business and the environment.

Irrigation



- Hose Pipes
- Hose Trolleys
- Wall Mounted Hose Reels
- Overhead Hose Tracking Kit
- Brass Hose Fittings & Hose Clips
- Brass Quick Connectors & Valves
- Lances, Spray Guns & Nozzles
- Watering Cans
- Pond Pumps
- Sprinkler, Stands & Bases
- Injectors & Dilutors
- Water Meters
- Pumps
- Water Storage Tanks & Tank Liners
- Tank Covers
- Pond Liners

Fitt nts master plus



Hose Pipes

Thanks to the unique and original FITT NTS double mesh, the FITT NTS MASTER PLUS hose features improved sturdiness and performance, besides a high degree of malleability, ensuring a constant flow of water without any folds or twists.

- Phthalate-free
- 6 layer structure conforms to the most rigorous safety standards
- Resistant to cuts and abrasion
- Resistant to UV rays
- Excellent degree of flexibility at low temperatures
- FITT guarantees the product for 30 years
- No folds and twists



Designed in Italy
Made in Europe

FITT guarantees the product for 30 years



The NTS PLUS mesh guarantees extreme resistance to pressure and expansion when water flows through the hose



Excellent degree of flexibility at low temperatures



Conforms to the most stringent standards

- Phthalate-free (<0.1% weight/weight)
- REACH-compliant
- RoHS-compliant
- Free of PAHs (polycyclic aromatic hydrocarbo)



HIGH PERFORMANCE
Use of special plasticisers that enhance the product's malleability and ease of use



RESISTANT TO UV RAYS
Thanks to the stabilised Layers

RESISTANT TO CUTS & ABRASION
HIGHLY SLIPPERY



The SKY TECH technology increases resistance to cuts and abrasion and makes the hose extremely smooth and easy to manage, enabling it to slide over all surfaces and even around corners. The SKY TECH protective film, specially designed to counter UV rays, prevents premature ageing of the hose.

Phthalate-free hose conforming to the most rigorous safety standards concerning materials. Withstands high pressures of up to 50 bar (1/2"). Product guaranteed for 30 years.

STRUCTURE: A 6 layer hose featuring a transparent outer covering with two anthracite stripes and a grey band, textile reinforcement with double NTS PLUS mesh consisting of a black and white yarn, a grey intermediate supporting layer, a black anti-algae layer and grey protective interior.

FITT NTS Master Plus Hose Pipe

F/CODE	BPB*	SIZE "	LENGTH M
FITTMP1230	50	1/2	30
FITTMP1250	50	1/2	50
FITTMP12100	50	1/2	100

F/CODE	BPB*	SIZE "	LENGTH M
FITTMP1925	33	3/4	25
FITTMP1950	33	3/4	50
FITTMP19100	33	3/4	100

F/CODE	BPB*	SIZE "	LENGTH M
FITTMP2525	27	1	25
FITTMP2550	27	1	50
FITTMP25100	27	1	100

*Burst pressure bar.

AQUAFLEX® AQF SERIES

Aquaflex®, an outstanding all-terrain UV resistant irrigation hose that delivers exceptional durability, flexibility and water flow performance. Manufactured in the UK, Aquaflex® kink resistant water hose is the ideal heavy-duty choice for all irrigation purposes, as well as for water supply and delivery applications.

The multi-layered construction of Aquaflex®, using custom formulated materials and our exclusive high tensile braiding reinforcement technology, delivers superior flexibility and resilience in all weather conditions, ensuring performance levels that exceed those of comparable products in the professional hose market.

Key Features

- UV resistant.
- Highly flexible – ease of handling.
- Abrasion and kink resistance.
- Ultra smooth liner ensuring water flow performance.
- Resistant to repeated pulling, bending, crushing.
- Available in 25m, 50m and 100m coils.
- RoHS 3 compliant.



1. High strength Phthalate free PVC
2. Polyester fiber reinforcement
3. UV resistant PVC cover

F/CODE	DESCRIPTION	INTERNAL DIAMETER	EXTERNAL DIAMETER	WALL THICKNESS	MINIMUM WORKING PRESSURE	MINIMUM BURST PRESSURE	WEIGHT PER METRE	BEND RADIUS
AQFH12A	12.5mm x 25m	12.5mm	17.5mm	2.5mm	16 Bar	48 Bar	0.158kg	100mm
AQFH12B	12.5mm x 50m	12.5mm	17.5mm	2.5mm	16 Bar	48 Bar	0.158kg	100mm
AQFH12C	12.5mm x 100m	12.5mm	17.5mm	2.5mm	16 Bar	48 Bar	0.158kg	100mm
AQFH19A	19mm x 25m	19mm	25.5mm	3.25mm	13 Bar	39 Bar	0.313 kg	120mm
AQFH19B	19mm x 50m	19mm	25.5mm	3.25mm	13 Bar	39 Bar	0.313 kg	120mm
AQFH19C	19mm x 100m	19mm	25.5mm	3.25mm	13 Bar	39 Bar	0.313 kg	120mm
AQFH25A	25mm x 25m	25mm	32.5mm	3.75mm	8 Bar	39 Bar	0.465 kg	200mm
AQFH25B	25mm x 50m	25mm	32.5mm	3.75mm	8 Bar	39 Bar	0.465 kg	200mm
AQFH25C	25mm x 100m	25mm	32.5mm	3.75mm	8 Bar	39 Bar	0.465 kg	200mm

Hosepipe Guide

Sprinkler Hose Pipe Guide Metal



F/CODE

IR687000

Hose Trolleys



Hose Trolley Heavy Duty Professional

Heavy duty professional hose trolley made from coated tubular sections, complete with quick couplings and pneumatic tyres.

F/CODE	CAPACITY
IR520825	80m 1" or 120m ¾"



Hose Trolley Metal Small

Hose trolley made from epoxy coated steel tube, complete with standard ½" hose coupling.

F/CODE	CAPACITY
IR520212	100m ½" or 70m ¾"



Hose Trolley Metal Professional

A well engineered wall mounted tubular steel reel, with a powder coated finish and complete with ½" hose connectors.

F/CODE	CAPACITY
IR52AG2519	100m ¾" Plastic Coated

Wall Mounted Hose Reels



Hose Reel Heavy Duty Wall Mounted Small

A well engineered wall mounted tubular steel reel, with a powder coated finish complete with ½" hose connectors.

F/CODE	CAPACITY
IR521310	50m ½"



Hose Reel Heavy Duty Wall Mounted Swivel

A well engineered wall mounted tubular steel reel, with swivel and locking action complete with ½" hose connectors.

F/CODE	CAPACITY
IR522510	50m ½"

Haemmerlin Four Wheeled Hose Trolley Heavy Duty

Robust all metal 110m Hose Trolley

- Easy to use reel
- Puncture-free wheels
- Braking system
- Designed for nurseries, large gardens and sports grounds
- Ergonomic handles with high density rubber foam
- ¾" brass fittings on inlet and outlet

F/CODE	CAPACITY
HAEM1001	110m ¾"



Overhead Hose Tracking Kit

A simple and effective way to use and store hose pipes in polytunnels and greenhouses.

- Simple to install
- Low cost
- Takes most of the effort out of hand watering
- Free running operation light and easy to use
- High safety factor (no trip hazard)
- Extends the lifespan of your hose
- Zero crop damage from trailing hose pipe

The aluminium hose tracking rail is easily fixed to any polytunnel or glasshouse using the universal brackets provided. These brackets can be fixed to either the central ridge pole or the bracing bars. In the glasshouse they can be attached to the trellis beams.

Each hose cradle has two carriages to give a smooth snag free operation. Sold in 3m lengths. Each 3m length kit contains the correct number of brackets, supports and end stops. Hose not included.

F/CODE	DESCRIPTION
NORTOHTK	Overhead Hose Tracking Kit Per 3m Length



Brass Hose Fittings & Hose Clips

Quick Couplings



Brass Hose End Couplings

F/CODE	HOSE DIAMETER "
IR135012	1/2
IR135019	3/4
IR135025	1
IR135032	1 1/4
IR135040	1 1/2



Male Brass Quick Couplings

F/CODE	HOSE DIAMETER "
IR137012	1/2
IR137019	3/4
IR137025	1
IR137032	1 1/4
IR137040	1 1/2



Female Brass Quick Couplings

F/CODE	HOSE DIAMETER "
IR136012	1/2
IR136019	3/4
IR136025	1
IR136032	1 1/4
IR136040	1 1/2



Blanking Cap

F/CODE	DESCRIPTION
IR138000	CAP



Replacement Rubber Seal

F/CODE	DESCRIPTION
IR139000	SEAL

Quick Coupling 3-Way



F/CODE
IR139505

Brass Hose Fittings



Tail

F/CODE	BSP MALE "	HOSE DIAM "
IR081000	1/4	1/4
IR081001	3/8	3/8
IR081002	1/4	3/8
IR081011	1/2	1/2
IR081012	1/2	3/4
IR081021	3/4	1/2
IR081022	3/4	3/4
IR081023	3/4	1
IR081033	1	1
IR081044	1 1/4	1 1/4
IR081055	1 1/2	1 1/2
OO081066	2	2



Cap & Liner

F/CODE	BSP FEMALE "	HOSE DIAM "
IR083011	1/2	1/2
IR083021	3/4	1/2
IR083022	3/4	3/4
IR083032	1	3/4
IR083033	1	1
IR083044	1 1/4	1 1/4
IR083055	1 1/2	1 1/2
IR083066	2	2
IR083088	3	3



Cap Tail

F/CODE	BSP MALE "	HOSE DIAM "
IR083511	1/2	1/2
IR083522	3/4	3/4
IR083533	1	1
IR083555	1 1/2	1 1/2
IR083566	2	2
IR083588	3	3

Jubilee Clips

F/CODE	DESCRIPTION	SIZE MM
IR230035	Hose Clip No 1	25-35
IR230030	Hose Clip No 1A	22-30
IR230025	Hose Clip No 0X	17-25
IR230020	Hose Clip No 00	13-20
IR230050	Hose Clip No 2A	35-50



Brass Quick Connectors & Valves



Threaded Tap Connector

F/CODE	BSP FEMALE "
IR031012	1/2
IR031119	3/4
IR031225	1



Male Adaptor

F/CODE	BSP MALE "
IR032012	1/2
IR032119	3/4



Male Connector

F/CODE	BSP MALE "
IR033319	3/4



Hose to Bayonet Connector

F/CODE	HOSE DIAMETER "
IR033012	1/2
IR033119	3/4



Hose Connector/Shut Off Valve

F/CODE	HOSE DIAMETER "
IR033512	1/2
IR033619	3/4



Hose to Hose Connector

F/CODE	HOSE DIAMETER "
IR036012	1/2
IR036119	3/4



Hose Coupler

F/CODE	HOSE DIAMETER
IR034012	ALL



Revolving Elbow

F/CODE	HOSE DIAMETER "
IR031319	3/4



Hose Connector/Quick Coupler

F/CODE	HOSE DIAMETER "
IR038612	1/2
IR038719	3/4

Do you need a fitting, but can't identify it?
Let us see if we can source it for you!
Get in touch for more information

Have an unidentified fitting?



Lances, Spray Guns & Nozzles

Designed to offer a soft, aerated flow for watering plants, this invention sparked a revolution in hand watering. New colourful and strong watering tools made by Dramm USA. A full range of watering tools in various sizes, colours and lengths.

DRAMM

- CHOOSE THE RAIN WAND LENGTH REQUIRED OR HANGING BASKET LANCE
- CHOOSE YOUR SHUT OFF VALVE
- DON'T FORGET TO ORDER YOUR 3/4" MALE BRASS FITTING
- AND FINALLY, YOUR CHOICE OF WATER BREAKER

Dramm Lances & Rain Wands™



ColorMark Rain Wand™

Made from professional grade materials with comfortable foam grip handle. For use with all Dramm nozzles and valves.

F/CODE	LENGTH "	COLOUR
DRA16	16	Blue
DRA24	24	Orange
DRA30	30	Berry



Male Brass Quick Fitting

F/CODE
IR137019



Dramm Lance for Hanging Baskets

You can water directly into a hanging basket. Recommended for use with 170 series Water Breaker nozzle.

F/CODE	LENGTH "	COLOUR
DRA48HB	48	Black

Dramm Valves

300 Brass Shut-Off Valve

- Raised handle so that it can clear obstructions
- Fitted with a standard BSP 3/4" female thread that takes a standard 3/4" male brass fitting (not included)

F/CODE
DRAHFSO



OneTouch™ High Flow Valve

- Offers fingertip control of your watering
- Fitted with a standard BSP 3/4" female thread that takes a standard 3/4" male brass fitting (not included)

F/CODE
DRAOTHF



Dramm Nozzles

Fogg-It Nozzle Fine

Designed for misting delicate seedlings or for raising humidity around wilting plants. Three mist jets output one gallon of water per minute and create a conical spray patten from solid brass.

F/CODE
DRAF1



Plastic Fan Nozzle

Medium flow in a rectangular pattern. Perfect for bedding and plug trays.

F/CODE
DRAPFN



Dramm Waterbreaker Nozzles

400 Aluminium Water Breaker® Nozzle Heavy Duty

- Fast, full flow for quick watering
- Gentle shower will not damage or flatten plants or disturb soil
- Hand crafted with heavy duty aluminium
- Used and recommended daily by professional growers worldwide
- Cast aluminium and hand machined with 3/4" brass hose threads

F/CODE
DRA400AL



Dramm 170PL Plastic Water Breaker® Nozzle

- Designed for low or restricted water pressures
- Narrow water pattern for containers and hanging baskets
- 170 holes for gentle watering
- Adjust water flow to 50% of its possible volume
- Made from ABS plastic
- 3/4" hose threads

F/CODE
DRA170PL



Screen-Aire Water Breaker® Nozzle - Blue

- Designed to water nursery containers with a gentle, concentrated aerated flow of water
- A fine-mesh screen and an array of internal components combine air and water to produce a very soft, unrestricted spray
- Use a Dramm In-Line Hose Filter to keep the nozzle from clogging
- 3/4" brass threads

F/CODE
DRABSA



750PL Fine Low Flow Water Breaker® Nozzle - Yellow

- Perfect soft flow watering pattern for tender plants
- This hose end sprayer has over 750 micro-fine holes with slightly reduced flow rate
- Made from durable ABS, stainless construction
- Fits any watering wand and can be used on hose end as a soaker
- Perfect for light watering with a very soft, wider pattern

F/CODE
DRAYN



Dramm Waterbreakers

- The various 1000PL water breakers have different pattern widths
- All have over 1000 micro holes that create an ultra-soft shower which will not disturb the soil or harm tender plants
- Made from ABS plastic and stainless steel
- It is recommended to use a Dramm in-line hose filter to prevent clogging



The Red Head 1000PL Ultra-Soft Flow Water Breaker

Medium spray pattern, ideal for young plants and seedlings.

F/CODE

DRARN



The Green 1000PL-N Ultra Soft Flow Water Breaker

Narrow pattern ideal for plugs and focused watering where more control is required.

F/CODE

DRAGN



The Orange 1000PL-W

Wider pattern than the standard Red head. Covers more area with a soft, gentle flow.

F/CODE

DRAON

Dramm Adaptors

To connect non Dramm nozzles or lances to Dramm products please use one of the 3/4" adaptors. If you use a Dramm Water Breaker with a non Dramm lance you will need adaptor DRAADUM.



Metric Female x US Male Adaptor

To connect Metric to US thread.

F/CODE

DRAADUM



Metric Male x US Female Adaptor

To connect Metric to US thread.

F/CODE

DRAADMU

Dramm Filters

175 Micron In-Line Hose Filter - Metric Threads

- Use with any Dramm hose nozzle
- Recommended for the 1000PL Water Breaker and the 350AL Screen Aire
- A stainless steel 175 micron (80 mesh) screen filters out unwanted dirt and debris

F/CODE

DRAIF



Lances



Metal 'Soft Rain' Lances

Complete with metal valve and rose. 19mm aluminium lance. Outlet threaded 3/4" male.

F/CODE	LENGTH
IR152004	40cm (16")
IR152000	60cm (24")
IR152009	90cm (36")
IR152012	120cm (48")



Plastic Soft Rain Lance

19mm aluminium lance 60cm long outlet - threaded 3/4" male. Comes complete with plastic valve and rose giving an output of 47 lt/min at 6 bar.


F/CODE	LENGTH CM
IR152500	60



GEKA Lance Telescopic

19mm aluminium lance, outlet threaded 3/4" male, extendable from 1.6m to 2.8m giving an output of 51 lt/min at 6 bar.

F/CODE	HEAD ANGLE °
IR156500	135
IR156000	35



Spray Guns

Metal Spray Gun

F/CODE	IR039476
--------	----------



Aluminium Pistol

With adjustable nozzle and trigger control.

F/CODE	IR039470
--------	----------



Metal 6 Function Spray Gun

With rubber grip.

F/CODE	IR039486
--------	----------



Industrial Spray Pistol

Rubber coated, adjustable spray. Max temp: 50°C, Max pressure: 24 bar, Inlet: 1/2" female BSP.

F/CODE	IR154200
--------	----------



Easy ways to order



Online Purchase

Order online at fargro.co.uk



Customer Services

Call the team on 01903 726 100



Area Sales Manager

Order via your Area Sales Manager



Click & Collect

Opening hours 9.00am – 5.00pm



By Appointment To Her Majesty The Queen Horticultural Sundriesmen



Metal Ball Valve

For connecting roses and nozzles to spray lances.

F/CODE	DESCRIPTION
IR152150	Male Thread 3/4"/Female Thread 3/4"



Male Nipple



Male Thread

Hexagon Adaptor

For connecting roses and nozzles to spray lances.

F/CODE	DESCRIPTION
IR15M3M3	Male Nipple Metal 3/4"
IR15M3M1	Male Thread 3/4"/Male Thread M11
IR152120	Lance Filter/Gauze

Roses for Connection to GEKA Lance



	Small Alloy Rose	Large Alloy Rose	Large Plastic Rose	Soft Rain Rose	Brass Shower Rose*	Fan Spray Head
F/CODE	IR150005F	Standard: IR150007F Coarse: IR150006F	IR150009F	SPR7922	IR150018F	IR150055M IR150056M
REF	15-00-05F	Standard: 15-00-07F 1mm Coarse: 15-00-06F	15-00-09F	7922	15-00-18F	2mm Nozzle: 15-00-55M 3mm Nozzle: 15-00-56M
CONNECTION	3/4" Female	3/4" Female	3/4" Female	3/4" Female	N/A	3/4" Male
LANCE END THREADED 3/4" MALE	Straight Connection	Straight Connection	Straight Connection	Straight Connection	Straight Connection	Not Suitable for Connection
LANCE END THREADED 3/4" FEMALE	Connection with Nipple 15-M3-M3	Connection with Nipple 15-M3-M3	Connection with Nipple 15-M3-M3	Connection with Nipple 15-M3-M3	Connection with Nipple 15-M3-M3	Straight Connection
LANCE END THREADED M11 FEMALE	Connection with Nipple 15-M3-M1	Connection with Nipple 15-M3-M1	Connection with Nipple 15-M3-M1	Not Suitable for Connection	Not Suitable for Connection	Not Suitable for Connection

*Spare Bumper for Brass Shower Rose

F/CODE	IR150019
--------	----------

Watering Cans



Haws Watering Can

F/CODE	DESCRIPTION	VOL LT	UNIT
WCG	Plastic (Green)	7	Each

Note: Colours may vary.



Haws Watering Can

F/CODE	DESCRIPTION	VOL LT	UNIT
WAG	Galvanised (Green)	8.8	Each

Note: Colours may vary.



Economy Watering Can Green

F/CODE	DESCRIPTION	VOL LT	UNIT
GREWC10GR	Green	10	Each



Economy Watering Can Blue

F/CODE	DESCRIPTION	VOL LT	UNIT
GREWC10BL	Blue	10	Each



Galvanised Metal Watering Can Oval

F/CODE	VOL LT	UNIT
NMNAT419	5	Each

Pond Pumps

Pond pumps for aeration and water circulation available

Get in touch for more information

Algacides and Dyes Available

Sprinkler, Stands & Bases

Metal Sled Base

Made from coated steel complete with a riser.
Supplied complete with a quick coupling to connect to any Geka type fitting (68-25-15 comes with a T-connection).

F/CODE	RISER BORE "	RISER HEIGHT CM
IR682510	¾	30
IR682505	½	30
IR682515	Tee Geka ¾	30



Standard Sprinkler Kit

Includes: Sled base, 1/2" riser, bush and socket 3/4" M, quick coupling and PTFE Tape complete with 1/2" M Zamak Sprinkler

F/CODE	BSP MALE "
IR68KIT01	½



Field Stands

Includes:

- N°1 - 8mm Hose | ½" M Top
- N°2 - 12mm Hose | ½" F Top




Standpipes

These standpipes are made from galvanised steel. 1m high riser, in a 1" tee with two quick couplings. Comes complete with a galvanised ground spike and stabilising plate.



Freestanding

The freestander comes with a cross base allowing the stand pipe to be used on hard surfaces.



F/CODE	RISER BORE "	RISER HEIGHT M
IR680050	½ M	1
IR683052	½ F	1
IR683055	Plug for N°2 Stand	

F/CODE	RISER BORE "	RISER HEIGHT M
IR682019	Tee ¾	1
IR682012	Tee ½	1

F/CODE	RISER BORE "	RISER HEIGHT M
IR682119	¾	1
IR682112	½	1

Freestanding Base

Freestanding base only.
For use with risers.



F/CODE	TEE SIZE "	RISER HEIGHT M
IR6821B12	Tee ½	1
IR6821B19	Tee ¾	1

Risers

Galvanised tube threaded both ends for use with freestanding base or to extend height of standpipes.



F/CODE	RISER BORE "	RISER HEIGHT M
IR682212	½	0.5
IR682312	½	1
IR682219	¾	0.5
IR682319	¾	1

Tripod

Made of galvanised steel.



F/CODE	RISER BORE "
IR684019	¾ M
IR684025	1 M

Sprinkler Heads

Rotoframe

Unique lower pressure sprinkler featuring butterfly type rotating spinner and rotary frame which provides even water distribution.

F/CODE	BSP FEMALE "	NOZZLE SIZE MM
IR590010	1/2	4.5
IR590011	3/4	4.5

NOZZLE MM	PRESSURE IN BAR	OUTPUT M3/HR	DIAM OF COVERAGE
4.5	1.0	0.66	8.1
	2.0	0.95	15.9



Part Circle Plastic Sprinkler

F/CODE	BSP MALE "	NOZZLE SIZE MM
IR60042728	1/2	2.8
IR60042740	1/2	4.0

NOZZLE MM	PRESSURE IN BAR	OUTPUT M3/HR	DIAM OF COVERAGE
2.8	2.0	0.45	22
4.0	2.0	0.85	24



Part Circle Metal Sprinkler

F/CODE	BSP MALE "	NOZZLE SIZE MM
IR60042340	1/2	4

NOZZLE MM	PRESSURE IN BAR	OUTPUT M3/HR	DIAM OF COVERAGE
4.0	2.0	0.85	25



Large Part Circle Metal Sprinkler

F/CODE	BSP FEMALE "	NOZZLE SIZE MM
IR623300	3/4	4 x 2.4

NOZZLE MM	PRESSURE IN BAR	OUTPUT M3/HR	DIAM OF COVERAGE
4 x 2.4	2.0	1.20	28



Injectors & Dilutors

Dosatron Proportional Injectors

The Dosatron will accurately dose liquid additives proportionately into water without electric power and offers many benefits including:

- Consistent and accurate proportional dosing of liquid additives, irrespective of fluctuations in water pressure
- The Dosatron requires no electric power, since it is driven by water flow
- Dose rates from 0.03% (1 part additive to 3,000 parts water) to 25% (1 part additive to 4 parts water)
- Mixed solution on demand
- Reduced need to directly handle potentially aggressive products. Controlled consumption of additives



F/CODE	DESCRIPTION	FLOW RATE L/HR	DOSE RANGE %	OPERATING PRESSURE BAR	CONNECTIONS
DOSGLUO	Dosatron Greenline D3GL-2 Unit	10 - 3000	0.15 - 1.25	0.3 - 6.0	3/4" Male BSP
DOSGLPP	Dosatron Greenline D3GL-2 Portable Package	Includes trolley and 25lt Barrel			
DOSD20GL	Dosatron D20GL Green Line Complete	1000 - 20,000	0.2 - 2.0	0.12 - 10.0	2" Male BSP/63mm
DOSD45RE15	Dosatron D45RE 1.5 Unit - Blue	100 - 4500	0.2 - 1.5	0.5 - 5.0	1 1/4" Male BSP

Access Dilutors

Dilutors are designed to add fertiliser to irrigation systems and hand held watering hoses. They are very simple to operate, very reliable and are inexpensive. Concentrated fertiliser is placed in the dilutor bottle. The metering head mixes the liquid feed into the passing water flow. The amount of fertiliser added is proportional to the flow rate of the water. Very little pressure is lost during operation.

A full range of spares are available

Static Dilutor

Designed to add liquid fertiliser to hand-held lances or irrigation systems. Concentrated liquid feed is placed in the bottle. The appropriate metering nozzle is selected and the dilutor is connected to the water supply as usual. The dilutor must not be moved once feeding commences and all the feed must be used up within 8 hours.

Available in two options:

Static Dilutor Low Flow


F/CODE	MAX PRESSURE BAR	CAPACITY L	FLOW RATE L/H	JETS SUPPLIED
ACCADS	3	9	300 - 2300	10:1, 25:1, 50:1, 100:1



Mobile Dilutor

Designed to add liquid fertiliser to hand-held lances or irrigation systems. Can be moved around the nursery during feeding. Stores the fertiliser inside an inner bag so for small tasks the unit need only be part filled, it can be moved from tap to tap and the fertiliser can be left in the bottle overnight. Do not use with a trigger lance.

F/CODE	MAX PRESSURE BAR	CAPACITY L	FLOW RATE L/H	JETS SUPPLIED
ACCADMP	3	6.5	300 - 3400	100:1, 150:1, 200:1



Water Meters

Arad Meters



Plastic Cold Water Meter

F/CODE	SIZE "	FLOW RATE M ³ /HR	
		MAX	NOM
IR360012P	½	2	1.6



Standard Cold Water Meter

F/CODE	SIZE "	FLOW RATE M ³ /HR	
		MAX	NOM
IR360019	¾	5	2.5
IR360025	1	7	3.5
IR360032	1¼	12	6
IR360040	1½	20	10
IR360050	2	30	15

Water Meter with Electrical Output

F/CODE	SIZE "	FLOW RATE M ³ /HR	
		MAX	NOM
IR361019	¾	5	2.5
IR361025	1	10	5
IR361032	1¼	12	6
IR361040	1½	20	10
IR361050	2	30	15

Pumps

Lowara guarantees high quality, reliability, cost effective pumping systems, maximising efficiency in order to satisfy customer's needs best.

Lowara pumps are manufactured in AISI 304 and AISI 316 fabricated stainless steel, that covers many applications from water to some chemical compositions. This innovation confirms Lowara to be utilising top class material to achieve excellence and guaranteed performances.



Don't guess what pump you need...
Ask the Fargro Pump Specialist to determine what pressure and flow are required to meet your specific requirements.

Let us help



Water Storage Tanks & Tank Liners

The tanks are manufactured to BS EN1090, with steel conforming to EN10204/ DIN 50049/ISO 404. Galvanised thickness is 450 g/m² on roofs (600 g/m² on roofs) to EN10346/EN ISO 1461. The tanks are supplied with CE marking and a declaration of performance, certified by SGS certificate number GB19/964022. Our factor of safety is 35%.

Advantages

- Very strong
- Easy and quick to install - photographic instruction manual
- Cost effective solution to storing large quantities of water
- Many sizes available - from 9m³ to 2000m³



Steel Water Storage Tanks

Sizes available - popular water storage tank sizes are listed (other sizes are available):

F/CODE	DIAMETER M	HEIGHT M	CAPACITY	
			L	GAL
TKNL93	2.76 (9')	2.28 (7.6')	13,500	3,000
TKNL10044	3.69 (12')	2.28 (7.6')	24,000	5,280
TKNL10045	3.69 (12')	3.04 (10')	32,000	7,000
TKNL10047	4.61 (15')	2.28 (7.6')	37,500	8,250
TKNL10048	4.61 (15')	3.04 (10')	50,000	11,000
TKNL10050	5.53 (18')	2.28 (7.6')	54,000	11,800
TKNL10051	5.53 (18')	3.04 (10')	72,000	15,800
TKNL10053	6.45 (21')	2.28 (7.6')	73,500	16,180
TKNL10056	7.37 (24')	2.28 (7.6')	96,000	21,130
TKNL10062	9.21 (30')	2.28 (7.6')	150,000	33,000
TKNL10063	9.21 (30')	3.04 (10')	200,000	44,040
TKNL10067	11.06 (36')	2.28 (7.6')	216,000	47,560
TKNL10068	11.06 (36')	3.04 (10')	288,000	63,400

Tank Liners EPDM

Greenseal EPDM irrigation tank lining material. Available in 0.75mm or 1.00mm.

A flexible robust material with excellent cut through, abrasion and UV resistance.

Available to fit all tank sizes above. Please quote tank size when ordering liner.

COLOUR	Matt Black
ABRASION RESISTANCE	Excellent
CHEMICAL RESISTANCE	Good
CUT THROUGH RESISTANCE	Excellent
FLEXIBLE	Very Flexible
TEMPERATURE RESISTANCE	Very Good
UV RESISTANCE	Excellent
REPAIR	With Glue & Patch



Replacement liners

For replacement of liners ask for our specialist to call to help ensure you get the correct liner dimensions
Call: 01903 726 100 or email: orders@fargro.co.uk

Steel Tank Outlet

Male BSP threads includes 3 metal plates and 2 rubber gaskets.



F/CODE	SIZE "
IR730020	2
IR730030	3
IR730040	4

Brass Float Valve with Plastic Float

Float valve with stainless steel seat, adjustable lever, and plastic float.



F/CODE	SIZE "
IR735012	1/2
IR735019	3/4
IR735025	1

Tank Brackets

Float valve with stainless steel seat, adjustable lever, and plastic float.



F/CODE	SIZE
IR735010	Tank Bracket for 1/2" to 1"
IR735011	Tank Bracket for 1 1/4" to 1 1/2"

*Brass Bodied Gate Valve



F/CODE	SIZE " FEMALE
IR280050	2
IR280075	3
IR280099	4

*Other sizes on request

Tank Strainer

Threads onto tank take-off inside of tank to prevent debris entering the pump.



Thread: Nylon

Strainer: Stainless steel

F/CODE	BSP " MALE
IR272009	3/8
IR272012	1/2
IR272019	3/4
IR272025	1
IR272032	1 1/4
IR272040	1 1/2
IR272050	2
IR272064	2 1/2
IR272075	3
IR272099	4

Enduramxx Tanks

To include tank; 2" outlet male thread; 620mm tank lid and rim-vented; 10 year warranty, 100% rust proof.

F/CODE	BSP MALE
END2500VNP	Non Potable Vertical Water Tank 2,500lt - Black
END3000VNP	Non Potable Vertical Water Tank 3,000lt - Black
END3500VNP	Non Potable Vertical Water Tank 3,500lt - Black
END4000VNP	Non Potable Vertical Water Tank 4,000lt - Black



Rain Water Harvesting Systems

Benefits of rainwater harvesting

- Free water
- Rain water is very good for plants
- Offers a buffer storage supply

We can calculate the rainwater yield from the roof of your glasshouse/polytunnel structure.

For example structure length 50m x width 20m = surface area 1000m².
1000m² x 0.025m (1") = 2500lt collectable water per 1" of rainfall.

Call Fargo to discuss the best tank options to suit your site.



Benefits of rainwater harvesting

Tank Covers

Galvanised Steel Tank Cover

Galvanised steel tank cover specifically designed for designed for RNT tanks. The cover is available in all tank sizes up to 13.82m (45') and is supplied complete with a lockable access hatch and a ball valve bracket. The cover prevents the growth of algae, stops evaporation and acts as a barrier to rainwater and wind borne debris. Designed to withstand UK wind and snow loadings this cover is extremely strong and looks aesthetically very pleasing.

- Very strong
- Very secure - access hatches are bolted down
- Easy to install - instruction manual provided
- Prevents algae growth and wind borne debris entering the water



Anti-algae Tank Cover

The woven polypropylene anti algae cover is designed to cover and overlap the top edge of the tank. The woven polypropylene material offers excellent UV protection preventing algae growth, prevents wind borne debris entering the water and allows rainwater to permeate through. The ball valve flap allows access for the supply as well as access for sampling the water.

- Very strong and tailored to fit most galvanised steel tanks
- Easy to install
- Prevents algae growth and wind borne debris entering the water



Reinforced PVC Tank Cover


The PVC cover is designed to cover and overlap the top edge of the tank. The heavy duty reinforced PVC material prevents algae growth and wind borne debris or rainwater entering the water.

- Very strong
- Easy to install
- Prevents algae growth and wind borne debris entering the water



Delafloat

The perfect cover for water storage tanks. To limit the growth of algae, waves, heating, contamination and evaporation. Fargo offers floating Delafloat covers that are placed on the water. This tarpaulin is characterised by its own floating capacity and has good 'adhesion' to the water surface thanks to its bubble structure. The white (reflective) upper layer optimally limits heating of the uppermost water layer. Each cover has 6 holes to discharge rainwater.



Characteristics

- Made from 2-ply PE black/white bubble film
- Non-water-permeable material
- Very high UV resistance
- Floating cover with bubbles on the water side

Covers are made to measure.

Pond Liners

We produce high quality koi pond and lake liners, box-welded feature pond liners and water tank liners using SealEco (formerly Varnamo/Trelleborg) Swedish Butyl and EPDM Rubber (Greeeal), all sizes up to 40m x 45m (1800m²) fabricated at our Wyboston facility here in the UK. Gordon Low Products are an authorised SealEco manufacturing partner so you are covered by the manufacturers 20 year material quality guarantee.



SealEco Greeeal Liner EPDM

SealEco EPDM (Greeeal) is a rubber pond liner of exceptional quality. This pond liner material has the same physical characteristics as Butyl with a cost saving of some 30%. SealEco EPDM pond liner has been used extensively by landscapers and civil engineers for ponds, lakes, canals and reservoirs; EPDM also offers good pond liner flexibility for the more intricate pond design and is the perfect alternative pond liner to Butyl rubber.

Our largest pond liner sheet size in one piece is 1800m². Available in 0.75mm and 1.0mm thickness.



Firestone PondGard™ - 1mm EPDM Rubber

Firestone PondGard™ EPDM pond liner offers dependable liner performance for many applications including garden pond, landscape products, water containment and irrigation canals.

Firestone PondGard™ pond liner is available on the roll and as any pre-cut size up to 15.25 x 30.5m, all of which are available on a next day service.



Gordon Low PVC Pond Liner

This economical high quality PVC pond liner is suitable for lining small to medium ponds, having excellent flexibility and high puncture resistance. All PVC pond liner rolls come with an integral tape measure and are individually wrapped for outside storage; they are suitable for our complete range of dispensing roll stands.

We have a range of pre-packed sheets from 2 x 2m up to 8 x 10m all attractively packed for shop display. Larger sheets made to order.



Geotextile Pond Underlay

The high quality pond liner underlay materials we supply are all sourced from leading European manufacturers and are superior non-woven, mechanically bonded, needle-punched, polypropylene geotextiles. Our geotextile underlays offer exceptionally high performance and provide a highly effective protective barrier between substrate and pond liner.

We recommend that our Heavy Duty Underlay (250/260gsm) is used beneath all our pond liners, not only to help protect the pond liner from penetration by sharp stones, roots, etc, but also to reduce excessive localised stretching of the liner when ground settlement occurs over time. For the smaller garden pond or where preferential ground conditions are prevalent we also supply a pond grade underlay (150/180gsm).

Tools



- Pruners & Secateurs
- Pruning Saws
- Hand Tools
- Spades & Edging Tools
- Loppers & Shears
- Forks
- Hoes & Cultivators
- Rakes
- Brooms
- Equipment Storage

Secateurs

Reliable: Comfortable, light, sturdy handles made of forged aluminium / blade and riveted anvil blade made of high-quality hardened steel / clean, precise cut / all parts can be replaced.

Efficient: Easy, durable cutting adjustment / wire cutting notch / sap groove.

Ergonomic: Hand protection is provided by the cushion-shock absorber / non-slip coating.

Felco Secateurs No.2 Standard

F/CODE	ITEM	LENGTH CM
SEC2	Secateurs No.2	21.5
SECB2	Replacement Blade 2/3	-
SECS	Replacement Volute Spring 2/91 2 Pack	-



Felco Secateurs No.4 Standard

F/CODE	ITEM	LENGTH CM
SEC4	Secateurs No.4	21
SECB2	Replacement Blade 2/3	-
SECS	Replacement Volute Spring 2/91 2 Pack	-



Felco Secateurs No.5 Standard

F/CODE	ITEM	LENGTH CM
SEC5	Secateurs No.5	22.5
SECB5	Replacement Blade 5/3	-



Felco Secateurs No.6 Ergonomic

F/CODE	ITEM	LENGTH CM
SEC6	Secateurs No.6	19.5
SEC6F	Replacement Blade 6/3	-



Felco Secateurs No.7 Ergonomic Professional

F/CODE	ITEM	LENGTH CM
SEC7	Secateurs No.7	21
SECB7	Replacement Blade 7/3	-
SECS	Replacement Volute Spring 2/91 2 Pack	-



Felco Secateurs No.8 Ergonomic

F/CODE	ITEM	LENGTH CM
SEC8	Secateurs No.8	21
SECB7	Replacement Blade 7/3	-
SECS	Replacement Volute Spring 2/91 2pack	-



25mm/1"

Felco Secateurs No.9 Ergonomic Left Handed

The same as Felco Secateurs No.8, but for left handed people.

F/CODE	ITEM	LENGTH CM
SEC9	Secateurs No.9 Left Handed	21
SECB9	Replacement Blade 9/3	-
SECS	Replacement Volute Spring 2/91 2 Pack	-



25mm/1"

Felco Secateurs No.10 Ergonomic Left Handed

The same as Felco Secateurs No.7, but for left handed people.

F/CODE	ITEM	LENGTH CM
SEC10	Secateurs No.10 Left Handed	21
SECB9	Replacement Blade 7/3	-
SECS	Replacement Volute Spring 2/91 2 Pack	-



25mm/1"

Felco Secateurs No.11 Standard

F/CODE	ITEM	LENGTH CM
SEC11	Secateurs No.11	21
SECB2	Replacement Blade 2/3	-
SECS	Replacement Volute Spring 2/91 2 Pack	-



25mm/1"

Felco Secateurs No.12 Ergonomic Compact Deluxe

Compact secateurs, ideal for intensive pruning.

F/CODE	ITEM	LENGTH CM
SEC12	Secateurs No.12	20
SEC6F	Replacement Blade 6/3	-
SECS	Replacement Volute Spring 2/91 2 Pack	-



20mm/0.8"

Felco Secateurs No.13 Ergonomic Multi Purpose

F/CODE	ITEM	LENGTH CM
SEC13	Secateurs No.13	21
SECB13	Replacement Blade 13/3	-
SECS513	Replacement Spring 5/91 2 Pack	-



30mm/1.2"

Felco Secateurs No.100 Standard Cut & Hold

F/CODE	ITEM	LENGTH CM
SEC100	Secateurs No.100	21
SECS	Replacement Volute Spring 2/91 2 Pack	-



10mm/0.4"

Felco Secateurs No.160L Essential Large

F/CODE	ITEM	LENGTH CM
SECE	Secateurs No.160L	22
SECB5	Replacement Blade 5/3	-



25mm/12"

Felco Secateurs No.160S Essential Small

F/CODE	ITEM	LENGTH CM
SECES	Secateurs No.160S	20



20mm/0.8"

Felco Secateurs F300 Essential Picking/Trimming Snips

F/CODE	ITEM	LENGTH CM
SEC300	Secateurs F300	19



10mm/0.4"

Felco Cutter C7 One Handed Cable

F/CODE	ITEM	LENGTH CM
SECC7	Cutter C7	19



We supply a full range of spares and accessories for the Felco range

Range of Felco tools



Felco Holster No.912 Leather Cone

Genuine leather holster with belt clip (65g 150mm). Heavy-duty grain leather with waxed thread and extra riveting for long lasting use. Can be used on belt or pocket with clip. Holds any Felco pruner except the F13. Can also hold the F600 pruning saw, any one-hand Felco wire cutter or the F-CP all-purpose cutter.

F/CODE	LENGTH CM
SECCH	15



Felco Holster No.910 Leather

Genuine leather holster with belt loop and clip (110g 235mm). Extremely well-made, with heavy-duty grain leather, waxed thread and extra riveting for long lasting use. For belt or pocket, high-tension metal clip on back. Holds any Felco pruner, Felco one-hand wire cutters, the F-CP cutter or the F600 pruning saw.

F/CODE	LENGTH CM
SECH	23.5



Felco Sharpener 903 Diamond Coated

Multi-function sharpener made of diamond-coated hardened steel, essential for the sharpening, strengthening and honing of blade cutting edges to a professional standard. For pruning shears and cable cutters.

F/CODE	LENGTH CM
SEC903	10



Felco Sharpener 902 Ceramic Stone

Sharpening tool with a medium and fine grained high purity corundum sharpening stone. Easy to use, keeps its shape and is ideal for the sharpening of pruning shears and cable cutters.

F/CODE	LENGTH CM
SECSS	10



Felco Repair Kit 2/90

For Felco 2 models, contains centre bolt (2-8) and nut (2-9), locking segment (2-16) and screw for locking segment (2-17).

F/CODE
SEC290



Felco Repair Kit 6/90

Bolt and nut set for Felco models F6, F11, F12, F16, F17, F100 (6-90).

F/CODE
SEC690



Felco Repair Kit 7/90

Bolt and nut set for F7, F8, F9, F10, F13, F50, F51 (7-90).

F/CODE
SEC790



Felco Cleaning Lubricant Spray 56ml

Maintenance spray 56ml (1.89 fl. oz.)

- Cleans, lubricates and protects against rust
- Prevents all traces of sap and dust
- For pruning shears and cable cutters
- VOC free

F/CODE
SEC980



Felco Maintenance Grease 100gm

- Synthetic, biodegradable lithium/calcium based grease
- Lubricates and reduces wear
- Water resistant
- For pruning shears and cable cutters
- VOC free

F/CODE
SEC990

Pruners



ARS Fruit Pruner 300L

Picking and trimming snips with a blade/anvil for a clean cut. A lightweight, yet strong flower and herb-gathering shear. Strong plastic handles, sharp Felco quality blade.



F/CODE	ITEM	LENGTH CM
SEC300L	Fruit Pruner 300L	19

Secateurs



Bulldog Premier Pruning Secateurs Ratchet

- The ratchet system provides extra power when cutting through thicker branches
- Hardened Japanese steel blades
- Soft grip handles

F/CODE
BUL313



Bulldog Premier Pruning Secateurs Bypass

- Designed for pruning live wood giving a clean precise cut
- Incorporates a locking system at the end of the handles
- Japanese stainless steel blade

F/CODE
BUL3152



Pruning Saws



Felco Saw F621 Small

Pull-stroke pruning saw.

- Rust resistant chromed blade made of steel
- Impulse heat treatment of the teeth
- Clean, precise cut
- Parts can be replaced
- Conical blade shape for an easy, non-clogging cut
- The set and shape of the teeth prevents sap build-up
- Maintenance-free
- Comfortable non-slip handle
- Sheath for right or left-handers with detachable belt loop



F/CODE	ITEM	BLADE LENGTH CM
SEC621	Saw F621 Small	24
SEC621B	Replacement Blade 621/3	24

Felco Folding Saw F600

Folding pull-stroke pruning saw with blade.

- Rust resistant chromed blade made of steel
- Impulse heat treatment of the teeth
- Clean, precise cut
- Parts can be replaced
- Conical blade shape that cuts without clogging
- The set and shape of the teeth prevents sap build-up
- Maintenance-free
- Comfortable non-slip handle



F/CODE	ITEM	BLADE LENGTH CM
SAWFO	Folding Saw F600	16
SAWFB	Replacement Blade 600/3	16

Hand Tools



Bulldog Premier Hand Fork

- For working the top of the flower bed, easily removes perennial weeds by the root
- Shaped wooden handle
- Head size 126 x 185mm

F/CODE

BUL104168



Bulldog Premier Hand Trowel

- Tanged trowel ideal for planting out bulbs and seedlings and digging out weeds with minimal disturbance
- Shaped wooden handle
- Head size 150 x 126mm

F/CODE

BUL103168



Bulldog Premier Transplanting Trowel

- The right shape to plant bulbs and seedlings with the minimum of effort
- Shaped wooden handle
- Head size 150 x 50mm

F/CODE

BUL1032

Spades & Edging Tools



Bulldog Premier Border Spade

- Solid forged
- The narrow blade makes this the perfect alternative to the heavier garden spade
- The rounded blade cuts easily through hard soil
- Ash YD handle

F/CODE

BUL560928

SIZE "

28



Bulldog Premier Digging Spade

- Solid forged
- Designed for digging in unprepared ground
- Treads are welded onto the top edge of the spade, protecting the shoes and avoiding slipping in damp conditions
- Ash YD handle

F/CODE

BUL561028

SIZE "

28

BUL561032

32



Bulldog Premier Lawn Edging Knife 32"

- Half moon edging tool with unique solid forged blade and ash handle with grip
- Stronger than conventional edgers
- Treaded model stops slippage in wet and muddy conditions
- Ash YD handle

F/CODE

BUL568032



Battery powered pruning solutions designed for power and reliability.

- Steel blades ensure highly accurate cutting precision.
- Lightweight and compact, featuring ergonomic non-slip handles.

DRAPER Tools

Hand tools designed to give many years of service.

- Comes with a lifetime warranty.
- Timber sourced from sustainable and responsibly managed forests.

Maintain your space with the convenience of cordless petrol power tools.

- High-quality tools that prioritise performance and safety.

Further ranges

For more information on our hand and power tools range and to place an order, please contact your Area Sales Manager.



Loppers & Shears



Felco Loppers No.22

Two-hand pruning shear/lopper

- Sturdy handles made of forged aluminium with a lifetime guarantee
- Blade and screw-mounted anvil blade made of high-quality hardened steel
- Clean, precise cut
- All parts can be replaced
- Easy, durable cutting adjustment /wide blade opening
- Shock absorbers protect wrists and arms
- Handles with non-slip plastic coating



F/CODE

SEC22



Bulldog Premier Hedge Shears Wavy Blade

- Tension adjuster
- Soft grip handles
- The wavy blades help to hold the stems in place making it easier to cut



F/CODE

BUL2032T



Bulldog Premier Lawn Shears 38"

- Flat blades for cutting around trees and beds
- Long soft grip handles
- Handles length 900mm
- Tension adjuster



F/CODE

BUL7117



Bulldog Premier Lopping Shears Compound Bypass 38mm

- Lightweight
- Soft grip handles



F/CODE

BUL1113Y2



Bulldog Premier Lopping Shears Compound Anvil 38mm

- Heat treated
- Tubular steel handles
- Soft grip



F/CODE

BUL1101RW



Bulldog Premier Edging Shears 38"

- Right angled for cutting the edges of beds
- Long soft grip handles
- Handles length 900mm
- Tension adjuster



F/CODE

BUL7116

Forks



Bulldog Premier Border Fork

- Partner models to the Border Spade
- Ideal for working in confined spaces such as borders, digging out weeds, lifting plants and forking in manure
- A lightweight alternative to the classic digging fork
- Ash YD handle

F/CODE

BUL571528

SIZE "

28

BUL571532

32



Bulldog Premier Digging Fork

- The ideal tool for aerating and turning soil, digging compacted soil, breaking down lumps and levelling ground
- Diamond shaped prongs for ease of penetration
- Ash YD handle
- 4 prong
- Head size 11.5 x 7.5" (290 x 190mm)

F/CODE

BUL570428

SIZE "

28

BUL570432

32



Hoes & Cultivators



Bulldog Premier Draw Hoe 54"

A broad downward facing blade is set at right angle to the shaft. Used with a slicing action, it is most effective in hard ground when working close to plants.

- Straight ash handle.



F/CODE

BUL1217N



Bulldog Premier Dutch Hoe 54"

Plain handle, angled blade and front cutting edge. Long handle to reach back of borders.

- A traditional style hoe with a slightly angled blade and front cutting edge
- Keeps weeds down between seedlings, established plants and shrubs
- Straight ash handle



F/CODE

BUL32325N

Rakes



Chelwood Landscaper Rake Aluminium 18A

Landscaping rake, 18 teeth, tooth gap 3cm.

F/CODE

CHEL18A



Chelwood Landscaper Rake Steel 18E

High tensile steel rake complete with back edge for grading and levelling, 18 teeth, tooth gap 4cm.

F/CODE

CHEL18E



Bulldog Premier Garden Rake 60"

Traditional style straight ash handle garden rake. 12 teeth. The teeth are sharpened so the head glides effortlessly along without dragging or snagging.

F/CODE

BUL1121N



Bulldog Premier Wizard Lawn Rake 54"

- Specially designed rubber fingers cause no surface damage to sensitive areas
- Ideal for use on bowling greens and lawns
- Works well on patios, paths and driveways as it does not scratch the surface
- 33 teeth (Replacement teeth available)

F/CODE

ITEM

BUL9149N Premier Wizard Lawn Rake 54"



Bulldog Premier Springbok Lawn Rake 48"

Made with 20 oil quenched high tensile steel tines for strength and flexibility. Each tine is made from one continuous piece of wire, riveted in place with no joints or crimps.

F/CODE

BUL9128N



Bulldog Premier Leaf Rake Plastic 48"


Ideal for raking leaves and debris from the lawn without causing damage to uneven surfaces.

- 23 plastic tines

F/CODE

BULB9155

Brooms



Broom Complete Natural Coco Soft

295mm sweeping broom filled with natural coco. Complete with fitted 1.2m handle.

F/CODE

BRO11



Platform Broom Natural Coco

600mm platform broom head filled with natural coco. Complete with 1200mm stayed handle.

F/CODE

BRO24



Broom Complete Bassine Stiff

295mm sweeping broom filled with stiff bassine. Complete with fitted 1.2m handle.

F/CODE

BRO11H



Pathway Broom Bassine Stiff

600mm pathway broom head filled with bassine. Complete with 1200mm stayed handle.

F/CODE

BRO24H

Equipment Storage



Armorgard Tuffbank Van Storage Box TB1

- Designed to secure tools and equipment on the move
- Robust 5-lever deadlocks
- Unique external and internal anti-jemmy system
- Robust construction using 2mm and 3mm steel
- Hydraulic gas arms to assist with the lid opening
- Autolatch lid stay to secure the lid in the open position
- Fire resistant
- Internal dimensions: 89.5 x 47.0 x 46.5cm
- Eight sizes available



TB1



TBC4

Strimmersafe Vault™

Ultra-tough secure vault for strimmers and long handled tools

3 sizes available



SSV6

Strimmersafe Rack™

Unique upright storage system for strimmers to maximise storage space



SSR

Forma-Stor™

A quick-assembly, flat pack, modular solution for secure on-site storage.

4 sizes available



FR100-T

Turf & Lawn Care



- Turf Solutions
- Turf Dressing/Loams
- Spreaders
- Turf Fertilisers
- Turf Pigments

Turf Solutions

Fargro launches its new roofing kits and sedum matting range that is designed to provide maximum coverage with limited maintenance requirements. Our systems are designed for easy installation and to provide low growing foliage designed for minimal maintenance requirements.

They have been designed to provide an attractive colour mix and various textures through the season and will brighten up any space whilst being an ideal solution to assist you in gaining the new government led biodiversity net gain credentials.

Key Features

- Contains plant species that support pollinating insects
- A mixture of mature plants - more reliable than seeding and less time-consuming than plug planting.
- Biodiverse, providing a valuable source of nectar and food for many species of insects and birds.
- Contains perennial species that are frost hardy down to -20°C
- Environmentally friendly requiring no pesticides
- Drought tolerant and very low maintenance



Sedum Mat HS150

- Sedum Mat HS150 is a mix of up to 18 drought-loving plants integrated into a reinforced biodegradable coir blanket
- Provides stability, low maintenance and colour to otherwise challenging, hard to reach areas
- Contains mature plants with at least 95% coverage and enough substrate to maintain the plants during establishment

Ideal for: Ground cover, biodiverse landscaping schemes, banks, and sloped areas up to 65°, green roof systems, around ponds, low maintenance areas, commercial landscaping, urban areas and parks, domestic gardens, sunny areas.

Enviromat® Flat Roof kit

- Enviromat® is a mix of 17 drought loving succulents integrated into an easy-to-handle flexible geotextile mat
- Easy to install and maintain without waiting for seeds or plug plants to develop
- Integrated moisture retention fleece stores up to 5lt of water per square metre
- Designed as a lightweight retrofit solution for flat roofs

Ideal for: Flat roofs with a pitch of less than 3°, a smooth non-corrugated surface, ground installation on flat level solid surfaces.

Turf Dressings/Loams



Sincron + Top Dressing Fertiliser

Sincron is the ideal product to top-dress over-wintered plants preventing a check in growth and making plants saleable earlier in spring and summer. It provides both fast and slow acting nutrients to sustain plants in healthy condition in the second and subsequent years.

F/CODE	SINCRO	BAG SIZE KG	25
ANALYSIS	16-7-15 + 2MgO + 9S + TE		



Binder Lawn Dressing 70/30

Leighton Buzzard iron sand, 4 mm screened loam. 70% sand, 30% loam. Suitable for lawn dressing, levelling and construction.

F/CODE	AMLD	BAG SIZE KG	25
--------	------	-------------	----



Sinclair Lawn Sand

Approved as a professional herbicide for control of moss in lawns, this traditional treatment also helps improve drainage for lawns growing on heavy soils.

- Use on amenity grass and managed turf
- Mini granular formulation
- 2.8% FE
- 4% N
- Treats 250m²

F/CODE	LAS	BAG SIZE KG	20
--------	-----	-------------	----



Thomas Elliott Lawn Sand

Feeds and toughens grass.

F/CODE	TELAS	BAG SIZE KG	25
ANALYSIS	3.5-0-0+3.6Fe		

For Turf Growth Regulators and
Amenity Lawn Turf Roll Rates

Get in
touch

AIM – A strategic disease management solution for Turf

Introducing Syngenta's new disease management solution for turf. This comprehensive, one-box fungicide solution is well proven to be a cost-effective approach and agronomically strong season-long disease control strategy best suited for turf maintenance.

Benefits of Syngenta's new AIM package

- Proven by data and trusted technologies
- Broad spectrum and flexible use.
- Programmed approach and rotation of chemistry for strategic disease management all year round.
- Ideal for professionals seeking reliable and valuable turf management strategies.

Syngenta 'AIM' package

Contains three leading Syngenta fungicides, chosen for their effectiveness and performance:

- 1 x 3 litre Ascernity: Tackles summer threats like Anthracnose and Dollar spot.
- 1 x 3 litre Instrata Elite: Works to prevent early autumn outbreaks of Microdochium patch.
- 1 x 3 litre Medallion TL: Offers protection in cooler conditions against leaf and roof diseases.



F/CODE

AIMPACK

Spreaders

Vitax Spreaders

Vitax spreaders are suitable for the efficient application of granular and powdered fertiliser to sports and managed amenity turf. It features a durable, moulded plastic hopper, corrosion resistant stainless steel frame, pneumatic grass tyres, heavy-duty gear box and positive, easy-to-operate controls.



Supaturf SSR 100 DL Delux

Pedestrian spreader suitable for all types of dry fertilisers.

- Can also be used for spreading salt and Vitax Ice Free
- High quality stainless steel frame
- Deflector shield to control spreading pattern
- 45kg capacity
- 2.4-3.7m coverage



F/CODE

DRSSR100D

Supaturf SSR 100

Mid-range pedestrian spreader.

- Mid-range pedestrian spreader suitable for fertilisers, processed salt and Vitax Ice Free
- Powder-coated solid steel frame
- 45kg capacity
- 2.4-3.7m coverage



F/CODE

DRSSR100

Supaturf SSR 50

Ideal for smaller areas of managed turf and lawns.

- Can be also be used to spread processed salt and Vitax Ice Free in Winter
- Powder-coated solid steel frame
- 25kg capacity
- 2.4-3.7m coverage



F/CODE

DRSSR50

Turf Fertilisers

Landscaper Pro Fertiliser Universtar Balance

General purpose fertiliser for lawns and borders. Immediate response and nutrients released for up to 3 months.



F/CODE	LAPROUBA
ANALYSIS	15-5-15 + 2 CaO + 2MgO
APPLICATION RATE	Turf and garden: 20-30 g/m ² Trees: 2-3m 50-70 g/plant Shrub: 40-60 cm 30-40 g/plant Other crop soil top dressing 300-500 kg/ha
AREA TREATED BY A 25KG BAG	625-1000m ²
SUGGESTED USE PERIOD	March, April, May, June, July, August
LONGEVITY	3 months
BAG SIZE KG	25

MO Bacter Lawn Fertiliser

MO Bacter organic based lawn fertiliser is a granular fertiliser that digests moss removing the need to scarify your lawn. Harmless to animals and wildlife, and doesn't damage border plants.

Releases nutrients over a twelve week period and is easily applied by hand or with a spreader.

The high potash content of MB destroys moss through secondary action and helps prevent the development of new mosses. After treatment, wait 2-3 days before cutting.

MO Bacter contains *Bacillus subtilis* sp. which consumes dead material like thatch.



ANALYSIS	5-5-20 + 3MgO + 25% Organic Matter
APPLICATION RATE	Spring - Lawns with moss 100-150 g/m ² (scarification may also be required) Spring - Lawns without moss 50-100 g/m ² Autumn - From end of August 50-100m ²
AREA TREATED BY A 20KG BAG	175-200m ²
SUGGESTED USE PERIOD	March to September
LONGEVITY	3 Months (Slow Release)

F/CODE	BAG SIZE KG
MOBA10	10
MOBA20	20

Viano Autumn Lawn Treatment

Autumn Lawn Treatment is an organic-based long lasting fertiliser with added Humifirst (humic acids). It stimulates root growth and prepares the grass against adverse conditions such as stress, water logging, snow or scarification, giving your lawn the best start in the spring. An ideal treatment for moss, it contains a high potash content and the moss dies by indirect action. Added magnesium will strengthen the grass and ensure a strong green colour.

The granular form is best applied using a wheeled spreader or evenly by hand.



F/CODE	DJALT
ANALYSIS	6-6-16 (+2MgO)
APPLICATION RATE*	50-100 g/m ²
AREA TREATED BY A 10KG BAG	200m ² (10kg Bag)
SUGGESTED USE PERIOD	August - November (Months are approximate as seasons vary).
BAG SIZE KG	10

Vital Green

Specially developed for use on sports turfs and lawns. For a good (re)growth effect of the grass in spring and a continuous growth during the season. No undesired growth peaks thanks to the combination of immediately absorbable and long-lasting organic nutrients. The potassium content guarantees a better resistance to wear and drought.

Iron chelate and magnesium have been added for a deep green grass colour.



F/CODE	DCMEVG
ANALYSIS	14-4-8 + 3MgO + Fe + 35% Organic Matter
APPLICATION RATE*	Sports turf spring 300-500 kg/ha, active growing season 250-400 kg/ha Golf courses - maintenance of green and tee every 6 weeks 200-300 kg/ha, maintenance of fairway twice per year 300-500 kg/ha Professional lawns and amenity 300-500 kg/ha
BAG SIZE KG	25

*Exact rate depends on the crop, time of application, nutrient reserve and intensity of irrigation.

Greenmaster Pro-Lite Spring & Summer

Ideal for use during main growth periods of season. High nitrogen levels allow for correct top growth and recovery during periods of heavy use. Phosphorus and potassium to encourage a strong, resilient sward. Replaces nutrients lost in grass clippings. Formulated with magnesium to enhance turf health.

For use on fine turf.



F/CODE	AMSPSUM
ANALYSIS	14 + 5 + 10 + 2% MgO
APPLICATION RATE	30-35 g/m ²
AREA TREATED BY A 25KG BAG	714 -833m ²
SUGGESTED USE PERIOD	March, April, May, June, July
LONGEVITY	6 Weeks
BAG SIZE KG	25

Greenmaster Pro-Lite Autumn

Ideal first granular fertiliser application of the season or applied in autumn to harden turf. Low nitrogen and high potassium. Controls moss, whilst strengthening the sward to overcome any mechanical damage. Improves health and appearance of fine turf.

For use on fine turf.



F/CODE	LAFASG
ANALYSIS	6 + 5 + 10 + 6% Fe
APPLICATION RATE	30-35 g/m ²
AREA TREATED BY A 25KG BAG	714-833m ²
SUGGESTED USE PERIOD	Autumn
LONGEVITY	6 Weeks
BAG SIZE KG	25

Sportsmaster Spring & Summer

Breaks down quickly to give rapid uptake of nutrients reducing risk of scorch and mower pick up.

Mini granules for ease of application and even distribution.

For use in outfield situations.



F/CODE	ICL00139
ANALYSIS	9 + 7 + 7
APPLICATION RATE	35-70 g/m ²
AREA TREATED BY A 25KG BAG	355-714m ²
SUGGESTED USE PERIOD	April, May, June, July, August, September
BAG SIZE KG	25

Sportsmaster Autumn

High phosphate and potash with cost-effective application rates. Ensures healthy root growth in winter and better rooting.

Mini granules for ease of application and even distribution.

For use in outfield situations.



F/CODE	LAFBAS
ANALYSIS	4 + 12 + 12
APPLICATION RATE	35-70 g/m ²
AREA TREATED BY A 25KG BAG	355-714m ²
SUGGESTED USE PERIOD	June, July, August, September, October
BAG SIZE KG	25

Sportsmaster Pre-Seeder

Ideal for use prior to seeding/over seeding or laying turf. High phosphorus analysis to enhance seed establishment and better rooting.

Mini granules for ease of application and even distribution.

For use in outfield situations.



F/CODE	ICL00138
ANALYSIS	8 + 12 + 8 + 3% MgO
APPLICATION RATE	30-50 g/m ²
AREA TREATED BY A 25KG BAG	500 - 833m ²
SUGGESTED USE PERIOD	March, April, May, June, July, August, September, October
LONGEVITY	6 Weeks
BAG SIZE KG	25

Sportsmaster Cleanrun Pro Lawn Weed & Feed

A approved professional combined herbicide with fertiliser for weed control. For turf areas including golf and bowling greens, cricket squares, tennis courts and ornamental lawns.

Ideal during spring and summer period when broadleaf weeds are present and need controlling in one application.

Mini granules for ease of application and even distribution.



F/CODE	LAFWS
ANALYSIS	14 + 0 + 5 + 0.49% w/w MCPA + 0.29% w/w mecoprop-P
APPLICATION RATE	35 g/m ²
AREA TREATED BY A 25KG BAG	714m ²
SUGGESTED USE PERIOD	April, May, June, July, August, September
LONGEVITY	6 Weeks
BAG SIZE KG	25

Sportsmaster Renovator Pro Weed, Feed & Mosskiller

A combined approved professional herbicide offering selective weed and moss control and fertiliser. Ideal during spring period when broadleaf weeds and moss are present and need controlling in one application. Contains selective herbicide for routine and heavy weed control.

For use on turf areas including golf and bowling greens, cricket squares, tennis courts and ornamental lawns.

Mini granules for ease of application and even distribution.



F/CODE	LAFMS
ANALYSIS	14 + 0 + 5 + 0.49% w/w MCPA + 0.29% w/w mecoprop-P + 16.3% w/w ferrous sulphate
APPLICATION RATE	35 g/m ²
AREA TREATED BY A 25KG BAG	714m ²
SUGGESTED USE PERIOD	April, May, June, July, August, September
LONGEVITY	6 Weeks
BAG SIZE KG	25

Landscaper Pro Spring & Summer

Lawn fertiliser with controlled release technology (2-3 months). Ideal for use during spring and summer. Immediate response and nutrients released for up to 3 months.



F/CODE	LAPROSS
ANALYSIS	20-0-7 + 3 CaO + 3MgO
APPLICATION RATE	25-35 g/m ²
AREA TREATED BY A 15 KG BAG	430-600m ²
SUGGESTED USE PERIOD	March, April, May, June, July, August
LONGEVITY	3 Months
BAG SIZE KG	15

Turf Pigments



Ryder Turf Pigment

Ryder is a highly concentrated and stable green pigment designed for use on managed turf to improve its appearance and to help protect against UV radiation and excessive light intensities. Ryder delivers a lasting and natural looking green colour for an enhanced, more uniform, appearance. Ryder is safe to use on all turf species. For optimum turf quality Ryder should be used in conjunction with turf management practices that promote good turf health.

F/CODE	ICL00106
SIZE LT	1

F/CODE	ICL00107
SIZE LT	5

Landscape Construction Materials



- Lawn & Landscape Edging
- Tree Protection & Grilles
- Ground Stabilisation

Lawn & Landscape Edging

Aluminium Edging

Edging for lawns, borders, beds and pathways alike, keeping that pristine neat garden appearance with perfect straight, corners and enviable curves and shapes.

- Held securely in place with barbed fixing stakes
- Light and easy to handle, comes in long lengths and has a unique, telescopic design to make installation very neat, quick and easy
- Smooth round top edge, so no sharp edges to cut you or damage the lawn mower blades
- Castellated body which gives maximum strength for heavy lawn mowers and prevents lifting by frost

Benefits

- Easy to install
- Permanent - no maintenance required
- Saves hours of future edging work
- Keeps your garden at its best
- Many border options - sand, gravel, lawn, pebbles, slate



Available in: Black, Green, Natural Aluminium, Brown

F/CODE	REFERENCE	DESCRIPTION	HEIGHT CM	LENGTH M	PACK	PACK LENGTH M
REDA531	C531	Natural	10.2	2.4	14	33.6
REDGE1	C531RT	Natural	10.2	1.2	4	4.8
REDG532	C532	Brown	10.2	2.4	14	33.6
REDGE2	C532RT	Brown	10.2	1.2	4	4.8
RED533	C533	Green	10.2	2.4	14	33.6
RED534	C534	Black	10.2	2.4	14	33.6
REDG557	C557	Heavy Duty - Natural	10.2	2.4	12	28.8
RED558	C558	Heavy Duty - Brown	10.2	2.4	12	28.8
RED559	C559	Heavy Duty - Green	10.2	2.4	12	28.8
RED560	C560	Heavy Duty - Natural	14	2.4	10	24
REDG564	C564	Heavy Duty - Brown	14	2.4	10	24

The above edgings come complete with fixing stakes at 2 stakes per 2.438m piece and 1 stake per 1.2m piece.

Flush Joining Pieces

F/CODE	REFERENCE	DESCRIPTION	HEIGHT CM	LENGTH CM	PACK QUANTITY
REDG563B	C563	Heavy Duty - Brown	10.2	10	12
REDG565	C565	Natural	10.2	10	14
REDG566	C566	Brown	10.2	10	14
REDG567	C567	Green	10.2	10	14
REDG568	C568	Black	10.2	10	14
REDG569	C569	Heavy Duty - Natural	14	10	10
REDG569B	C569BN	Heavy Duty - Brown	14	10	10



Tree Protectors & Grilles

Our range of town and country tree protectors are the most cost effective solution on the market.

Features

- Black polymer coated for long life protection
- Safe design for injury prevention
- Strong welded British steel construction
- Easy to install
- Corrosion resistant fixing bolts supplied as standard
- Locking feet included



C751 Classic Flat Bar

C758 Classic Flat Bar, Sheep-proof

C768 Premier Round Bar, Roll Top Deco

The Premier and Classic design along with the Tree City Grille afford the protection young and semi-mature trees need, particularly if they are in populated areas.

The Premier range is available in high specification black polymer coated steel and the classic range is available in standard galvanised or high specification black polymer coated, offering long life protection. Both ranges have a unique 'drive in' feet locking system securing the protector into the ground. Supplied in three sections, the protector is simply bolted together using the supplied corrosion resistant fixing bolts.

On many urban and rural sites, newly planted trees need protection from vandalism, machinery and animals, including sheep. In many situations wire mesh guards and other protection methods are not sufficient to effectively protect the tree.

Rainbow Professional Tree Protectors are the ideal solution to protect semi-mature trees from harmful damage. The Premier has a 20mm round bar design and Classic having a flat bar design that offers protection to the most vulnerable area of the tree, the trunk. They are made from mild steel and are polymer coated (galvanised finish also available) offering increased protection and durability.

All protectors are supplied in three parts allowing installation to take place after the tree has been planted. Once the tree has reached maturity and the protector is no longer needed it can easily be removed and re-used. Protectors can be used without grilles where the ground is soft and no hard surface is present.



C768 Premier Round Bar, Roll Top Deco



C768 Premier Round Bar, Roll Top Deco

F/CODE	TYPE	COLOUR	DIAMETER CM	HEIGHT M	STYLE	QUANTITY
C750	Classic	Galvanised	40	1.8	Flat Bar	Each
C751	Classic	Black	40	1.8	Flat Bar	Each
C752	Classic	Galvanised	60	1.8	Flat Bar	Each
C753	Classic	Black	60	1.8	Flat Bar	Each
C758	Classic	Black	40	1.8	Flat Bar Sheep Proof	Each
C765	Premier	Black	40	1.8	Round Bar Roll Top	Each
C766	Premier	Black	60	1.8	Round Bar Roll Top	Each
C767	Premier	Black	40	1.8	Round Bar Roll Top Deco	Each
C768	Premier	Black	60	1.8	Round Bar Roll Top Deco	Each
C769	Premier	Black	40	1.8	Round Bar Straight Top	Each
C770	Premier	Black	60	1.8	Round Bar Straight Top	Each

Grilles and Frames

The grilles are supplied in four pieces and are manufactured in a specially formulated SG iron making them effectively shatter-proof, unlike most other cast iron products on the market. Available in three different sizes they are supplied as standard with a black painted finish.

Black polymer coated option now available.

F/CODE	TYPE	SIZE CM	HOLE DIAM CM	FRAME CODE	QUANTITY
C759	Tree City Grille	80 x 80	40	C762	Each
C760	Tree City Grille	100 x 100	50	C763	Each
C761	Tree City Grille	120 x 120	60	C764	Each



C760 Grille and C763 Frame



C769 Premier Round Bar Straight Top with C760 Grille and C763 Frame

Bodpave™ 40 for Gravel surfaces

Transform any outdoor space into a masterpiece of stability and functionality with our innovative ground stabilisation solutions.

Features

- Built to withstand heavy foot traffic, vehicular loads, and the toughest weather conditions, our ground stabilisation products ensure your surfaces stay solid and secure all year round.
- From parking lots to pedestrian pathways, our ground stabilisation products adapt to a variety of settings, providing stable foundations wherever you need them. Applicable to both gravel installations and soil/seeded areas.
- Available in recycled plastics and virgin material options. Our solutions not only support your project's sustainability goals but also minimises environmental impact. Designed for application in development areas reducing the need of tarmac/hardstanding.
- Say goodbye to complicated installations! Our solutions are user-friendly and ensure quick and hassle-free setup, saving you time and labour costs.

Design and technical support available



Easy ways to order



Online Purchase

Order online at fargro.co.uk



Customer Services

Call the team on 01903 726 100



Area Sales Manager

Order via your Area Sales Manager



Click & Collect

Opening hours 9.00am – 5.00pm



By Appointment To Her Majesty The Queen Horticultural Sundriesmen

Agrochemicals



- Herbicides
- Fungicides
- Insecticides
- Disinfectants, Sterilants & Cleaners
- Rodent Control
- Rabbit, Deer, Geese & Pigeon Control

Herbicides



Chikara

Active ingredient: 25% w/w flazasulfuron.
An approved professional non selective residual herbicide.

Crops: Natural surfaces not intended to bear vegetation, permeable surfaces overlying soil, hard surfaces (railway ballast only) and amenity vegetation (around).

F/CODE	MAPP	SIZE G
CHIKA	14189	50



Esteron T Herbicide

Active ingredient: 6.25 g/Lt florasulam & 452 g/Lt 2,4-D.
An approved professional selective post-emergent herbicide for the control of broad-leaved weeds in managed amenity turf (including domestic lawns) and amenity grassland.

F/CODE	MAPP	SIZE L
ESTERONT2	17432	2



Ecoplug Max

Active ingredient: 720 g/kg glyphosate.
An approved professional tree stump treatment technique to minimise root and stump sprouting.

Crops: A stump treatment for use in forest, amenity vegetation, land immediately adjacent to aquatic areas, and aquatic areas (see label).

F/CODE	MAPP	UNIT
ECOPL	17581	Box 100



Diamond Herbicide

Active ingredient: 160 g/Lt 2,4-D and 240 g/Lt glyphosate.

For the control of annual and perennial weeds in stubbles, grassland (destruction), green cover on land not being used for crop production, orchards, amenity grassland (destruction), hard surfaces (railway ballast only) and amenity vegetation.

Crops: All crops (stubble treatment), grassland (before drilling or planting), green cover on land not being used for crop production (before drilling or planting), apple (around), pear (around), amenity grassland (before drilling or planting), hard surfaces (railway ballast only), amenity vegetation.

F/CODE	MAPP	SIZE L
DIAM5LT	19846	5



Gallup Biograde Amenity

Active ingredient: 360 g/Lt glyphosate.
An approved professional systemic herbicide for control of most broad-leaved and grass weeds including common couch.

Crops: Industrial sites, along paths and roadways, in amenity and forest areas and on or near water.

F/CODE	MAPP	SIZE L
GALLB	17674	5



Gallup XL

Active ingredient: 360 g/Lt glyphosate.
An approved professional systemic herbicide for control of most broad-leaved and grass weeds.

Crops: Named arable crops, mustard, peas, field beans, stubbles of all edible and non-edible crops, all edible and non-edible crops (destruction, before sowing/planting), grassland, hard surfaces, natural surfaces not intended to bear vegetation, permeable surfaces overlying soil, apple and pear orchards, cherry damson and plum orchards, forest, land immediately adjacent to aquatic areas, green cover on land not being used for crop production, asparagus.

F/CODE	MAPP	SIZE L
GAL36020	17663	20
ROU5	17663	5



Lockstar Herbicide

Active ingredient: 360 g/kg diflufenican and 10g/kg iodosulfuron-methyl-sodium.

An approved professional herbicide for the pre-emergence and early post-emergence control of annual and perennial weeds.

Crops: Natural surfaces not intended to bear vegetation, permeable surfaces overlying soil and hard surfaces (railway ballast only). Approval also includes use around amenity vegetation.

F/CODE	MAPP	SIZE G
LOCKS500	20246	500



Roundup ProVantage

Active ingredient: 480 g/l glyphosate.

An approved professional foliar applied translocated herbicide for control of emerged weeds.

Crops: All edible and non-edible crops (destruction, before sowing/planting). Grassland. Natural surfaces not intended to bear vegetation; permeable surfaces overlaying soil; hard surfaces. Enclosed waters, open waters, land immediately adjacent to aquatic areas. Forest, forest nursery (weed control, stump application and chemical thinning). Apples, pears, plums, cherries, damsons. Amenity vegetation.

F/CODE	MAPP	SIZE L
VANTRPRO	15534	5



Roundup ProActive

Active ingredient: 360 g/l glyphosate.

An approved professional foliar applied translocated herbicide for control of a wide range of weeds.

Crops: Agricultural, horticultural, industrial, forestry and aquatic uses. Includes all edible and non-edible crops - destruction before sowing/planting, grassland, apples, pears, plums, cherries, damsons, natural surfaces not intended to bear vegetation; permeable surfaces overlaying soil, hard surfaces, enclosed waters, open waters and land immediately adjacent to aquatic areas. Forest (weed control, stump application and chemical thinning) and amenity vegetation.

F/CODE	MAPP	SIZE L
ROUND	17380	5



Gallup Home & Garden Herbicide

Active ingredient: 360 g/l glyphosate.

A home garden herbicide for the control of annual and deep-rooted perennial weeds.

Crops: Unwanted vegetation.

F/CODE	MAPP	SIZE L
GALLHG	17672	1



Enforcer Herbicide

Active ingredient: 70 g/l 2,4-D, 70 g/l MCPA, 42 g/l mecoprop-P and 20 g/l dicamba.

Professional turf herbicide for lawns, managed amenity turf, golf courses and sports fields.

- Potent combination of 4 active ingredients.
 - Ideal for all sports surfaces and lawns.
 - Various application methods including knapsack.
- Crops:** Managed amenity turf.

F/CODE	MAPP	SIZE L
ENFOR5	17274	5



VITAX SBK Brushwood Killer*

Active ingredient: 48 g/l triclopyr as the triethylammonium salt.

Vitax SBK Brushwood Killer is a selective weedkiller for brambles, nettles, dock, woody weeds, hardwood saplings and tree stumps in grass and other neglected non-crop areas. It does not kill grass.

Crops: In grass and other neglected non-crop areas. Kills difficult weeds not grass.

F/CODE	MAPP	SIZE ML
SOVBK	12711	500

*Only available in a pack of 6



Praxys Herbicide

Active ingredient: 100 g/l fluroxypyr, 80 g/litre clopyralid and 2.5 g/l florasulam.

A systemic post-emergence herbicide. It combines three modern active ingredients and two different modes of action.

- For managed amenity turf and amenity grassland
 - Rapid entry into weeds
 - Rainfast within 1 hour
 - Gives complete kill right down to the roots
 - Developed in extensive trials programme
 - Flexible application rates - 1.0, 1.5 and 2.0 litres per hectare
 - High selectivity to established and young turf
- Crops:** Managed amenity turf and amenity grassland.

F/CODE	MAPP	SIZE L
PRAXYS2	19820	2



MossKade

Active ingredient: Contains plant derived starch, proteins, oils, lactic acid and water.

Contains no active ingredients and is therefore exempt from registration. Works by physically coating algae moss or liverwort.

Crops: Landscape situations, container nursery stock production, hard surfaces.

F/CODE	SIZE L
MOSSK1	1
MOSSK5	5
MOSSK10	10



Finalsan Herbicide

Active ingredient: 186.7 g/l pelargonic acid.
An approved professional non-selective contact herbicide. Activity on all green plant parts against annual and perennial weeds, mosses and algae. Effective against Equisetum sp. (Mare's tail).

F/CODE	MAPP	SIZE L
FINALSAN	13102	10



Flexidor Herbicide

Active ingredient: 500g/l isoxaben.
An approved professional residual herbicide for the control of broad-leaved weeds.

F/CODE	MAPP	SIZE ML
FLEXI500	18042	500



Proshield Herbicide

Active ingredient: 40 g/l diflufenican and 250 g/l glyphosate.
An approved professional nonselective systemic and residual herbicide for annual and perennial broad-leaved weeds and grasses.

F/CODE	MAPP	SIZE L
VANTRPRO	17525	5



Icade Herbicide

Active ingredient: 12 g/l aminopyralid and 120 g/l triclopyr.
An approved professional herbicide for the control of a wide range of deep-rooted perennial, herbaceous weeds and woody weeds, plums, cherries, damsons. Amenity vegetation.

F/CODE	MAPP	SIZE L
DOWICADE1	19069	1

Soil Testing Service

Contact us to find out about our specialist DCM Turf fertilisers and wetting agents



Easy ways to order



Online Purchase

Order online at fargro.co.uk



Customer Services

Call the team on 01903 726 100



Area Sales Manager

Order via your Area Sales Manager



Click & Collect

Opening hours 9.00am – 5.00pm



By Appointment
To Her Majesty The Queen
Horticultural Sundriesmen



Fungicides



Ascernity Fungicide

Active ingredient: 23.6 g/l benzovindiflupyr and 78.8 g/l difenoconazole.

An approved professional broad spectrum foliar fungicide with both contact and systemic properties for moderate control of Fusarium Patch (*Microdochium nivale*) and a reduction in levels of Dollar Spot (*Sclerotinia homoeocarpa*) and Anthracnose (*Colletotrichum graminicola*) on golf greens and tees and sports turf (stadiums and intensively managed sports turf).

Crops: Managed amenity turf (golf greens and tees and sports turf - stadium and intensively managed sports turf).

F/CODE	MAPP	SIZE L
ICL00002	19544	3



Dedicare Fungicide

Active ingredient: 200 g/l tebuconazole and 100 g/L trifloxystrobin.

Contact systemic turf fungicide.

Crops: Amenity grassland and managed amenity turf. Includes golf courses sports turf, (parks, institutional, commercial and residential lawns).

F/CODE	MAPP	SIZE ML
DEDIC250	17672 - 20306	250



Instrata Elite

Active ingredient: 80.3 g/l fludioxonil and 80.3 g/l difenoconazole.

An approved professional broad spectrum foliar fungicide with both contact and systemic properties for control of Fusarium Patch (*Microdochium nivale*), Dollar Spot (*Sclerotinia homoeocarpa*), Brown patch (*Rhizoctonia solani*) and moderate control of Anthracnose (*Colletotrichum graminicola*) and Red Thread (*Laetisaria fuciformis*) on managed amenity turf.

Crops: Managed amenity turf.

F/CODE	MAPP	SIZE L
ICL00062	17976	1
ICL00063	17976	3



Medallion TL Fungicide

Active ingredient: 125 g/l fludioxonil.

An approved professional broad spectrum foliar fungicide with protectant and contact properties for control of Fusarium patch (*Microdochium nivale*), useful levels of control of Leaf Spot (*Drechslera* spp.) and reduction of Anthracnose (*Colletotrichum graminicola*) on managed amenity turf and amenity grassland.

Crops: Managed amenity turf and amenity grassland.

F/CODE	MAPP	SIZE L
ICL00068	15287	1

Insecticides



SB Plant Invigorator Commercial Strength

An environmentally friendly and economical way of controlling a wide range of pest species including whitefly, aphid, spider mite, mealybug, scale and psyllid. It also helps prevent powdery mildew.

- For use on edible and ornamental crops.
- Usable in integrated pest management programmes and compatible with a range of beneficial insects and mites.

F/CODE	MAPP	SIZE L
DSINVIG1	N/A	1
DSINVIG5	N/A	5



Box T Pro Press Pouch 250g

A slow release pheromone product for mating disruption to control the box tree caterpillar *Diaphania perspectalis*. To be applied only to boxwood and applied with the Phero Pump device.

Approved as a professional plant protection product.

F/CODE	MAPP	SIZE G
BOXTPRP	19684	250



Decis Protech Insecticide

Contact insecticide with residual activity against a wide range of pests.

F/CODE	MAPP	SIZE L
DEPROT	16160	1

Disinfectants, Sterilants & Cleaners



AlgiclearPro

Active ingredient: 100 g/l benzalkonium chloride. An approved professional surface biocide for use against algae and lichen.

Use: Internal and external surfaces such as walkways, decking, masonry, playgrounds, tennis courts, roofs, tiles, metal allow, paintwork, wood and glass.

F/CODE	HSE NO.	SIZE L
BIOALG	6835	5



HortiseptPro

Active ingredient: Contains benzalkonium chloride. A horticultural disinfectant with bactericidal, fungicidal and virucidal activity.

Use: Walkways and floors, greenhouse glass and polytunnel surfaces, disinfecting cutting tools, pot trays, flower buckets and boot dips.

F/CODE	SIZE L
HORTI	5



Huwa-San Agro TR50

Active ingredient: Hydrogen peroxide stabilised using uniquely formulated ionic silver based chemistry.

A professional use disinfectant for irrigation water (including biofilm removal), surfaces, floors, walls and equipment.

F/CODE	SIZE L	UNIT
HUWA20	20.8	Drum
HUWA200	200	Drum
HUWA1000	1000	IBC



Hyperox

Active ingredient: Hydrogen peroxide solution, acetic acid, peracetic acid, 2-propenoic acid, polymer with 2-propenal.

A professional powerful broad spectrum multipurpose disinfectant. Can be used as a farm disinfectant for use with all livestock species. Broad spectrum of activity against spores, bacteria, fungi and viral organisms. Approved for various animal health diseases.

Use: Surface equipment disinfection. Foot and wheel dips.

Recommendations for use in various horticultural situations are included on the product leaflet.

F/CODE	SIZE L
HYPER	20



Jet 5

Active ingredient: Contains 5% w/w peroxyacetic acid.

A powerful disinfectant containing peroxyacetic acid, specially formulated with a surfactant to achieve a penetrating disinfectant action.

Use: Greenhouses, stores, buildings and transport containers. Disinfection of irrigation lines, dipping equipment, water treatment.

F/CODE	SIZE L
JET	5



Jeyes Fluid

Active ingredient: Contains tar acids and 4-chloro-m-cresol.

Outdoor cleaner and disinfectant.

Use: Label includes: farm buildings and feeding equipment, greenhouses and animal housing.

F/CODE	SIZE L
JEYESFL1	1
JEYESFL5	5



Menno Florades

Active ingredient: 90 g/l (9% w/w) benzoic acid. An approved professional plant protection disinfectant. Approved for control of a wide range of plant diseases including virus, viroid, fungi and bacteria.

Use: For use before, during and after non-edible crop production and storage.

F/CODE	MAPP	SIZE L
MENNO10	13985	10

Applicators available on request



MMC Pro Mould & Algae Control

Active ingredient: 8.9% w/w (89 g/l) didecyl dimethyl ammonium chloride.

Professional multi-surface mould and algae control for all exterior hard surfaces with no need for pressure washing or scrubbing.

F/CODE	MAPP	SIZE L
MMCPRO	93764	5

Rodent Control



AF Snappa Mouse Bait Station

- A versatile mouse bait station designed for use with the Snap-E Mouse Trap
- Discreet system reducing the trapping of non-target species
- Inspection slot enables you to see if trap has been activated
- Bait blocks can be attached to the rods or replace with the Snap-E Mouse Trap (not included)
- Lockable trap supplied with an AF plastic key

F/CODE	PACK
KILLSMBS	Each



Snap-E Mouse Trap

- Advanced mouse trap using hygienic and durable materials
- Bait is placed in a cup in the middle of a pressure-sensitive plate, which releases a strike bar that has only half the distance to travel of conventional traps
- Provides a fast, clean kill every time
- Trap is set from behind so that fingers do not come below the strike bar
- Designed to fit in the AF Snappa Mouse Bait Station

F/CODE	PACK
KILLSEMT	Each



AF Atom Rat Box

- Compact and high quality rat bait box
- Versatile - can use a trap, a drinker or blocks baits either vertically or horizontally
- Stackable design
- Tamper resistant box
- Single AF lock - accessible from the front to stop debris build up in the lock
- Sloping entrance tunnel to help prevent water ingress
- Removable lid for ease of inspection and record keeping

F/CODE	PACK
KILLAFB	Each



Snap-E Rat Trap

- Advanced rat trap using hygienic and durable materials
- Bait is placed in a cup in the middle of a pressure-sensitive plate, which releases a strike bar that has only half the distance to travel of conventional traps
- Provides a fast, clean kill every time
- Trap is set from behind so that fingers do not come below the strike bar
- Designed to fit in the AF Atom Rat Box

F/CODE	PACK
KILLSERT	Each

Rodenticides - Amateur



Brodiag Whole Wheat

Active ingredient: 0.0029% w/w brodifacoum.
An approved rodenticide for general public use for control of rats and mice.

Use: For use against rats in and around buildings.
For use against mice in buildings only.

F/CODE	HSE NO.	WEIGHT G	PACK
KILLBROWW140	UK-2017-1051-0003	7 x 20	20



Rodenticides - Professional



Bromag Whole Wheat

Active ingredient: 0.005% w/w bromadiolone.
An approved professional loose grain rodenticide for control of rats and mice.

Use: For use in and around buildings, in open areas and waste dumps.

To be used only by professional users holding certification demonstrating compliance with UK rodenticide stewardship regime requirements.

F/CODE	HSE NO.	WEIGHT KG	UNIT
KILLBROWW	UK-2015-0932	10	Bag



Bromag Wax Blocks

Active ingredient: 0.005% bromadiolone in 20g wax blocks.

An approved rodenticide for professionals only for the control of rats and mice.

Use: For use indoors, outdoors, around buildings, outdoor open areas, waste dumps and sewers.

To be used only by professional users holding certification demonstrating compliance with UK rodenticide stewardship regime requirements.

F/CODE	HSE NO.	WEIGHT KG	UNIT
KILLBROWB	UK-2013-0755	5	Tub



Difenag Wax Block

Active ingredient: 0.005% difenacoum in a wax block, 20g.

An approved professional rodenticide to control rats and mice.

Use: In and around buildings, sewers.

To be used only by professional users holding certification demonstrating compliance with UK rodenticide stewardship regime requirements.

F/CODE	HSE NO.	WEIGHT KG	UNIT
KILLDIFWB	UK-2011-0132-001	5	Tub

Rabbit, Deer, Geese and Pigeon Control



Grazers Pest Control G1 "4ha" for Rabbit, Pigeons, Deer & Geese

Active ingredient: 0.005% difenacoum in a wax block, 20g.

- Treats 4ha (10 acre)
- Effective against damage from rabbits, pigeons, deer and geese
- Headland (24m min.) and spot treatments generally sufficient
- Systemic (grows with the plant)
- Lasts up to 6 weeks (in ideal conditions)
- Safe to use on edible and ornamental crops
- Spray from early leaf emergence
- Strengthens and stimulates crop growth

F/CODE	SIZE L
GRAZ10A	1

Bait stations may be required. Always read the label before use.

Winter Items

fargro.co.uk



- Rock Salt & De-icer
- Salt/Grit Bins

Rock Salt - White

For general use, effective at clearing snow/ice and improving traction for vehicles or foot traffic.



CODE	SIZE KG
SALT22	22

Surefoot Liquid De-Icer

- Extremely effective, fast acting and long lasting
- Simple to use, mess free
- Non-corrosive
- Surefoot maintains effective ice control to lower temperatures than salt, remaining active down to temperatures as low as -50°C , salt is generally ineffective below -7°C



CODE	SIZE L
OMEXSF	10

Salt/Grit Bins

These salt/grit bins are manufactured from prime polyethylene to ensure quality, with fully hinged lid in all sizes. Drain holes in the base allow drainage.

CODE	SIZE L
SGBIN10	100
SGBIN17	170
SGBIN28	280
SGBIN40	400



Easy ways to order



Online Purchase

Order online at fargro.co.uk



Customer Services

Call the team on 01903 726 100



Area Sales Manager

Order via your Area Sales Manager



Click & Collect

Opening hours 9.00am – 5.00pm





HEAD OFFICE 01903 726 100

ESSEX 01206 735 467

ask@fargro.co.uk

Vinery Fields, Arundel Road, Poling,
Arundel, West Sussex, BN18 9PY

fargro.co.uk

